
10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

ELECTRICAL



10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

ELECTRICAL


KE NO		DESCRIPTION
1	73510400	Nut, Hex, Keps. 1/4-20
2	108423X	Assembly, Cable
2 3 5	133909	Battery
6		Bracekt, Switch
7	104445X 109553X	Switch, Interlock
8	17021008	Switch, Interlock
Ū	17021008	Screw, Hex Head, Tapping #10-24 x 1/2
9	122147X	Key, Molded
10		Cover, Ignition Key
11	124211X	Nut, Ignition
12		Switch, Ignition
14		Tie, Cable
15	121305X	Switch, Plunger
10	73510500	Nut, Hex, Keps 5/16-18
10	108824X	Fuse
10	128353 131467	Assembly, Cable
	73350400	Harness, Ignition Nut, Hex, Jam 1/4-20
21	10090400	Washer, Lock 1/4
22	74780408	Bolt, Hex, Fin.
		1/4-20 UNC x 1/2 Grade 5
23	11050400	Washer, Lock External Tooth 1/4
24	131563	Cover, Terminal
25	138406	Solenoid
26	74760412	Bolt, Hex Head 1/4-20 UNC x 3/4
27	19091016	Washer 9/32 x 5/8 x 16
28	10040400	Washer, Lock 1/4
29		Cap, Battery
30 35		Nut, Hex, Fin. 1/4-20 UNC
36	11050600 11150400	Washer, Lock, External Tooth 3/8
30	11130400	Washer Lock Int Tooth 1/4

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

HOOD




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8	124657X 73510400 19091016 74780410 126675X 122549X 122548X 17411310	Spring, Extension Nut, Hex, Keps 1/4-20 UNC Washer 9/32 x 5/8 x 16 Gauge Bolt, Hex, Fin 1/4-20 UNC x 5/8 Grade 5 Bolt, Shoulder Bracket, Hood, R.H. Bracket, Hood, L.H. Screw, Hex, Fin #13-16 Hi-Lo x 5/8	9 10 11 12 13 16 18 19	74780412 123693X 132918X505 127178 134232X428 124346X 19111116 11030400	Bolt, Hex, Fin 1/4-20 x 3/4 Grade 5 Brace, Hood Hood Lens Grill Nut Self Thd Wsh Hd 1/4 Washer 11/32 x 11/16 x 16 Ga. Washer Lock Int/Ext Tooth 1/4

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm


10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

FENDER / CHASSIS



KEY NO.		DESCRIPTION	KEY NO.		DESCRIPTION
1	129965	Case, Battery	13	109238X	Tube, Battery Drain
2	19132012	Washer 13/32 x 1-1/4 x 12 Gauge	14	73510400	Nut How Kone 1/4 00
3	17490612	Screw, Hex Washer Head, Thd.	15	73680500	Nut, Hex, Keps 1/4-20
		Roll. 3/8-16 x 3/4	16	74760512	Nut, Crownlock 5/16-18
4	124181X	Spring, Compression, Seat	17	127880	Bolt, Hex 5/16-18 UNC x 3/4
5	127115X505	Plate, Battery			Drawbar
6	109596X	Clamp, Hose	19	131810X505	Fender/Footrest
7	124144X	Pad, Footrest	20	19091413	Washer 9/32 x 7/8 x 13 Gauge
8	17490512		21	17490516	Screw Hex Wh Thd Rol 5/16-18 x 1
Ü	17430312	Screw, Hex Washer Head, Thd. Roll. 5/16-18 x 3/4			
12	137097	Assembly, Frame	NOT	E: All compon 1 inch = 25	ent dimensions given in U.S. inches.

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	72050411	Bolt, Carriage 1/4-20 x 1-3/8	13	74780814	Bolt, Fin Hex 1/2 - 13 x 7/8 Gr. 5
ż	134647	Seat	14	10040800	Washer Lock Hvy HLCL Spr. 1/2
3	74641008	Screw, Slotted Pan Head	15	19171912	Washer 17/32 x 13/16 x 12 Gauge
0	77071000	#10-32 x 1/2	16	127018X	Bolt, Shoulder
4	73680500	Nut, Crownlock 5/16-18	17	121251X	Strip, Foam
5	105529X	Bolt, Shoulder 5/16-18 UNC	18	123976X	Locknut, Hex, Large, Flange
6	4171R	Clip, Insulated	19	121248X	Bushing, Snap
7	73951000	Nut, Keps #10-32 UNF	20	121250X	Spring, Compression
8	74760612	Bolt, Hex, Fin 3/8-16 UNC x 3/4	21	134300	Spacer, Split, Large .28 ld. x .96
9	126656X	Bracket, Pivot, Seat	22	121246X	Bracket, Switch, Mounting
10	126471X	Clip, Insulated	23	131451	Pan, Seat
11	19131210	Washer 13/32 x 3/4 x 10 Gauge	20	101.101	
		Nut, Crownlock 3/8-16 UNC			<u>`</u> }∮ € .
12	73680600	Mari Clowniock 3/6-10 CMC			I I C Inches

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm


10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

DASH




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10	132734 138393 123487X 8544R 8548R 73510400 2751R 19091216 74760428 19091413	Cap, Fuel Assembly, Dash & Fuel Tank Clamp, Hose Line, Fuel Line, Fuel Nut, Hex, Keps 1/4-20 Clip, Fuel Line Washer 9/32 x 3/4 x 16 Gauge Bolt, Hex, Fin. 1/4-20 x 1-3/4	13 14 15 16 17 18 19 20	126450X 126115X 122023X 124346X 72110404 130745 134744 17060408	Clip, Height Adjustment Knob, Height Stop Adjustment, Quadrant Height Nut, Self-Threading 3/16-18 Bolt, Carriage 1/4-20 x 1/2 Grade 5 Support Assembly, Dash Brace, Cross Screw Tap R 1/4-20 x 1/2
11 12	121249X 3720R	Washer 11/32 x 11/16 x 16 Gauge Spacer, Split Spring	NOTE	E: All compo 1 inch = 2	nent dimensions given in U.S. inches. 5.4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A



KEY NO.	PART NO.	DESCRIPTION		PART 10.	DESCRIPTION
1 2 3 4 5 6	133742 7810H 19133808 133741 121897X 17431008	Insert, Steering Wheel Locknut 3/8-24 UNF Washer 13/32 x 2-3/8 x 8 Ga. Wheel, Steering Sleeve, Steering Screw, Hex Self-Tapping	10 123 11 120 12 192 13 104	210X 438X 900045 11616 820X	Clip, Steering Bushing, Lower, Steering Ring, Retaining Washer 21/32 x 1 x 16 Ga. Adaptor, Steering Wheel
7 8	102803X 123651X	#10-16 x 1/2 Bushing, Steering Shaft, Steering	NOTE: /	All compo 1 inch = 2	nent dimensions given in U.S. inches. 4.5 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A SECTOR GEAR / AXLE SUPPORT




KE NO		DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 5 6 7 8 9 10 11	132566 74780828 121926X 121927X 73030800 126472X 73680800 76020412 19131316	Link, Drag Bolt, Hex, Fin. 1/2-13 x 1-3/4 Gear, Sector Bushing Nut, Heavy, Hex, Top Lock 1/2-13 UNC Clip, Wire Nut, Crownlock 1/2-13 Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Ga.	13 14 15 16 17 18 7 19 7 20	126847X 74760512 19111416 72110606 72140622 121912X 73220600 73680600 73680600	Bushing Bolt, Hex Hd. 5/16-18 x 3/4 Washer 11/32 x 7/8 x 16 Ga. Bolt, Carriage 3/8-16 UNC x 3/4 Bolt, Carriage 3/8-16 x 2-3/4 Support, Front Axle Nut, Hex, Fin. 3/8-16 UNC Nut, Centerlock 3/8-16 UNC Nut, Crownlock 3/8-16 UNC Nut, Crownlock 5/16-18

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

HARDWARE SHOWN LARGER FOR OR EASIER IDENTIFICATION


10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

FRONT AXLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9	121232X 12000029 121748X 121922X 121914X 6266H 121919X 121749X 76020412	Cap, Spindle Ring, Klip Washer 25/32 x 1-5/8 x 16 Gauge Nyliner Axle, Front Bearing, Thrust Spindle Assembly, R.H. Washer 25/32 x 1-1/4 x 16 Gauge Pin, Cotter 1/8 x 3/4	10 11 12 13 NOT	19131316 126847X 121924X 121916X TE: All compo 1 inch = 2	Washer 13/32 x 13/16 x 16 Gauge Bushing Rod, Tie Spindle Assembly, L.H. nent dimensions given in U.S. inches 5.4 mm


10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A BRAKE / REAR MOWER LIFT ASSEMBLY



NO KE		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 0	71673 123436X 123437X 8156H 122504X 76020312 19131016 17490508 76020412 19131316 123543X	Cap, Parking Brake Rod, Parking Brake Bracket, Parking Brake Cover, Pedal Bracket, Pedal Clutch LH Pin, Cotter 3/32 x 3/4 Washer 13/32 x 5/8 x 16 Gauge Screw, Hex, Thd. Roll. 5/16-18 x 1/2 Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Gauge Rod, Front Brake	18 106888X 19 73800600 20 73350600 21 131936 22 127378 23 73680600 24 19132012 25 4921H 26 73930600 27 127369 28 127358 29 72110506	
12 13 14 15 16 17	129567 123394X 121978X 123641X 19251816 12000034	Assembly, Clutch/Brake Pedal Rod, Clutch Bracket, Lift, Shaft Assembly, Brake, Pivot, Arm Washer 25/32 x 1-1/8 x 16 Gauge Ring, Klip	30 73510500 NOTE: All comp 1 inch =	Nut, Keps 5/16-18 UNC conent dimensions given in U.S. inches 25.4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

ENGINE / THROTTLE




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	17060408	Screw, TA Semi-Gimlet 1/4-20 x 1/2	9 10	19101216 10040400	Washer 5/16 x 3/4 x 16 Gauge Washer, Lock, Heavy Helical Spring
2	133025	Control, Throttle			1/4
3		Engine, Briggs and Stratton, 10 HP Model No. 254707	11 12	74760416 137437	Bolt, Hex, Fin 1/4-20 UNC x 1 Muffler
4	71070512	Screw, Hex Head Cap 5/16-18 x 3/4	15 17	137180 17490624	Kit, Spark Arrester (Optional) Screw, Hex Washer Head, Thd.
5	10040500	Washer, Lock, Heavy Helical Spring 5/16	18	126636X	Roll. 3/8-16 x 1-1/2 Keeper, Ground Drive Belt
6	125593X	Gasket, Exhaust	19	127951	Stop, Throttle
7	73220500	Nut Fin Hex 5/16-18			
8	121094X	Bolt, Shoulder 5/16 UNC	NOT	E: All compone	ent dimensions given in U.S. inches

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

1 inch = 25.4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A


GROUND DRIVE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.		DESCRIPTION
1	73680500	Nut, Crownlock 5/16-18	13	19131316	Washer 13/32 x 13/16 x 16 Gauge
2	74760512	Bolt, Hex 5/16-18 UNC x 3/4	14	73930600	Nut, Centerlock 3/8-16 UNC
3	131205	Keeper, Mower Drive Belt, Engine, R.H.	15 16	73680600 126471X	Nut, Crownlock 3/8-16 UNC Clip, Insulated
4	134828	Pulley, Engine	17	122052X	Spacer, Retainer
5	10040700	Washer, Lock, Heavy Helical Spring 7/16	18 19	131459 73510500	Spring, Extension Nut, Keps 5/16-18 UNC
6	71170744	Bolt, Hex, 7/16-20 x 2-3/4 Grade 5	20	123891X	Keeper, T/A Ground Drive Belt
7	124525X	Traction, V-Belt Drive	21	19111016	Washer 11/32 x 5/8 x 16 Gauge
8	123405X	Keeper, T/A Ground Drive Belt	22	123404X	Keeper, Ground Drive Belt, Frame
9	72140612	Bolt, Carriage 3/8-16 UNC x 1-1/2	23	131204	Keeper, Mower Drive Belt, L.H.
10	123396X	Keeper, Ground Drive Belt, Idler			tooper, motion billo bott, E.i.i.
11	123395X	Arm, Ground Drive Clutch			
12	4859J	Idler, Flat	NOT	E: All compoint of the compoin	nent dimensions given in U.S. inches 5.4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A


TRANSAXLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 18	123385X 12000028 131945 2228M 73680500 10040700 131939 17490512 110422X 121749X 123583X 74760644 137491 71040412	Pulley Ring, Retainer Transaxle Model Number 2000-07 Key, Woodruff #9 Nut, Crownlock 5/16-18 Washer, Lock Hvy Hlcl Spr 7/16 Strap, Torque Screw 5/16-18 x 3/4 Spring, Brake Washer 25/32 x 1-1/4 x 16 Gauge Key, Square Bolt Fin Hex 5/16-18 x 2-1/2 Bracket Asm Shift Center Bolt, Hex, Fin. 1/4-28 UNF x 3/4 Grade 8	22 23 24 31 33 35 36 37 38 39 40 41 42 43	105701X 106933X 131930 132985 73680600 12000001 131935 74760512 131937 19171612 132827 73800500 73220700 72140506	Washer, Shift Plate Knob, Shift Control Rod, Shift Cntr LR Spacer Nut, Crownlock 3/8 - 16 UNC E-Ring Bracket, Brake Bolt, Hex 5/16-18 x 3/4 Keeper, Belt RH Washer 17/32 x 1 x 12 Ga. Bolt Shoulder 5/16-18 Locknut Hex w/Ins 5/16-18 Nut, Hex ASF 7/16-14 Bolt, Carriage 5/16-18 UNC x 3/4
19 20	10040400 19091210	Washer, Lock 1/4 Washer 9/32 x 3/4 x 10 Gauge	NOT	E: All compo 1 inch = 2	nent dimensions given in U.S. inches 5.4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A


MOWER LIFT LEVER



NO KE		DESCRIPTION	KEY NO.		PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13	126470X 122018X 74780408 73680600 123417X 106451X 135371 74760636 121930X 76020412 19131316 131861 127028	Clip, Insulated Bracket, Mower Clutch Bolt, Hex, Fin 1/4-20 UNC x 1/2 Grade 5 Nut, Crownlock 3/8-16 UNC Assembly, Clutch Lever Bolt, Shoulder Assembly, Mower Clutch Arm Bolt, Hex 3/8-16 UNC x 2-1/4 Assembly, Bellcrank, Lift Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Gauge Sleeve, Handle Assembly, Lift Handle	17 18 19 20 23 24 25 26 27 28 29	1: 7: 7: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:	27359 33205 3680400 4760644 6020416 9171616 21933X 21934X 06932X 6020312 31655	Link, Front Lift Trunnion, Threaded 3/8-16 Nut, Crownlock 1/4-20 Bolt, Hex, Fin. 3/8-16 UNC x 2-3/4 Pin, Cotter 1/8 x 1 Washer 17/32 x 1 x 16 Gauge Tube, Spacer Rod, Mower Lift Grip Pin, Cotter 3/32 x 3/4 Link, Mower Clutch
14 15 16	123496X 19131212 4921H	Spring, Compression Washer 13/32 x 3/4 x 12 Gauge Retainer, Spring	NOT	E:	All compon 1 inch = 25.	ent dimensions given in U.S. inches 4 mm

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A

MOWER DECK



10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A


MOWER DECK

	_	PART NO.	DESCRIPTION
10 111 12 13 144 15 16 17 18 19 20 21 223 24 25 26 27 28 29 30 31 32	2 12:33 73:44 13:65 13:65 12:77 72:73:65 13:65 12:73:65 13:6	962 30600 857 929 58 963 983 207 50900 631 90508	Spring, Mower Clutch Spacer, Retainer Nut, Crownlock 3/8-16 UNC Assembly, Brake Guide, Belt Idler Idler, Flat Bolt, Carriage 3/8-16 x 2 Grade 5 Washer 13/32 x 7/8 x 10 Gauge Assembly, Mower Idler Arm Bolt, Carriage 3/8-16 UNC x 1 Rod, Brake Bracket, Rear Lift, R.H. Bolt, Carriage 5/16-18 UNC x 5/8 Nut, Crownlock 5/16-18 Bracket, Rear Lift, L.H. Keeper, R.H. Stabilizer, Mower Link Pin, Drive Bracket, Stabilizer Link Blade Washer, Hard Washer, Lock, Heavy 3/8 Bolt 3/8-24 x 1-1/4 Grade 8 Stripper Bolt 5/16-18 x 1-1/4 Washer .150 Thick Housing, Mower Pulley, Mandrel Nut, Flangelock 9/16 Bracket, Deflector Screw, Hex Washer Head, Thd. Roll. 5/16-18 x 1/2 Arm, Support Idler, Mower
33 36 37 38 39 40 41 42 43 44 45 46 47 48	1315 1219 1237 1053	660 180X 13X 04X 1016 52X 64 1616 R 36 85X 74	Shield, Deflector Rod, Hinge Spring, Torsion Deflector Cap, Sleeve Washer 11/32 x 5/8 x 16 Gauge Nut, Push V-Belt Washer 11/32 x 5/8 x 16 Gauge Clip, Hairpin Keeper, L.H. Bearing Housing, Mandrel, Vented Bearing Shaft, Mandrel (Includes Key #47) Mandrel Assembly (Includes Key
	13631		Numbers 21-23, 26, 29 and 45-48) Deck Service Complete

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

10 HP 36" TRACTOR - - MODEL NUMBER 6A1A1A



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8	132627 130569 130568 138804 139183 132628 133795 137259	Decal, Grill Rally Decal, Stripe, Hood, L.H. Decal, Stripe, Hood, R.H Decal, Fend Quickshf Decal, Hood Insert Decal, Fender Decal, Caution Decal, Warning	9 10 11 12 14	127075 139181 123637X 121549X 125690X 138698 138699 138770	Decal, Wheel Strg Decal, Center Shift Decal, Operating Instructions Decal, Caution, Battery Decal 100 Dba Manual, Operator's (English) Manual, Operator's (French) Manual, Repair Parts (Engish/ French)

WHEELS



	PART NO.	DESCRIPTION
	59192 65139 278H 124142X 124143X	Cap, Valve Stem, Valve Fitting, Grease (Front Only) Tire, Front Tire, Rear
5	59904 8134H	Tube, Tire, Front (Optional, Service Item Only) Tube, Tire, Rear (Optional, Service Item Only)
6	122394X311 123412X311	Rim Assembly, Front Rim Assembly, Rear
7 8 9	104757X	Cap, Axle Bearing, Flange (Front Only) Washer, Axle Cap