
#### 11 HP 36" TRACTOR - - MODEL NO. 6C1A7A

#### **ELECTRICAL**



#### 11 HP 36" TRACTOR - - MODEL NO. 6C1A7A


#### **ELECTRICAL**

KEY NO.	•	DESCRIPTION
1	73510400 108423X	Nut, Hex Keps 1/4-20
2 3 5 6	133909	Assembly, Cable Battery
5	108236X	Bracket, Switch
6	104445X	Switch, Interlock
7	109553X	Switch, Interlock
8	17021008	Screw, Hex Hd. Tap #10-24 x 1/2
9 10	140402 123620X	Key, Molded
11	140400	Cover, Key Ignition Nut, Ignition
	140399	Switch, Ignition
	7192J	Tie, Cable
	121305X	Switch, Plunger
	73510500	Nut, Hex, Keps 5/16-18
	108824X 128353	Fuse
10	140410	Assembly, Cable Harness, Ignition
20	73350400	Nut, Hex Jam 1/4-20
21		Washer, Lock 1/4
22	74780408	Bolt, Hex 1/4-20 x 12 Gr. 5
24	131563	Cover, Terminal
	138406	Solenoid
26 27		Bolt, Hex Hd. 1/4-20 UNC x 3/4 Washer 9/32 x 5/8 x 16 Ga.
28		Washer, Lock Hvy. Hel. Spring 1/4
29		Cap, Battery
30		Nut, Hex, Fin. 1/4-20
35	11050600	Washer Lock Ext. Tooth 3/8
36	11150400	Washer Lock Int. Tooth 1/4
38 39	140660 141735	Harness, Adapter Bracket Switch Clutch
70	141735	Bracket, Switch Clutch Harness, Engine
, 0	110710	riamicoo, Engino

**NOTE:** All component dimensions given in U.S. inches. 1 inch = 25.4 mm

### 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A

HOOD




ION	PART NO. DESCRIPTION			KEY NO.	DESCRIPTION	PART NO.	KEY NO.
Bar Dual LR P/L d. Wsh-Hd 1/4 /32 x 11/16 x 16 Ga. k 1/4 Int/Ext Tooth	32918X505 Hood 27178 Lens Clear Bar Dual 34232X428 Grill 24346X Nut Self-Thd. Wsh-Ho 3111116 Washer 11/32 x 11/1 1030400 Washer Lock 1/4 Int/	123693X 132918X505 127178 134232X428 124346X 19111116 11030400	- - 1	10 11 12 13 16 18 19	Extension, Spring Nut, Hex, Keps 1/4-20 Washer, 9/32 x 7/8 x 16 Ga. Bolt, Hex Fin 1/4-20 x 3/4 Gr. 5 Bolt , Shoulder Bracket, Hood R. H. Bracket, Hood L.H. Screw Sltd. Hex Hd W/PL Washer	124657X 73510400 19091416 74780412 126675X 122549X 122548X 17521310	3 4 5 6 7 8
/32 x 11/16 x 16 k 1/4 Int/Ext To	24346X Nut Self-Thd. Wsh-Ho 9111116 Washer 11/32 x 11/1	124346X 19111116 11030400	1	16 18 19	Bolt , Shoulder Bracket, Hood R. H. Bracket, Hood L.H.	126675X 122549X 122548X	5 6 7 8

All component dimensions given in U.S. inches. 1 inch = 25.4 mm

#### 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **FENDER / CHASSIS**



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	129965	Case, Battery	12	140784	Assembly, Frame
2	19132012	Washer 13/32 x 1-1/4 x 12 Gauge	13	109238X	Tube, Battery Drain
3	17490612	Screw, Hex Washer Head, Thd.	14	73800500	Nut, Hex, Keps 1/4-20
•	17 100012	Roll. 3/8-16 x 3/4	15	73510400	Nut, Lock Hex W/Ins. 5/16-18
4	124181X	Spring, Compression, Seat	16	74760512	Bolt, Hex 5/16-18 UNC x 3/4
5	127115X505	Plate, Battery	17	140782	Drawbar
6	109596X	Clamp, Hose	18	126470X	Clip, Insulated
7	124144X	Pad. Footrest	19	140955X505	Fender/Footrest
8	17490512	Screw, Hex Washer Head, Thd.	20	19091413	Washer 9/32 x 7/8 x 13 Gauge
Ū	17 1000112	Roll. 5/16-18 x 3/4	25	17490516	Screw Hex Wsh Thdrol 5/16-18 x 1
9	126993X	Console, Shift Control	31	141736	Switch Actuator
10	139783	Bar, Shift Lock			
11	124346X	Nut, Self-Threading 3/16	NOT	E: All compon	ent dimensions given in U.S. inches.

## 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **SEAT**



KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 2 4 5 6 8 9 10	72050411 134647 73800500 139888 140407 74760612 140551 126471X	Bolt, Carriage 1/4-20 x 1-3/8 Seat Nut, Lock Hex W/Ins 5/16-18 Bolt, Shoulder 5/16-18 UNC Clip, Push-In Bolt, Hex, Fin 3/8-16 UNC x 3/4 Bracket, Pivot, Seat Clip, Insulated	14 10040800 15 19171912 16 127018X 18 123976X 19 121248X 20 121250X 21 134300 22 121246X	Washer Lock Hvy HLCL Spr. 1/2 Washer 17/32 x 13/16 x 12 Gauge Bolt, Shoulder Locknut, Hex, Large, Flange Bushing, Snap Spring, Compression Spacer, Split, Large .28 ld. x .96 Bracket, Switch, Mounting
12 13	19133210 73800600 74780814	Washer 13/32 x 2 x 10 Gauge Nut, Lock Hex W/Wsh 3/8-16 Bolt, Fin Hex 1/2 - 13 x 7/8 Gr. 5	23 140552 <b>NOTE:</b> All compo	Pan, Seat ponent dimensions given in U.S. inches.

### 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A

#### **DASH**




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	141523	Cap, Fuel	12	3720R	Spring
2	138393	Assembly, Dash & Fuel Tank	13	126450X	Clip, Height Adjustment
3	123487X	Clamp, Hose	14	126115X	Knob, Height Stop
4	8544R	Line. Fuel	15	122023X	Adjustment, Quadrant Height
5	8548R	Line. Fuel	16	124346X	Nut, Self-Threading 3/16-18
6	73510400	Nut, Hex, Keps 1/4-20	17	72110404	Bolt, Carriage 1/4-20 x 1/2 Grade 5
7	2751R	Clip, Fuel Line	18	130745	Support Assembly, Dash
8	19091216	Washer 9/32 x 3/4 x 16 Gauge	19	134744	Brace, Cross
9	74760428	Bolt, Hex, Fin. 1/4-20 x 1-3/4	20	17060408	Screw, Self-Tapping 1/4-20 x 1/2
10	19091413	Washer 11/32 x 11/16 x 16 Gauge	21	134014	Plug, Dome
11	121249X	Spacer Split			

**NOTE:** All component dimensions given in U.S. inches. 1 inch = 25.4 mm


## 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A

#### STEERING WHEEL



KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	133742	Insert, Steering Wheel	8 123651X	Shaft, Steering
2	7810H	Locknut 3/8-24 UNF	9 124210X	Clip, Steering
3	19133808	Washer 13/32 x 2-3/8 x 8 Ga.	10 123438X	Bushing, Lower, Steering
4	133741	Wheel, Steering	11 12000045	Ring, Retaining
5	121897X	Sleeve, Steering	12 19211616	Washer 21/32 x 1 x 16 Ga.
6	17431008	Screw, Hex Self-Tapping #10-16 x 1/2	13 104820X	Adaptor, Steering Wheel
7	102803X	Bushing, Steering	NOTE: All compo 1 inch = 2	onent dimensions given in U.S. inches 5.4 mm

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A SECTOR GEAR / AXLE SUPPORT




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	132566	Link, Drag		19131316	Washer 13/32 x 13/16 x 16 Ga.
2	74780828	Bolt, Hex, Fin 1/2-13 x 1-3/4		126847X	Bushing
5	121926X	Gear, Sector	13	74760512	Bolt, Hex 5/16-18 x 3/4
6	121927X	Bushing	14	19111416	Washer 11/32 x 7/8 x 16 Ga.
7	73030800	Nut, Heavy, Hex, Top Lock	15	72110606	Bolt, Carriage 3/8-16 UNC x 3/4
,	7000000	1/2-13 UNC		137096	Support, Front Axle
8	126472X	Clip, Wire	20 7	73800600	Nut, Lock Hex W/Wsh 3/8-16
9	73680800	Nut, Crownlock 1/2-13	21 7	73800500	Nut, Lock Hex W/lns. 5/16-18
10	76020412	Pin Cotter 1/8 x 3/4			•

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

#### 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **FRONT AXLE**



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	121232X	Cap, Spindle	10	19131316	Washer 13/32 x 13/16 x 16 Gauge
2	12000029	Ring, Klip	11	126847X	Bushing
3	121748X	Washer 25/32 x 1-5/8 x 16 Gauge	12	130465	Rod, Tie
4	3366R	Bearing	13	137061	Spindle Assembly, L.H.
5	142033	Axle, Front	14	74011056	Bolt Hex 5/8-11 x 3-1/2
6	6266H	Bearing, Thrust	15	73901000	Nut, Lock Flange 5/8-11
7	137062	Spindle Assembly, R.H.	16	110438X	Spacer, Bearing Axle
8	121749X	Washer 25/32 x 1-1/4 x 16 Gauge	17	6855M	Fitting Grease
9	76020412	Pin, Cotter 1/8 x 3/4	18	19272016	Washer 27/32 x 1-1/4 x 16 Ga.

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A BRAKE / REAR MOWER LIFT ASSEMBLY




KEY NO.	PART NO.	DESCRIPTION	KEY NO.		DESCRIPTION
1	71673	Cap, Parking Brake	16	19251816	Washer 25/32 x 1-1/8 x 16 Gauge
2	123436X	Rod, Parking Brake	17	12000034	Ring, Klip
3	123437X	Bracket, Parking Brake	18	106888X	Spring, Brake Rod
4	8156H	Cover, Pedal	19	73800600	Nut, Lock Hex W/Wsh 3/8-16
5	122504X	Bracket, Pedal, Clutch LH	20	73350600	Nut, Hex, Jam 3/8-16 UNC
6	76020312	Pin, Cotter 3/32 x 3/4	21	131460	Rod, Rear Brake
7	19131016	Washer 13/32 x 5/8 x 16 Gauge	22	127378	Trunnion, Lift
8	17490508	Screw, Hex, Thd. Roll.	23	73800600	Nut, Lock Hex W/Wsh 3/8-16
		5/16-18 x 1/2	24	19132012	Washer 13/32 x 1-1/4 x 12 Gauge
9	76020412	Pin, Cotter 1/8 x 3/4	25	4921H	Spring, Retainer
10	19131316	Washer 13/32 x 13/16 x 16 Gauge	26	73930600	Nut, Centerlock 3/8-16 UNC
11	123543X	Rod, Front Brake	27	127369	Link, Threaded
12	129933	Assembly, Clutch/Brake Pedal	28	140776	Assembly, Rear Mower Lift
13	123394X	Rod, Clutch	29	72110506	Bolt, Carriage 5/16-18 UNC x 3/4
14	121978X	Bracket, Lift, Shaft	30	73510500	Nut, Keps 5/16-18 UNC
15	123641X	Assembly, Brake, Pivot, Arm			

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

40.16°

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **ENGINE / THROTTLE**



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3	17060408 132752	Screw, Hex, Thrdcut 1/4-20 x 1/2 Control, Throttle Engine, B&S, 11 HP, Model	11 12 15	74760416 137437 137180	Bolt, Hex, Fin 1/4-20 X 1 Muffler Kit, Spark Arrester (Optional) Screw, Hex Wsh Hd, Thdroll.
4 5 6	71070512 10040500 125593X	#28C707 Screw, Hex Hd Washer, Lock, Hvy Hlcl Spring 5/16 Gasket, Exhaust	17 18 19	17490624 126636X 127951	3/8-16 x 1-1/2 Keeper, Ground Drive Belt Stop, Choke
8 9 10	121094X 19101216 10040400	Bolt, Shoulder 5/16 UNC Washer 5/16 x 3/4 x 16 Gauge Washer, Lock, Hvy Hlcl Spring 1/4	NOT	E: All compos 1 inch = 25	nent dimensions given in U.S. inches 5.4 mm

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **GROUND DRIVE**



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13	73800500 74760512 131204 138029 10040700 71170744 124525X 123405X 72140612 123396X 140911 123674X 19131316	Nut, Lock Hex W/Ins 5/16-18 Bolt, Hex 5/16-18 UNC x 3/4 Keeper, Mwr Drive Belt, Engi., R.H. Pulley, Engine Washer, Lock, Hvy Hlcl Spring 7/16 Bolt, Hex, 7/16-20 x 2-3/4 Grade 5 Traction, V-Belt Drive Keeper, T/A Ground Drive Belt Bolt, Carriage 3/8-16 UNC x 1-1/2 Keeper, Ground Drive Belt, Idler Arm, Ground Drive Clutch Idler, Flat Washer 13/32 x 13/16 x 16 Gauge	23	73930600 73800600 126471X 122052X 131459 73510500 139919 19111016 123404X 131205 E: All compo	Nut, Centerlock 3/8-16 UNC Nut, Lock Hex w/Wsh 3/8-16 Clip, Insulated Spacer, Retainer Spring, Extension Nut, Keps 5/16-18 UNC Keeper, T/A Ground Drive Belt Washer 11/32 x 5/8 x 16 Gauge Keeper, Ground Drive Belt, Frame Keeper, Mower Drive Belt, L.H. Donent dimensions given in U.S. inches
		41 - 4784			

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **TRANSAXLE**



KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 123385X 2 12000028 3 137364 4 2228M 5 73800500 6 72140506 7 123378X 8 17490512 9 110422X 10 121749X 11 123583X 12 74760644 15 19171616 16 124600X 17 123632X 18 71040412	Pulley Ring, Retainer Transaxle, Dana, Model No. 4360-49 Key, Woodruff #9 Nut, Lock Hex W/Ins 5/16-18 Bolt, Carriage 5/16-18 UNC x 3/4 Strap, Torque Screw 5/16-18 x 3/4 Spring, Brake Washer 25/32 x 1-1/4 x 16 Gauge Key, Square Bolt Fin Hex 5/16-18 x 2-1/2 Washer 17/32 x 16 Ga. Support, Handle, Shift, L.H. Link, Shift Bolt, Hex, Fin. 1/4-28 UNF x 3/4 Grade 8	19 10040400 20 19091210 21 123484X 22 105701X 23 106933X 24 128215 25 76020416 26 73810500 27 73510500 28 128085 29 128084 31 123409X 33 73800600 34 11050500 35 12000001  NOTE: All componinch = 2	Washer, Lock 1/4 Washer 9/32 x 3/4 x 10 Gauge Arm, Shift Washer, Shift Plate Knob, Shift Control Handle, Rod Pin, Cotter 1/8 x 1 Nut, Hex, Nylon 5/16-24 UNF Nut, Keps 5/16-18 Spring, Extension Support, Handle, Shift, R.H. Spacer, Split Nut, Loxk Hex W/Wsh 3/8-16 UNC Washer, Lock, External Tooth 5/16 E-Ring Denent dimensions given in U.S. inches 5.4 mm

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A


#### **MOWER LIFT LEVER**



KE'		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 2	126470X 122018X	Clip, Insulated	16 4921H	Retainer, Spring
3	74780408	Bracket, Mower Clutch Bolt, Hex, Fin 1/4-20 UNC x 1/2	17 127359 18 133205	Link, Front Lift Trunnion, Threaded 3/8-16
	* *	Grade 5	19 73680400	Nut, Crownlock 1/4-20
4	73800600	Nut, lock Hex W/Wsh 3/8-16	20 74760644	Bolt, Hex, Fin. 3/8-16 UNC x 2-3/4
5	123417X	Assembly, Clutch Lever	23 76020416	Pin, Cotter 1/8 x 1
6	106451X	Bolt, Shoulder	24 19171616	Washer 17/32 x 1 x 16 Gauge
7	135371	Assembly, Mower Clutch Arm	25 121933X	Tube, Spacer
8	74760636	Bolt, Hex 3/8-16 UNC x 2-1/4	26 141470	Rod, Mower Lift
.9	121930X	Assembly, Bellcrank, Lift	27 106932X	Knob, Rd
10	76020412	Pin, Cotter 1/8 x 3/4	28 76020312	Pin, Cotter 3/32 x 3/4
11	19131316	Washer 13/32 x 13/16 x 16 Gauge	29 131655	Link, Mower Clutch
12	131861	Sleeve, Handle	30 73350600	Nut, Hex jam 3/8-16
13	139352	Assembly, Lift Handle	31 19132012	Washer 13/32 X 1-1/4 X 12 Ga.
14	123496X	Spring, Compression		
15	19131212	Washer 13/32 x 3/4 x 12 Gauge	NOTE: All compo 1 inch = 28	nent dimensions given in U.S. inches 5.4 mm

# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A

#### **MOWER DECK**




# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A

#### **MOWER DECK**

NO.		DESCRIPTION	KE' NO.		DESCRIPTION
1	140064	Spring, Mower Clutch	27	129983	Housing, Mower
2	122052X	Spacer, Retainer	28	129207	Pulley, Mandrel
3	73800600	Nut, Lock Hex W/Wsh 3/8-16	29	137266	Nut, Flangelock 9/16
4	130840	Assembly, Brake	30	136631	Bracket, Deflector
5	131251	Guide, Belt Idler	31	17490508	Screw, Hex Washer Head, Thd.
6	121316X	Idler, Flat			Roll. 5/16-18 x 1/2
7	72110616	Bolt, Carriage 3/8-16 x 2 Grade 5	32	122051X	Arm, Support Idler, Mower
8	19131410	Washer 13/32 x 7/8 x 10 Gauge	33	131560	Shield, Deflector
9	140092	Assembly, Mower Idler Arm	36	121980X	Rod, Hinge
10	72140610	Bolt, Carriage 3/8-16 UNC x 1-1/4	37	123713X	Spring, Torsion Deflector
11	130841	Rod, Brake	38	105304X	Cap, Sleeve
12	127356	Bracket, Rear Lift, R.H.	39	19111016	Washer 11/32 x 5/8 x 16 Gauge
13	72140505	Bolt, Carriage 5/16-18 UNC x 5/8	40	110452X	Nut, Push
14	73800500	Nut, Lock Hex W/Ins. 5/16-18	41	131264	V-Belt
15	127357	Bracket, Rear Lift, L.H.	42	19171616	Washer 11/32 x 5/8 x 16 Gauge
16	140093	Keeper, R.H.	43	3146R	Clip, Hairpin
17	128508	Stabilizer, Mower Link	44	140608	Keeper, L.H.
18	128511	Pin, Drive	45	110485X	Bearing
19	127380	Bracket, Stabilizer Link	46	128774	Housing, Mandrel, Vented
20	140101	Blade	47	129895	Bearing
21	140296	Washer, Hard	48	137645	Shaft, Mandrel (Includes Key
22	10030600	Washer, Lock, Heavy 3/8			Number 47)
23	850857	Bolt 3/8-24 x 1-1/4 Grade 8	49	133943	Washer, Hárdened
24	140329	Stripper		130794	Mandrel Assembly (Includes Key
25	138776	Screw, Thdrol Hex Head			Numbers 21-23, 26, 29 and 45-48)
26	129963	Washer .150 Thick	÷ =	140979	Deck, Mower Complete

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm


11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A **DANA TRANSAXLE - MODEL NUMBER 4360-49** 



# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A DANA TRANSAXLE - MODEL NUMBER 4360-49

	Y PART D. NO.	DESCRIPTION		Y PART D. NO.	DESCRIPTION
1	138248	Housing, Upper	40	120472X	Spacer 605 v 075 v 755
2	2274J	Screw, Self-Tapping, Large	41		Spacer .635 x .875 x .755 Sprocket, 9 Teeth
		1/4-20 x .734	42		Gear, Bevel, 42 Teeth
3		Ball, Detent	43	134394	* Assembly, Kit, Shim .750 Shaft
4		Spring, Detent	44		Shaft, Drive
5		Screw, Set	45		Gear, Spur, 12 Teeth
6		Kit, Shifter Assembly	46		Spacer .781 x 1.00 x .750
7	134399	Boot, Shifter	47	120407X	Gear, Spur, 20 Teeth
8	73810500	Locknut_5/16-24	48		Gear, Spur, 25 Teeth
10	138241 2267J	Square Ring	49	106596X	Screw, Self-Tapping, Large
11	134793	Ring, Retaining			5/16-18 x 1.44
12	138240	* Assembly, Kit, Shim .625 Shaft	50	105937X	Gear, Spur, 31 Teeth
13	120415X	Bearing, Flange	51		Washer, Plain .632 x 1.00 x .060
14	2257J	Washer, Plain .632 x 1.38 x .046	52		Washer, Neoprene
15	138234	Key, Woodruff, #9 Assembly, Kit, Input Shaft	53		Washer, Plain .758 x 1.25 x .031
16	110078X	Pinion, Bevel, 14 Teeth	54		Axle, L.H.
17	105909X	Ring, Retaining	55		Gear, Miter, 15 Teeth
18	105910X	Chain, 24 Pitches	56		Ring, Retaining_
19	105911X	Bearing, Flange	57 58		Gear, Spur, 32 Teeth
20	138242	Gear, Spur, 14 Teeth	50		Shaft, Cross
21	138246	Collar, Clutch	59 60	110082X	Gear, Miter, 15 Teeth
22	138236	Assembly, Kit, Clutch Keys		123908X 138247	Axle, R.H.
23	134791	Screw, Self-Tapping, with Sealer	62	120961X	Housing, Lower Puck, Friction
24	138243		63	7294J	Diod Broke
25	2244J	Shaft, Intermediate Key, Woodruff, #61	64	108989X	Disc, Brake
26	105916X	Ring, Retaining	65	120953X	Spacer
27	120470X	Sprocket, 18 Teeth	66	120954X	Jaw, Brake Pin, Dowel
28	110070X	Spacer	67	134799	Screw, Self-Tapping, Large
29	108977X	Gear, Spur, 37 Teeth	0,	10-7700	5/16-18 x 2.25
30	138239	Spacer 1.133 x 1.50 x .750	68	138244	Lever, Actuating
31	120405X	Gear, Spur, 30 Teeth		108996X	Washer, Plain .321 x 1.00 x .055
32	108980X	Gear, Spur, 25 Teeth	70	120956X	Bracket, Anti-Rotation
33	120951X	Puck, Friction	71	120416X	Grease
34	134796	Gear, Spur, 19 Teeth			
35	105925X	Washer, Plain .640 x 1.37 x .061	*	Use in combi	inations to maintain proper clearances
36	2232J	Washer, Plain .632 x 1.00 x .026			Proposition
37	108978X	Spacer .630 x 1.00 x .169	**	Order Key No	o. 15
38	110079X	Assembly, Gear, Combination of			
39	124639X	12 Teeth and 35 Teeth Shaft, Idler	NOT	E: All compoint of the compoin	nent dimensions given in U.S. inches
					er i iinii


# 11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7A



	PART NO.	DESCRIPTION
1	138269 141744	Decal, Inst. Oper. E/F Decal, Stripe, Hood, L.H.
2 3	141744	Decal, Stripe, Hood, R.H.
4	132627	Decal, Grill
5	139708	Decal, Hood HP
6	132628	Decal, Fender
7	133795	Decal, Caution
8	135013	Decal, Deck Enviro.
9	127075	Decal, Wheel Steering
12	121549X	Decal, Caution, Battery
14	125690X	Decal 100 Dba
16	137259	Decal, Warning, Multi-Lang

	PART NO.	DESCRIPTION		
17	136830	Decal, V-Belt, Schem.		
_ 1	126194X	Decal, Caution, Def. (E/Fr/Ger/Du)		
	126347X	Decal, Warn. Deflect. (Span/Ital)		
	126348X	Decal, Inst. Warn (Span/Ital)		
	138270	Decal, Inst. Warn (Sw/Nor/Dan/Fin)		
	138269	Decal, Inst. Oper. LR (Eng/Fr)		
	126193X	Decal, Warn Def. (Sw/Nor/Dan/Fin)		
	138271	Decal, Inst. Warn (Fr/Ger/Eng/Dut)		
	138698	Manual, Operator's (English)		
	138699	Manual, Operator's (French)		
	142091	Manual, Repair Parts (Eng/Fr)		
Available accessories are not included with your tractor:				
<u> </u>	CE36	Rear Bagger		
	MP36	Mulcher Kit		

#### **WHEELS & TIRES**



KEY NO.	PART NO.	DESCRIPTION
1	59192	Cap, Valve
2	65139	Stem, Valve
3	65139 278H	Fitting, Grease (Front Only)
	124142X	Tire, Front
	124143X	Tire, Rear
5	59904	Tube, Tire, Front
		(Optional, Service Item Only)
	8134H	Tube, Tire, Rear
		(Optional, Service Item Only)
6	122394X427	Rim Assembly, Front
	123412X427	Rim Assembly, Rear
7	104757X	Cap, Axle
8	9040H	Bearing, Flange (Front Only)
9	121748X	Washer, Axle Cap

**NOTE:** All component dimensions given in U. S. inches 1 inche = 25.4 mm