
11 HP 36" TRACTOR - - MODEL NO. 6C1A7B

ELECTRICAL



11 HP 36" TRACTOR - - MODEL NO. 6C1A7B

ELECTRICAL

(


KE NO		DESCRIPTION
1	73510400	Nut, Hex Keps 1/4-20
2	108423X	Assembly, Cable
2 3 5 6	133909	Battery
5	108236X	Bracket, Switch
6	104445X	Switch, Interlock
7	109553X	Switch, Interlock
8	17021008	Screw, Hex Hd. Tap #10-24 x 1/2
9	140402	Key, Molded
10	123620X	Cover, Key Ignition
11	140400 140399	Nut, Ignition
	7192J	Switch, Ignition
	121305X	Tie, Cable Switch, Plunger
16	73510500	Nut, Hex, Keps 5/16-18
17	108824X	Fuse
18	128353	Assembly, Cable
19	143131	Harness, Ignition
	73350400	Nut, Hex Jam 1/4-20
21	10090400	Washer, Lock 1/4
22	74780408	Bolt, Hex 1/4-20 x 12 Gr. 5
24	131563	Cover, Terminal
	138406	Solenoid
20	74760412 19091016	Bolt, Hex Hd. 1/4-20 UNC x 3/4
28	10040400	Washer 9/32 x 5/8 x 16 Ga.
29		Washer, Lock Hvy. Hel. Spring 1/4 Cap, Battery
	73220400	Nut, Hex, Fin. 1/4-20
	11050500	Washer Lock Ext. Tooth 5/16
36		Washer Lock Int. Tooth 1/4
	140660	Harness, Adapter
	141735	Bracket, Switch Clutch
55	17490508	Screw, thdrol 5/16-18 x 1/2
70	140413	Harness, Engine
NOT		ent dimensions given in LLS inches

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

•;

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B

HOOD




NO. NO.	DESCRIPTION
	Brace, Hood Hood Lens Clear Bar Dual LR P/L Grill Nut Self-Thd. Wsh-Hd 1/4 Washer 11/32 x 11/16 x 16 Ga. Washer Lock 1/4 Int/Ext Tooth ent dimensions given in U.S. inches. .4 mm
	10 123693X 11 132918X505 12 127178 13 134232X428 16 124346X 18 19111116 19 11030400

(

ĺ


11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B FENDER / CHASSIS



KEY NO.	Y PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	129965	Case, Battery	12	140784	Assembly, Frame
2	19132012	Washer 13/32 x 1-1/4 x 12 Gauge	13	109238X	Tube, Battery Drain
3	17490612	Screw, Hex Washer Head, Thd.	14	73510400	Nut, Lock Hex W/Ins. 5/16-18
		Roll. 3/8-16 x 3/4	15	73800500	Nut, Hex, Keps 1/4-20
4	124181X	Spring, Compression, Seat	16	74760512	Bolt, Hex 5/16-18 UNC x 3/4
5	127115X505	Plate, Battery	17	140782	Drawbar
6	109596X	Clamp, Hose	18	126470X	Clip, Insulated
7	124144X	Pad, Footrest	19	140955X505	Fender/Footrest
8	17490512	Screw, Hex Washer Head, Thd.	20	19091413	Washer 9/32 x 7/8 x 13 Gauge
		Roll. 5/16-18 x 3/4	25	17490516	Screw Hex Wsh Thdrol 5/16-18 x 1
9	126993X	Console, Shift Control	31	141736	Switch Actuator
10	139783	Bar, Shift Lock	•••		
11	124346X	Nut, Self-Threading 3/16	NOT	E: All compon 1 inch = 25	ent dimensions given in U.S. inches. .4 mm

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B

SEAT




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	72050411	Bolt, Carriage 1/4-20 x 1-3/8	14	10040800	Washer Lock Hvy HLCL Spr. 1/2
2	134647	Seat	15	19171912	Washer 17/32 x 13/16 x 12 Gauge
4	73800500	Nut, Lock Hex W/Ins 5/16-18	16	127018X	Bolt, Shoulder
5	139888	Bolt, Shoulder 5/16-18 UNC	18	123976X	Locknut, Hex, Large, Flange
6	140407	Clip, Push-In	19	121248X	Bushing, Snap
8	74760612	Bolt, Hex, Fin 3/8-16 UNC x 3/4	20	121250X	Spring, Compression
9	140551	Bracket, Pivot, Seat	21	134300	Spacer, Split, Large .28 ld. x .96
10	126471X	Clip, Insulated	22	121246X	Bracket, Switch, Mounting
11	19133210	Washer 13/32 x 2 x 10 Gauge	23	140552	Pan, Seat
12	73800600	Nut, Lock Hex W/Wsh 3/8-16			•
13	74780814	Bolt, Fin Hex 1/2 - 13 x 7/8 Gr. 5	NOTI	E: All compo 1 inch = 2	nent dimensions given in U.S. inches. 5.4 mm

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B


DASH

(



KEN NO.	PART NO.	DESCRIPTION	KEY NO.	' PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11	141523 138393 123487X 8544R 8548R 73510400 2751R 19091216 74760428 19091413 121249X	Cap, Fuel Assembly, Dash & Fuel Tank Clamp, Hose Line, Fuel Nut, Hex, Keps 1/4-20 Clip, Fuel Line Washer 9/32 x 3/4 x 16 Gauge Bolt, Hex, Fin. 1/4-20 x 1-3/4 Washer 11/32 x 11/16 x 16 Gauge Spacer, Split	12 13 14 15 16 17 18 19 20 21 NOT	3720R 126450X 126115X 122023X 124346X 72110404 130745 134744 17060408 134014 E: All compo 1 inch = 2	Spring Clip, Height Adjustment Knob, Height Stop Adjustment, Quadrant Height Nut, Self-Threading 3/16-18 Bolt, Carriage 1/4-20 x 1/2 Grade 5 Support Assembly, Dash Brace, Cross Screw, Self-Tapping 1/4-20 x 1/2 Plug, Dome nent dimensions given in U.S. inches. 5.4 mm


11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B STEERING WHEEL



1

(


11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B SECTOR GEAR / AXLE SUPPORT



Key No.	Y PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	132566	Link, Drag	11 19131316	Washer 13/32 x 13/16 x 16 Ga.
2	74780828	Bolt, Hex, Fin 1/2-13 x 1-3/4	12 126847X	Bushing
5	121926X	Gear, Sector	13 74760512	Bolt, Hex 5/16-18 x 3/4
6	121927X	Bushing	14 19111416	Washer 11/32 x 7/8 x 16 Ga.
7	73030800	Nut, Heavy, Hex, Top Lock	15 72110606	Bolt, Carriage 3/8-16 UNC x 3/4
		1/2-13 UNC	17 137096	Support, Front Axle
8	126472X	Clip, Wire	20 73800600	Nut, Lock Hex W/Wsh 3/8-16
9	73680800	Nut, Crownlock 1/2-13	21 73800500	Nut, Lock Hex W/Ins. 5/16-18
10	76020412	Pin, Cotter 1/8 x 3/4		
			NOTE: All comp 1 inch = 2	onent dimensions given in U.S. inches 25.4 mm

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B

FRONT AXLE




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	121232X	Cap, Spindle	10	19131316	Washer 13/32 x 13/16 x 16 Gauge
2	12000029	Ring, Klip	11	126847X	Bushing
3	121748X	Washer 25/32 x 1-5/8 x 16 Gauge	12	130465	Rod, Tie
4	3366R	Bearing	13	137061	Spindle Assembly, L.H.
5	142033	Axle, Front	14	74011056	Bolt Hex 5/8-11 x 3-1/2
6	6266H	Bearing, Thrust	15	73901000	Nut, Lock Flange 5/8-11
7	137062	Spindle Assembly, R.H.	16	110438X	Spacer, Bearing Axle
8	121749X	Washer 25/32 x 1-1/4 x 16 Gauge	17	6855M	Fitting Grease
9	76020412	Pin, Cotter 1/8 x 3/4	18	19272016	Washer 27/32 x 1-1/4 x 16 Ga.
			NOT	E: All compon	ent dimensions given in U.S. inches

All component dim 1 inch = 25.4 mm

KEY


NO.

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B BRAKE / REAR MOWER LIFT ASSEMBLY



1 inch = 25.4 mm

11 HP 36" TRACTOR -- MODEL NUMBER 6C1A7B ENGINE / THROTTLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	17060408	Screw, Hex, Thrdcut 1/4-20 x 1/2	10	10040400	Washer, Lock, Hvy Hicl Spring 1/4
2	133025	Control, Throttle	11	74760416	Bolt, Hex, Fin 1/4-20 X 1
3		Engine, B&S, 11 HP, Model	12	137437	Muffler
		#28C707	15	137180	Kit, Spark Arrester (Optional)
4	71070512	Screw, Hex Hd	17	17490624	Screw, Hex Wsh Hd, Thdroll
5	10040500	Washer, Lock, Hvy Hicl Spring 5/			3/8-16 x 1-1/2
		16	19	127951	Stop, Choke
6	125593X	Gasket, Exhaust	23	11050600	Washer, Lock Ext. Tooth 3/8
8	121094X	Bolt, Shoulder 5/16 UNC	NOT		nent dimensions given in U.S. inches
9	19101216	Washer 5/16 x 3/4 x 16 Gauge	NOT	1 inch = 25	


HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

1

11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B

GROUND DRIVE

ĺ




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	73800500	Nut, Lock Hex W/Ins 5/16-18	14	73930600	Nut, Centerlock 3/8-16 UNC
2	74760512	Bolt, Hex 5/16-18 UNC x 3/4	15	73800600	Nut, Lock Hex w/Wsh 3/8-16
3	141342	Keeper, Mwr Drive Belt, Engi., R.H.	16	126471X	Clip, Insulated
4	138029	Pulley, Engine	17	122052X	Spacer, Retainer
5	10040700	Washer, Lock, Hvy Hlcl Spring 7/16	18	131459	Spring, Extension
6	71170744	Bolt, Hex, 7/16-20 x 2-3/4 Grade 5	19	73510500	Nut, Keps 5/16-18 UNC
7	124525X	Traction, V-Belt Drive	20	139919	Keeper, T/A Ground Drive Belt
8	123405X	Keeper, T/A Ground Drive Belt	21	19111016	Washer 11/32 x 5/8 x 16 Gauge
9	72140612	Bolt, Carriage 3/8-16 UNC x 1-1/2	22	123404X	Keeper, Ground Drive Belt, Frame
10	123396X	Keeper, Ground Drive Belt, Idler	23	140916	Keeper, Mower Drive Belt, L.H.
11	140911	Arm, Ground Drive Clutch			
12	123674X	Idler, Flat	NOT	E: All compo	nent dimensions given in U.S. inches
13	19131316	Washer 13/32 x 13/16 x 16 Gauge		1 inch = 2	

11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B

(

TRANSAXLE




KEY	PART		KEY	PART	
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
1	123385X	Pulley	19	10040400	Washer, Lock 1/4
2	12000028	Ring, Retainer	20	19091210	Washer 9/32 x 3/4 x 10 Gauge
3	142594	Transaxle, Dana, Model No.	21	123484X	Arm, Shift
		4360-77	22	105701X	Washer, Shift Plate
4	2228M	Key, Woodruff #9	23	106933X	Knob, Shift Control
5	73800500	Nut, Lock Hex W/Ins 5/16-18	24	128215	Handle, Rod
6	72140506	Bolt, Carriage 5/16-18 UNC x 3/4	25	76020416	Pin, Cotter 1/8 x 1
7	123378X	Strap, Torque	26	73810500	Nut, Hex, Nylon 5/16-24 UNF
8	17490512	Screw 5/16-18 x 3/4	27	73510500	Nut, Keps 5/16-18
9	110422X	Spring, Brake	28	128085	Spring, Extension
10	121749X	Washer 25/32 x 1-1/4 x 16 Gauge	29	128084	Support, Handle, Shift, R.H.
11	123583X	Key, Square	31	109502X	Spacer, Split
12	74760644	Bolt Fin Hex 5/16-18 x 2-1/2	33	73800600	Nut, Loxk Hex W/Wsh 3/8-16 UNC
15	19171616	Washer 17/32 x 16 Ga.	35	12000001	E-Ring
16	124600X	Support, Handle, Shift, L.H.			
17	123632X	Link, Shift			
18	71040412	Bolt, Hex, Fin. 1/4-28 UNF x 3/4	NOT	E: All compo	nent dimensions given in U.S. inches
		Grade 8		1 inch = 25	

1

(


11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B MOWER LIFT LEVER



KEN NO.		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	126470X	Clip, Insulated	16 4921H	Retainer, Spring
2	122018X	Bracket, Mower Clutch	17 127359	Link, Front Lift
3	74780408	Bolt, Hex, Fin 1/4-20 UNC x 1/2	18 133205	Trunnion, Threaded 3/8-16
		Grade 5	19 73680400	Nut, Crownlock 1/4-20
4	73800600	Nut, lock Hex W/Wsh 3/8-16	20 74760644	Bolt, Hex, Fin. 3/8-16 UNC x 2-3/4
5	123417X	Assembly, Clutch Lever	23 76020416	Pin, Cotter 1/8 x 1
6	106451X	Bolt, Shoulder	24 19171616	Washer 17/32 x 1 x 16 Gauge
7	135371	Assembly, Mower Clutch Arm	25 121933X	Tube, Spacer
8	74760636	Bolt, Hex 3/8-16 UNC x 2-1/4	26 141470	Rod, Mower Lift
9	121930X	Assembly, Bellcrank, Lift	27 106932X	Knob, Rd
10	76020412	Pin, Cotter 1/8 x 3/4	28 76020312	Pin, Cotter 3/32 x 3/4
11	19131316	Washer 13/32 x 13/16 x 16 Gauge	29 131655	Link, Mower Clutch
12	131861	Sleeve, Handle	30 73350600	Nut, Hex jam 3/8-16
13	139352	Assembly, Lift Handle	31 19132012	Washer 13/32 X 1-1/4 X 12 Ga.
14 15	123496X 19131212	Spring, Compression Washer 13/32 x 3/4 x 12 Gauge	NOTE: All comport 1 inch = 25	nent dimensions given in U.S. inches 5.4 mm

11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B

MOWER DECK




11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B

MOWER DECK

Ke' No.		DESCRIPTION	KEY NO.		DESCRIPTION
1	140064	Spring, Mower Clutch	27	129983	Housing, Mower
2	122052X	Spacer, Retainer	28	129207	Pulley, Mandrel
3	73800600	Nut, Lock Hex W/Wsh 3/8-16	29	137266	Nut, Flangelock 9/16
4	130840	Assembly, Brake	30	136631	Bracket, Deflector
5	131251	Guide, Belt Idler	31	17490508	Screw, Hex Washer Head, Thd.
6	121316X	Idler, Flat			Roll. 5/16-18 x 1/2
7	72110616	Bolt, Carriage 3/8-16 x 2 Grade 5	32	122051X	Arm, Support Idler, Mower
8	19131410	Washer 13/32 x 7/8 x 10 Gauge	33	131560	Shield, Deflector
9	140092	Assembly, Mower Idler Arm	36	121980X	Rod, Hinge
10	72140610	Bolt, Carriage 3/8-16 UNC x 1-1/4	37	123713X	Spring, Torsion Deflector
11	130841	Rod, Brake	38	105304X	Cap, Šleeve
12	127356	Bracket, Rear Lift, R.H.	39	19111016	Washer 11/32 x 5/8 x 16 Gauge
13	72140505	Bolt, Carriage 5/16-18 UNC x 5/8	40	110452X	Nut, Push
14	73800500	Nut, Lock Hex W/Ins. 5/16-18	41	131264	V-Belt
15	127357	Bracket, Rear Lift, L.H.	42	19171616	Washer 11/32 x 5/8 x 16 Gauge
16	140093	Keeper, R.H.	43	3146R	Clip, Hairpin
17	128508	Stabilizer, Mower Link	44	140608	Keeper, L.H.
18	128511	Pin, Drive	45	110485X	Bearing
19	127380	Bracket, Stabilizer Link	46	128774	Housing, Mandrel, Vented
20	140101	Blade	47	129895	Bearing
21	140296	Washer, Hard	48	137645	Shaft, Mandrel (Includes Key
22	10030600	Washer, Lock, Heavy 3/8			Number 47)
23	850857	Bolt 3/8-24 x 1-1/4 Grade 8	49	133943	Washer, Hardened
24	140329	Stripper		130794	Mandrel Assembly (Includes Key
25	138776	Screw, Thdrol Hex Head			Numbers 21-23, 26, 29 and 45-48)
26	129963	Washer .150 Thick		140979	Deck, Mower Complete
					,

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B DANA TRANSAXLE - MODEL NUMBER 4360-77



11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B

KEY PART

DANA TRANSAXLE - MODEL NUMBER 4360-77

KEY PART NO. NO.

	NO.	DESCRIPTION		. NO.
1 2	142671 2274J	Housing, Upper Screw, Self-Tapping, Large	39 40	1246 1204
2	22170	1/4-20 x .734	40	1059
3	134400	Ball, Detent	42	1100
4	105904X	Spring, Detent	43	1343
5 6	105905X	Screw, Set	44	1204
6 7	138235	Kit, Shifter Assembly	45	1426
8	134399 73810500	Boot, Shifter Locknut 5/16-24	46 47	1204 1065
9	143045	Seal, Oil	48	1059
1Ŏ	142672	Ring, Retaining	49	1205
11	134793	* Assembly, Kit, Shim .625 Shaft	50	1209
12	143051	Bearing, Flange	51	2226
13	120415X	Washer, Plain .632 x 1.38 x .046	52	1344
14	142674	Key, Woodruff, #9	53	2264
15 16	138234	Assembly, Kit, Input Shaft	54	1204
17	110078X 105909X	Pinion, Bevel, 14 Teeth Ring, Retaining	55 56	1100 1059
18	105910X	Chain, 24 Pitches	57	1100
19	105911X	Bearing, Flange	58	1209
20	142675	Gear, Spur, 14 Teeth	59	1100
21	138246	Collar, Clutch	60	1204
22	138236	Assembly, Kit, Clutch Keys	61	1426
23	134791	Screw, Tapping w/Sealer	62	1209
24	142676	Shaft, Intermediate	63	7294
25 26	2244J 105916X	Key, Woodruff, #61	64 65	1089 1209
27	120470X	Ring, Retaining Sprocket, 18 Teeth	66	1209
28	110070X	Spacer	67	1347
29	142677	Gear, Spur, 37 Teeth		
30	120405X	Gear, Spur, 30 Teeth	68	13824
31	108980X	Gear, Spur, 25 Teeth	69	10899
32	134796	Gear, Spur, 19 Teeth	70	1209
33 34	138239	Spacer 1.133 x 1.50 x .750	71	1204
34	106596X	Screw, Self-Tapping, Large 5/16-18 x 1.44	*	Use i
35	105925X	Washer, Plain .640 x 1.37 x .061		030 1
36	2232J	Washer, Plain .632 x 1.00 x .026	**	Order
37	108978X	Spacer .630 x 1.00 x .169		
38	110079X	Assembly, Gear, Combination of 12 Teeth and 35 Teeth	NOT	E: All 1 ir


NO.	DESCRIPTION
124639X	Shaft, Idler
120472X	Spacer .635 x .875 x .755
105928X	Sprocket, 9 Teeth
110084X	Gear, Bevel, 42 Teeth
134394	* Assembly, Kit, Shim .750 Shaft
120473X	Shaft, Drive
142678	Gear, Spur, 12 Teeth
120407X	Gear, Spur, 20 Teeth
106589X	Gear, Spur, 25 Teeth
105937X	Gear, Spur, 31 Teeth
120523X	Spacer .781 x 1.00 x .750
120951X	Puck, Friction
2226J	Washer, Plain .632 x 1.00 x .060
134401	Washer, Neoprene
2264J	Washer, Plain .758 x 1.25 x .031
120474X	Axle, L.H.
110081X	Gear, Miter, 15 Teeth
105941X	Ring, Retaining
110071X	Gear, Spur, 32 Teeth
120952X	Shaft, Cross
110082X	Gear, Miter, 15 Teeth
120475X	Axle, R.H.
142680	Housing, Lower
120961X	Puck, Friction
7294J	Disc, Brake
108989X 120953X 120954X 134799	Spacer Jaw, Brake Pin, Dowel Screw, Self-Tapping, Large 5/16-18 x 2.25
138244	Lever, Actuating
108996X	Washer, Plain .321 x 1.00 x .055
120956X	Bracket, Anti-Rotation
120416X	Grease

* Use in combinations to maintain proper clearances

* Order Key No. 15

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


11 HP 36" TRACTOR - - MODEL NUMBER 6C1A7B



125690X

14 Decal, Warning, Multi-Lang 16 137259

WHEELS & TIRES



KEY PART NO. NO.

144307

CE36

MP36

- -

- -

- -

DESCRIPTION

Available accessories are not included with your tractor:

Rear Bagger

Mulcher Kit

1	59192	Cap, Valve
2	65139	Stem, Valve
3	278H	Fitting, Grease (Front Only)
4	124142X	Tire, Front
	124143X	Tire, Rear
5	59904	Tube, Tire, Front
		(Optional, Service Item Only)
	8134H	Tube, Tire, Rear
		(Optional, Service Item Only)
6	122394X427	Rim Assembly, Front
	140325X427	Rim Assembly, Rear
7	104757X	Cap, Axle
8	9040H	Bearing, Flange (Front Only)
9	121748X	Washer, Axle Cap
-		,

NOTE: All component dimensions given in U.S. inches 1 inche = 25.4 mm