
TRACTOR - - MODEL NUMBER 6H1A9C



TRACTOR - - MODEL NUMBER 6H1A9C


ELECTRICAL

| KEY PART NO. NO. | DESCRIPTION |
|---|---|
| 1 73640400 2 108423X 3 144924 5 108236X 6 109553X | Nut, Hex, Keps 1/4-20 Assembly, Cable Battery Bracket, Switch Switch, Interlock, 4 Terminal |
| 8 17021008 | Screw, Hex Head, Self-Tapping #10-24 x 1/2 |
| 9 140401 10 141226 | Key, Molded Cover, Ignition Key |
| 11 140400 | Nut, Ignition |
| 12 144921 | Switch, Ignition |
| 15 121305X | Switch, Plunger |
| 17 108824X | Fuse |
| 18 128353 | Assembly, Cable |
| 19 146064 20 73350400 | Harness, Ignition Nut, Hex, Jam 1/4-20 |
| 21 10090400 | Washer, Lock 1/4 |
| 22 71110408 | Bolt, Hex, Fin. |
| 22 71110400 | 1/4-20 UNC x 1/2 Grade 5 |
| 24 131563 | Cover, Terminal |
| 25 145673 | Solenoid |
| 26 74760412 | Bolt, Hex Head 1/4-20 UNC x 3/4 |
| 27 19091016 | Washer 9/32 x 5/8 x 16 Gauge |
| 28 10040400 | Washer, Lock 1/4 |
| 30 73220400 | Nut, Hex, Fin. 1/4-20 UNC |
| 31 4152J 32 136850 | Bulb, Light |
| 33 110712X | Harness, Headlight Switch, Light |
| 36 11150400 | Washer, Lock, Internal Tooth 1/4 |
| 39 141735 | Bracket Switch Clutch |
| 55 17490508 | Screw Thdroi 5/16 - 18 x 1/2 |
| 70 140413 | Harness Engine |
| | |

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER 6H1A9C


HOOD



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|-------------------------------------|------------|---------------------------------|---|
| 1 | 124657X | Spring, Extension | 11 | 132918X505 | Hood |
| 2 | 73640400 | Nut, Hex, Keps 1/4-20 UNC | 12 | 127178 | Lens |
| 3 | 19091416 | Washer 9/32 x 7/8 x 16 Ga. | 13 | 134232X428 | Grill |
| 4 | 74780412 | Bolt, Hex, Fin 1/4-20 x 3/4 Grade 5 | 14 | 4171R | Clip, Fuel Line |
| 5 | 139888 | Bolt, Shoulder | 15 | 127177X | Light Box |
| 6 | 122549X | Bracket, Hood, R.H. | 16 | 124346X | Nut, Self-Threading 3/16 |
| 7 | 122548X | Bracket, Hood, L.H. | 18 | 19111116 | Washer 11/32 x 11/16 x 16 Ga. |
| 8 | 17521312 | Screw, Sltd. Hex Hd. W/Pl. Washer | 19 | 11030400 | Washer, Lock Ext/Int Tooth 1/4 |
| 9 | 73800400 | Nut Lock W/Insert 1/4-20 | | | |
| 10 | 123693X | Brace, Hood | NOT | E: All compone 1 inch = 25.4 | ent dimensions given in U.S. inches. 4 mm. |

TRACTOR - - MODEL NUMBER 6H1A9C


FENDER / CHASSIS



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|---------------------------------|------------|----------------|--------------------------------------|
| 1 | 129965 | Case, Battery | 11 | 124346X | Nut, Self-Threading 3/16 |
| 2 | 19132012 | Washer 13/32 x 1-1/4 x 12 Gauge | 12 | 145190 | Chassis, Assembly, Weldment |
| 3 | 17490612 | Screw, Hex Washer Head, Thd. | 13 | 109238X | Tube, Battery Drain |
| | | Roll. 3/8-16 x 3/4 | 15 | 73640400 | Nut, Hex, Keps 1/4-20 |
| 4 | 124181X | Spring, Compression, Seat | 16 | 141736 | Switch, Actuator |
| 5 | 127115X505 | Plate, Battery | 17 | 140782 | Drawbar |
| 6 | 109596X | Clamp, Hose | 18 | 126470X | Clip, Insulated |
| 7 | 124144X | Pad, Footrest | 19 | 140955X505 | Fender/Footrest |
| 8 | 17490512 | Screw, Hex Washer Head, Thd. | 20 | 19091413 | Washer 9/32 x 7/8 x 13 Gauge |
| | | Roll. 5/16-18 x 3/4 | 25 | 17190516 | Scr. Hx Wsh Thd Rol 5/16 - 18 x 1T |
| 9 | 126995X | Console, Shift Control | | | |
| 10 | 139783 | Bar, Shift Lock | NOT | E: All compone | ent dimensions given in U.S. inches. |

TRACTOR - - MODEL NUMBER 6H1A9C


SEAT



| KEY | PART | | KEY | PART | |
|-----|----------|---------------------------------|-----|----------|------------------------------------|
| NO. | NO. | DESCRIPTION | NO. | NO. | DESCRIPTION |
| 1 | 72050411 | Bolt, Carriage 1/4-20 x 1-3/8 | 13 | 74780814 | Bolt, Fin Hex 1/2 - 13 x 7/8 Gr. 5 |
| 2 | 127427 | Seat | 14 | 10040800 | Washer Lock Hvy HLCL Spr. 1/2 |
| 4 | 73800500 | Nut, Lock Hex W/lns. 5/16-18 | 15 | 19171912 | Washer 17/32 x 13/16 x 12 Gauge |
| 5 | 139888 | Bolt, Shld. 5/16-18 | 16 | 127018X | Bolt, Shoulder |
| 6 | 145006 | Clip, Push-In | 18 | 123976X | Locknut, Hex, Large, Flange |
| 8 | 74760616 | Bolt, Hex, Fin 3/8-16 UNC x 3/4 | 19 | 121248X | Bushing, Snap |
| 9 | 140551 | Bracket, Pivot, Seat | 20 | 121250X | Spring, Compression |
| 10 | 126471X | Clip, Insulated | 21 | 134300 | Spacer, Split, Large .28 ld. x .96 |
| 11 | 19133210 | Washer 13/32 x 2 x 10 Gauge | 22 | 121246X | Bracket, Switch, Mounting |
| 12 | 73800600 | Nut, Lock Hex W/Wsh 3/8-16 | 23 | 140552 | Pan, Seat |

TRACTOR - - MODEL NUMBER 6H1A9C






| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|---------------------------------|------------|----------------|-------------------------------------|
| 1 | 141523 | Cap, Fuel | 12 | 3720R | Spring |
| 2 | 138392 | Assembly, Dash & Fuel Tank | 13 | 126450X | Clip, Height Adjustment |
| 3 | 123487X | Clamp, Hose | 14 | 126115X | Knob, Height Stop |
| 4 | 8544R | Line, Fuel | 15 | 122023X | Adjustment, Quadrant Height |
| 5 | 8548R | Line. Fuel | 16 | 124346X | Nut, Self-Threading 3/16-18 |
| 6 | 73640400 | Nut, Hex, Keps 1/4-20 | 17 | 72110404 | Bolt, Carriage 1/4-20 x 1/2 Grade 5 |
| 7 | 2751R | Clip, Fuel Line | 18 | 130745 | Support Assembly, Dash |
| 8 | 19091216 | Washer 9/32 x 3/4 x 16 Gauge | 19 | 134744 | Brace, Cross |
| 9 | 74760428 | Bolt, Hex, Fin. 1/4-20 x 1-3/4 | 20 | 17060408 | Screw, Tap 1/4-20 x 1/2 |
| 10 | 19091413 | Washer 11/32 x 11/16 x 16 Gauge | 21 | 134014 | Plug, Dome |
| 11 | 121249X | Spacer, Split | NOT | E: All compone | ant dimensions given in U.S. inches |

TRACTOR - - MODEL NUMBER 6H1A9C


STEERING WHEEL



| NO. | NO. | DESCRIPTION | NO. | NO. | DESCRIPTION |
|-----|----------|------------------------------|------|--------------|---------------------------------------|
| 1 | 133742 | Insert, Steering Wheel | 8 | 123651X | Shaft, Steering |
| 2 | 7810H | Locknut 3/8-24 UNF | 9 | 124210X | Clip, Steering |
| 3 | 19133808 | Washer 13/32 x 2-3/8 x 8 Ga. | 10 | 123438X | Bushing, Lower, Steering |
| 4 | 133741 | Wheel, Steering | 11 | 12000045 | Ring, Retaining |
| 5 | 121897X | Sleeve, Steering | 12 | 19211616 | Washer 21/32 x 1 x 16 Ga. |
| 6 | 17431008 | Screw, Hex Self-Tapping | 13 | 104820X | Adaptor, Steering Wheel |
| | | #10-16 x 1/2 | NOT | F: All compo | nent dimensions given in U.S. inches. |
| 7 | 102803X | Bushing, Steering | 1401 | 1 inch = 2 | |

TRACTOR - - MODEL NUMBER 6H1A9C


SECTOR GEAR / AXLE SUPPORT



| KEY NO. | PART NO. | DESCRIPTION | KEY PART NO. NO. | DESCRIPTION |
|------------|----------------------|--|---------------------|---|
| 1 | 132566 | Link, Drag | 12 126847X | |
| 2 | 74780828 | Bolt, Hex, Fin 1/2-13 x 1-3/4 | 13 74760512 | |
| 5 | 121926X | Gear, Sector | 14 19111416 | |
| 6 | 121927X | Bushing | 15 72110606 | Bolt, Carriage 3/8-16 UNC x 3/4 |
| 7 | 73030800 | Nut, Heavy, Hex, Top Lock 1/2-13 | 17 137096 | Support, Front Axle |
| | | UNC | 20 73680600 | |
| 8 | 126472X | Clip, Wire | 21 73680500 | Nut, Crownlock 5/16-18 |
| 9 | 73680800 | Nut, Crownlock 1/2-13 | | |
| 10 11 | 76020412 19131316 | Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Ga. | | nponent dimensions given in U.S. inches. = 25.4 mm. |

TRACTOR - - MODEL NUMBER 6H1A9C


FRONT AXLE



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|---------------------------------|------------|---------------|---|
| 1 | 121232X | Cap, Spindle | 11 | 126847X | Bushing |
| 2 | 12000029 | Ring, Klip | 12 | 130465 | Rod, Tie |
| 3 | 121748X | Washer 25/32 x 1-5/8 x 16 Gauge | 13 | 137061 | Spindle Assembly, L.H. |
| 4 | 3366R | Bearing | 14 | 74011056 | Bolt, Hex 5/8-11 x 3-1/2 |
| 5 | 142033 | Axle, Front | . 15 | 73901000 | Nut, Lock Flange 5/8-11 |
| 6 | 6266H | Bearing, Thrust | 16 | 110438X | Spacer |
| 7 | 137062 | Spindle Assembly, R.H. | 17 | 6855M | Fitting, Grease |
| 8 | 121749X | Washer 25/32 x 1-1/4 x 16 Gauge | 18 | 19272016 | Washer 27/32 x 1-1/4 x 16 Ga. |
| 9 | 76020412 | Pin, Cotter 1/8 x 3/4 | NOT | E. Allaamnana | ent dimensions given in LLC inches |
| 10 | 19131316 | Washer 13/32 x 13/16 x 16 Gauge | NOI | 1 inch = 25.4 | ent dimensions given in U.S. inches. 4 mm. |

TRACTOR - - MODEL NUMBER 6H1A9C


BRAKE / REAR MOWER LIFT ASSEMBLY



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | | DESCRIPTION |
|------------|-------------|-------------------------------------|------------|---------------|-------------------------------------|
| 1 | 71673 | Cap, Parking Brake | 16 | 19251816 | Washer 25/32 x 1-1/8 x 16 Gauge |
| 2 | 123436X | Rod, Parking Brake | 17 | 12000034 | Ring, Klip |
| 3 | 123437X | Bracket, Parking Brake | 18 | 106888X | Spring, Brake Rod |
| 4 | 8883R | Cover, Pedal | 19 | 73350600 | Nut, Hex, Jam 3/8-16 UNC |
| 5 | 122504X | Bracket, Pedal, Clutch LH | 20 | 73680600 | Nut, Crownlock 3/8-16 |
| 6 | 76020312 | Pin, Cotter 3/32 x 3/4 | 21 | 131460 | Rod, Rear Brake |
| 7 | 19131016 | Washer 13/32 x 5/8 x 16 Gauge | 22 | 144585 | Trunnion, Lift |
| 8 | 17490508 | Screw, Hex, Thd. Roll. 5/16-18 x 1/ | 24 | 19132012 | Washer 13/32 x 1-1/4 x 12 Gauge |
| | | 2 | 25 | 4921H | Spring, Retainer |
| 9 | 76020412 | Pin, Cotter 1/8 x 3/4 | 26 | 73930600 | Nut, Čenterlock 3/8-16 UNC |
| 10 | 19131316 | Washer 13/32 x 13/16 x 16 Gauge | 27 | 127369 | Link, Threaded |
| 11 | 123543X | Rod, Front Brake | 28 | 140776 | Assembly, Rear Mower Lift |
| 12 | 139933 | Assembly, Clutch/Brake Pedal | 29 | 72110506 | Bolt, Carriage 5/16-18 UNC x 3/4 |
| 13 | 123394X | Rod, Clutch | 30 | 73510500 | Nut, Keps 5/16-18 UNC |
| 14 | 121978X | Bracket, Lift, Shaft | 31 | 3146R | Retainer Spring |
| 15 | 133332 | Assembly, Brake, Pivot, Arm | NOT | E. All compos | ant dimensions given in LLS, inches |


TRACTOR - - MODEL NUMBER 6H1A9C

ENGINE / THROTTLE



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|----------------------|---|------------|----------------------------|---|
| 1 | 17060408 | Screw, Hex, Thread Cutting | 11 | 74760412 | Bolt, Hex, Fin 1/4-20 x 3/4 |
| • | .,, | 1/4-20 x 1/2 | 12 | 137437 | Muffler |
| 2 | 133025 | Control, Throttle | 13 | 101326L | Deflector Muffler |
| 3 | 145300 | Engine, B&S,12.5 HP, model | 14 | 17030808 | Screw, Spiderloc 8 x 1/2 |
| • | | #289707 | 15 | 137180 | Kit, Spark Arrester (Optional) |
| 4 | 71070512 | Screw, Hex Hd | 16 | 127951 | Stop, Choke |
| 5 | 10040500 | Washer, Lock, Heavy Helical Spring | 17 | 17490624 | Screw, Hex Washer Head, Thd. |
| Ū | 100.0000 | 5/16 | | | Roll. 3/8-16 x 1-1/2 |
| 6 | 125593X | Gasket, Exhaust | 18 | 73510600 | Nut, Keps Hex 3/8-16 |
| 7 | 11050600 | Washer Lock Ext Tooth 3/8 | 19 | 2751R | Clip, Fuel Line |
| 8 | 121094X | Bolt, Shoulder 5/16 UNC | 39 | 73510400 | Nut, Keps, Hex 1/4-20 |
| 9 10 | 19101216 10040400 | Washer 5/16 x 3/4 x 16 Gauge Washer, Lock, Heavy Helical Spring 1/4 | NOT | E: All compo 1 inch = 2 | nent dimensions given in U.S. inches. 5.4 mm |


TRACTOR - - MODEL NUMBER 6H1A9C



| KEY NO. | PART NO. | DESCRIPTION | KEY PART NO. NO. | DESCRIPTION |
|------------|-------------------|--------------------------------------|-------------------------------|---|
| 1 | 73680500 | Nut, Crownlock 5/16-18 | 13 19131316 | Washer 13/32 x 13/16 x 16 Gauge |
| 2 | 74760512 | Bolt, Hex 5/16-18 UNC x 3/4 | 14 73930600 | Nut, Centerlock 3/8-16 UNC |
| 3 | 141342 | Keeper, Mower Drive Belt, Engine, | 15 73680600 | Nut, Lock Hex W/Wsh 3/8-16 |
| | | R.H. | 16 126471X | Clip, Insulated |
| 4 | 138029 | Pulley, Engine | 17 122052X | Spacer, Retainer |
| 5 | 10040700 | Washer, Lock, Heavy Helical Spring | 18 131459 | Spring, Extension |
| | | 7/16 | 19 73510500 | Nut, Keps 5/16-18 UNC |
| 6 | 71170744 | Bolt, Hex, 7/16-20 x 2-3/4 Grade 5 | 20 139919 | Keeper, T/A Ground Drive Belt |
| 7 | 124525X | Traction, V-Belt Drive | 21 19111016 | Washer 11/32 x 5/8 x 16 Gauge |
| 8 | 123405X | Keeper, T/A Ground Drive Belt | 22 123404X | Keeper, Ground Drive Belt, Frame |
| 9 | 72140612 | Bolt, Carriage 3/8-16 UNC x 1-1/2 | 23 140916 | Keeper, Mower Drive Belt, L.H. |
| 10 | 123396X | Keeper, Ground Drive Belt, Idler | 24 17720408 | Screw, Thdcut 1/4-20 x 1/2 |
| 11 12 | 140911 123674X | Arm, Ground Drive Clutch Idler, Flat | NOTE: All compo 1 inch = 2 | onent dimensions given in U.S. inches. 25.4 mm |

TRACTOR - - MODEL NUMBER 6H1A9C

TRANSAXLE




| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|---------------------------------------|---|--|--|--|---|
| 1 2 3 4 5 6 7 8 9 10 11 12 15 6 17 18 | 123385X 12000028 142603 2228M 73680500 72140506 123378X 17490512 146682 121749X 123583X 74760644 19171616 124600X 123632X 74550412 | Pulley Ring, Retainer Transaxle Model Number 4360-79 Key, Woodruff #9 Nut, Lock Hex 5/16-18 Bolt, Carriage 5/16-18 UNC x 3/4 Strap, Torque Screw 5/16-18 x 3/4 Spring, Brake Washer 25/32 x 1-1/4 x 16 Gauge Key, Square Bolt Fin Hex 5/16-18 x 2-1/2 Washer 17/32 x 16 Ga. Support, Handle Shift Link, Shift Bolt, Hex, Fin. 1/4-28 UNF x 3/4 | 19 20 21 22 23 24 25 26 28 29 31 33 35 36 | 10040400 19091210 123539X 105701X 121274X 128215 76020416 73810500 128085 128084 109502X 73680600 12000001 17720408 | Washer, Lock 1/4 Washer 9/32 x 3/4 x 10 Gauge Arm, Shift Washer, Shift Plate Knob, Deluxe Rod, Shift Pin, Cotter 1/8 x 1 Nut, Hex, Nylon 5/16-24 UNF Spring, Extension Support, Handle, Shift, R.H. Spacer, Split Nut, Crownlock 3/8-16 E-Ring Screw, Thdcut 1/4-20 x 1/2 |
| 18 | 74000412 | DOIL, 116A, 1 III. 1/7 20 ON A 0/7 | NOT | F. All compor | ent dimensions given in U.S. inche |

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

Grade 8

TRACTOR - - MODEL NUMBER 6H1A9C

MOWER LIFT LEVER




| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|---------------------------------|------------|---------------|---------------------------------------|
| 1 | 126470X | Clip, Insulated | 16 | 4921H | Retainer, Spring |
| 2 | 122018X | Bracket, Mower Clutch | 17 | 127359 | Link, Front Lift |
| 3 | 71110408 | Bolt, Hex, Fin 1/4-20 UNC x 1/2 | 18 | 142028 | Trunnion, Threaded 3/8-16 |
| | | Grade 5 | 19 | 73680400 | Nut, Crownlock 1/4-20 |
| 4 | 73680600 | Nut, Crownlock 3/8-16 | 20 | 74760644 | Bolt, Hex, Fin. 3/8-16 UNC x 2-3/4 |
| 5 | 145187 | Assembly, Clutch Lever | 23 | 76020416 | Pin, Cotter 1/8 x 1 |
| 6 | 106451X | Bolt, Shoulder | 24 | 19171616 | Washer 17/32 x 1 x 16 Gauge |
| 7 | 135371 | Assembly, Mower Clutch Arm | 25 | 121933X | Tube, Spacer |
| 8 | 74760636 | Bolt, Hex 3/8-16 UNC x 2-1/4 | 26 | 141470 | Rod, Mower Lift |
| 9 | 121930X | Assembly, Bellcrank, Lift | 27 | 121466X | Knob. Rd |
| 10 | 76020412 | Pin, Cotter 1/8 x 3/4 | 28 | 76020312 | Pin, Cotter 3/32 x 3/4 |
| 11 | 19131316 | Washer 13/32 x 13/16 x 16 Gauge | 29 | 131655 | Link, Mower Clutch |
| 12 | 122027X | Sleeve, Handle | 30 | 73350600 | Nut, Hex Jam 3/8-16 |
| 13 | 139352 | Assembly, Lift Handle | 31 | 19132012 | Washer 13/32 x 1-1/4 x 12 Ga. |
| 14 | 123496X | Spring, Compression | | | |
| 15 | 19131212 | Washer 13/32 x 3/4 x 12 Gauge | NOT | E: All compoi | nent dimensions given in U.S. inches. |

1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER 6H1A9C

MOWER DECK




TRACTOR - - MODEL NUMBER 6H1A9C

MOWER DECK

| 1 140064 Spring, Mower Clutch 2 122052X Spacer, Retainer 3 73680600 Nut, Lock Hex W/Wsh 3/8-16 4 130840 Assembly, Brake 5 131251 Guide, Belt Idler 6 121316X Idler, Flat 7 72110616 Bolt, Carriage 3/8-16 x 2 Grade 5 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 9 127744 Assembly, Mower Idler Arm 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 11 130841 Rod, Brake 12 127356 Bracket, Rear Lift, R.H. 13 72140506 Bolt, Carriage 3/8-16 x 1-1/4 14 73680500 Nut, Lock Hex W/Ins 5/16-18 15 127357 Bracket, Rear Lift, L.H. 16 140093 Keeper, R.H. 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 19 127380 Bracket, Stabilizer Link 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 25 138776 Screw, Thdrol. Hex Hd. 26 129963 Washer, 150 Thick 27 129983 Housing, Mower 28 129207 Pulley, Mandrel NOTE: All component dimensions given in U.S. inches. | KE' NO. | | DESCRIPTION | KEY NO. | | DESCRIPTION |
|--|------------|--------|-------------------------------|------------|----------------|--------------------------------------|
| 2 122052X Spacer, Retainer 31 17490508 Screw, Hex Washer Head, Thd. Roll. 5716-18 x 1/2 Arm, Support Idler, Mower 5 131251 Guide, Belt Idler 33 139083 Shield, Deflector 6 121316X Idler, Flat 36 121980X Rod, Hinge 7 72110616 Bolt, Carriage 3/8-16 x 2 Grade 5 37 123713X Spring, Torsion Deflector 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 38 105304X Cap, Sleeve 9 127744 Assembly, Mower Idler Arm 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 40 110452X Nut, Push 11 130841 Rod, Brake 41 131264 V-Belt 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 45 110485X Bearing 14 140093 Keeper, R.H. 45 110485X Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) Washer, Lock, Heawy 3/8 13850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 129963 Washer, Lock, Heavy 3/8 129963 Housing, Mower Pulley, Mandrel 129963 Washer 150 Thick 129963 Washer 150 Thick 129963 Washer 150 Thick 129963 Washer 129967 Pulley, Mandrel 129 1109, Mandrel Nut Elangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | Spring, Mower Clutch | 30 | 136631 | Bracket, Deflector |
| 4 130840 Assembly, Brake 32 122051X Arm, Support Idler, Mower 5 131251 Guide, Belt Idler 33 139083 Shield, Deflector 6 121316X Bolt, Carriage 3/8-16 x 2 Grade 5 37 123713X Spring, Torsion Deflector 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 38 105304X Cap, Sleeve 9 127744 Assembly, Mower Idler Arm 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 40 110452X Nut, Push 11 130841 Rod, Brake 41 131264 V-Belt 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 18 128511 Pin, Drive 48 137645 Shaft, M | 2 | | | 31 | 17490508 | Screw, Hex Washer Head, Thd. |
| 5 131251 Guide, Belt Idler 6 121316X Idler, Flat 7 72110616 Bolt, Carriage 3/8-16 x 2 Grade 5 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 9 127744 Assembly, Mower Idler Arm 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 11 130841 Rod, Brake 12 127356 Bracket, Rear Lift, R.H. 12 127356 Bracket, Rear Lift, R.H. 14 73680500 Nut, Lock Hex W/Ins 5/16-18 15 127357 Bracket, Rear Lift, L.H. 15 127357 Bracket, Rear Lift, L.H. 16 140093 Keeper, R.H. 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 19 127380 Bracket, Stabilizer Link 19 127380 Bracket, Stabilizer Link 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Hard Blade Mower Vented 21 140296 Washer, Hard Blade Mower Vented 22 10030600 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 24 140329 Stripper 25 138776 Screw, Thdrol. Hex Hd. 26 129963 Washer 150 Thick 27 129983 Housing, Mower 28 129207 Pulley, Mandrel Nut Flamelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | | | 1000#174 | |
| 6 121316X Idler, Flat 7 72110616 Bolt, Carriage 3/8-16 x 2 Grade 5 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 9 127744 Assembly, Mower Idler Arm 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 11 130841 Rod, Brake 12 127356 Bracket, Rear Lift, R.H. 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 14 73680500 Nut, Lock Hex W/ins 5/16-18 15 127357 Bracket, Rear Lift, L.H. 15 127357 Bracket, Rear Lift, L.H. 16 140093 Keeper, R.H. 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 19 127380 Bracket, Stabilizer Link 19 127380 Bracket, Stabilizer Link 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Hard Blade Mower Vented 21 140296 Washer, Hard Blade Mower Vented 22 10030600 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 24 140329 Stripper 25 138776 Screw, Thdrol. Hex Hd. 27 129883 Housing, Mower 28 129207 Pulley, Mandrel 29 137266 Nut Flangelock 9/16 NOTE: All component dimensions given in U.S. inches. | 4 | | Assembly, Brake | | | Arm, Support Idler, Mower |
| 7 72110616 Bolt, Carriage 3/8-16 x 2 Grade 5 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 9 127744 Assembly, Mower Idler Arm 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 40 110452X Nut, Push 11 130841 Rod, Brake 41 131264 V-Belt 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex Wins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) 127380 Bracket, Stabilizer Link 19 127380 Bracket, Stabilizer Link 19 127380 Bracket, Stabilizer Link 19 127380 Bracket, Hard Blade Mower Vented 21 140296 Washer, Hard Blade Mower Vented 22 10030600 Washer, Lock, Heavy 3/8 Stipper 53 M73070500 Nut, Acron M5 x 0.8 Screw, Thdrol. Hex Hd. 51 136383 Guard, Dftr, Mwr 36" TUV Washer 150 Thick Numbers 21-23, 26, 29 and 45-48) 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) Nut, Flannelock 9/16 Nut Flannelock 9/16 | 5 | | | | | |
| 8 19131410 Washer 13/32 x 7/8 x 10 Gauge 9 127744 Assembly, Mower Idler Arm 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 11 130841 Rod, Brake 12 127356 Bracket, Rear Lift, R.H. 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 14 73680500 Nut, Lock Hex W/Ins 5/16-18 15 127357 Bracket, Rear Lift, L.H. 15 127357 Bracket, Rear Lift, L.H. 16 140093 Keeper, R.H. 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 19 127380 Bracket, Stabilizer Link 19 127380 Blade, Mwr 36 HP 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Hard Blade Mower Vented 22 10030600 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 24 140329 Stripper 25 138776 Screw, Thdrol. Hex Hd. 27 129983 Housing, Mower 28 129207 Pulley, Mandrel 29 137266 Nut Fin, Drive 39 1011016 Washer 11/32 x 5/8 x 16 Gauge 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 39 19111016 Washer 11/32 x 5/8 x 16 Gauge 40 110452X Nut, Push 41 131264 V-Belt 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 41 131264 V-Belt 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 41 131264 V-Belt 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 41 131264 V-Belt 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 43 3146R Clip, Hairpin 44 140608 Keeper, L.H. 45 110485X Bearing 47 129895 Bearing 48 137645 Shaft, Mandrel (Includes Key Number 47) 49 133943 Washer, Hardened 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 51 136383 Guard, Dftr, Mwr 36" TUV 83 M73070500 Nut, Acron M5 x 0.8 51 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 52 19070718 Washer 53 M73070500 Nut, Acron M5 x 0.8 64 129963 Vasher .150 Thick 74 129983 Housing, Mower 75 M720305016 House Repeated Parket And Stabilizer Link 84 140608 Keeper, L.H. 85 110485X Bearing 85 Bearing 86 137645 Shaft, Mandrel (Includes Key Number 47) 87 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 80 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 80 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 80 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 80 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 80 M7203050 | | | | | | |
| 9 127744 Assembly, Mower Idler Arm 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 11 130841 Rod, Brake 12 127356 Bracket, Rear Lift, R.H. 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 14 73680500 Nut, Lock Hex W/Ins 5/16-18 15 127357 Bracket, Rear Lift, L.H. 15 127357 Bracket, Rear Lift, L.H. 16 140093 Keeper, R.H. 17 128508 Stabilizer, Mower Link 18 128511 Pin, Drive 19 127380 Bracket, Stabilizer Link 19 127380 Bracket, Stabilizer Link 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Hard Blade Mower Vented 21 140296 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 24 140329 Stripper 25 138776 Screw, Thdrol. Hex Hd. 27 129983 Housing, Mower 28 129207 Pulley, Mandrel 29 137266 Nut, Push 11/32 x 5/8 x 16 Gauge 110452X Nut, Push 1131264 V-Belt 40 110452X Nut, Push 1131264 V-Belt 41 131264 Washer 11/32 x 5/8 x 16 Gauge 110452X Nut, Push 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 1132 x 5/8 x 16 Gauge 110452X Nut, Push 131264 V-Belt 140454 V-Belt 14068 Keeper, L.H. 45 110485X Bearing 46 128774 Housing, Mandrel (Includes Key Number 47) 128985 Shaft, Mandrel (Includes Key Number 47) 13766 Solt 3/8-24 x 1-1/4 Grade 8 137645 Shaft, Mandrel (Includes Key Number 21-23, 26, 29 and 45-48) 1379963 Washer .150 Thick Nut Flangelock 9/16 | | | Washer 13/32 v 7/8 v 10 Gauge | | | |
| 10 72140610 Bolt, Carriage 3/8-16 x 1-1/4 40 110452X Nut, Push 11 130841 Rod, Brake 41 131264 V-Belt 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key 19 127380 Bracket, Stabilizer Link 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 | | | Assembly Mower Idler Arm | | | |
| 11 130841 Rod, Brake 41 131264 V-Belt 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 | | | | | | |
| 12 127356 Bracket, Rear Lift, R.H. 42 19171616 Washer 11/32 x 5/8 x 16 Gauge 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key 19 127380 Bracket, Stabilizer Link 49 133943 Washer, Hardened 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 | | | | | | |
| 13 72140506 Bolt, Carriage 5/16-18 UNC x 5/8 43 3146R Clip, Hairpin 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) 19 127380 Bracket, Stabilizer Link 49 133943 Washer, Hardened 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers | | | | | | |
| 14 73680500 Nut, Lock Hex W/Ins 5/16-18 44 140608 Keeper, L.H. 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 1497 | | | | | | |
| 15 127357 Bracket, Rear Lift, L.H. 45 110485X Bearing 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key Number 47) 19 127380 Bracket, Stabilizer Link 49 133943 Washer, Hardened 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 14497 | | | | | | |
| 16 140093 Keeper, R.H. 46 128774 Housing, Mandrel, Vented 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key 19 127380 Bracket, Stabilizer Link Number 47) 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key 26 129963 Washer .150 Thick 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel 29 137266 Nut Elangelock 9/16 </td <td>15</td> <td>127357</td> <td></td> <td></td> <td></td> <td></td> | 15 | 127357 | | | | |
| 17 128508 Stabilizer, Mower Link 47 129895 Bearing 18 128511 Pin, Drive 48 137645 Shaft, Mandrel (Includes Key 19 127380 Bracket, Stabilizer Link Number 47) 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key 26 129963 Washer .150 Thick 130794 Mandrel Assembly (Includes Key 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel 29 137266 Nut Elangelock 9/16 NOTE: | 16 | 140093 | Keeper, R.H. | 46 | 128774 | |
| 19 127380 Bracket, Stabilizer Link Number 47) 20 138496 Blade, Mwr 36 HP 49 133943 Washer, Hardened 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel 29 137266 Nut Elangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | 128508 | Stabilizer, Mower Link | 47 | 129895 | |
| 20 138496 Blade, Mwr 36 HP 21 140296 Washer, Hard Blade Mower Vented 22 10030600 Washer, Lock, Heavy 3/8 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 24 140329 Stripper 25 138776 Screw, Thdrol. Hex Hd. 26 129963 Washer .150 Thick 27 129983 Housing, Mower 28 129207 Pulley, Mandrel 29 137266 Nurs Blade, Mwr 36 HP 49 133943 Washer, Hardened 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 51 136383 Guard, Dftr, Mwr 36" TUV 52 19070718 Washer 53 M73070500 Nut, Acron M5 x 0.8 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 144973 Deck, Serv. 36 LR HP NOTE: All component dimensions given in U.S. inches. | | | | 48 | 137645 | Shaft, Mandrel (Includes Key |
| 21 140296 Washer, Hard Blade Mower Vented 50 M720305016 Bolt Rd. Hd. Sqnk M5X0.8 x 16 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel Nut Elangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | | | | |
| 22 10030600 Washer, Lock, Heavy 3/8 51 136383 Guard, Dftr, Mwr 36" TUV 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel NOTE: All component dimensions given in U.S. inches. | | | | | | |
| 23 850857 Bolt 3/8-24 x 1-1/4 Grade 8 52 19070718 Washer 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel 29 137266 Nut Flangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | | | | |
| 24 140329 Stripper 53 M73070500 Nut, Acron M5 x 0.8 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel NOTE: All component dimensions given in U.S. inches. | | | | | | |
| 25 138776 Screw, Thdrol. Hex Hd. 130794 Mandrel Assembly (Includes Key Numbers 21-23, 26, 29 and 45-48) 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel NOTE: All component dimensions given in U.S. inches. | | | | | | |
| 26 129963 Washer .150 Thick Numbers 21-23, 26, 29 and 45-48) 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel Nut Flangelock 9/16 NOTE: All component dimensions given in U.S. inches. | 24 | | | | | Nut, Acron M5 x 0.8 |
| 27 129983 Housing, Mower 144973 Deck, Serv. 36 LR HP 28 129207 Pulley, Mandrel 29 137266 Nut Flangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | | | 130/94 | |
| 28 129207 Pulley, Mandrel 29 137266 Nut Flangelock 9/16 NOTE: All component dimensions given in U.S. inches. | | | | | 4.44070 | Numbers 21-23, 26, 29 and 45-48) |
| 29 137266 Nut Élangelock 9/16 NOTE: All component dimensions given in U.S. inches. | 28 | | Dulloy Mondrel | | 1449/3 | Deck, Serv. 36 LH HP |
| | | | | NOTE | E: All compone | ent dimensions given in U.S. inches. |
| i inch = 25.4 mm. | 23 | 107200 | Nut, I langelock 3/10 | | 1 inch = 25. | |

TRACTOR - - MODEL NUMBER 6H1A9C

DANA TRANSAXLE - MODEL NUMBER 4360-79




TRACTOR - - MODEL NUMBER 6H1A9C

DANA TRANSAXLE - MODEL NUMBER 4360-79


| 1 142671 | | Y PART NO. | DESCRIPTION | | PART NO. | DESCRIPTION |
|--|----|---------------|------------------------------------|-------|----------------|--------------------------------------|
| 2 2274J Screw, Self-Tapping, Large | 1 | 142671 | Housing, Upper | 41 | 105928X | Sprocket, 9 Teeth |
| 1/4-20 x.734 | 2 | | | | 110084X | Gear, Bevel, 42 Teeth |
| 4 105904X Spring, Detent 45 142678 Gear, Spur, 12 Teeth 105905X Screw, Set 46 142679 Gear, Spur, 25 Teeth 6 138235 Kit, Shifter Assembly 47 120407X Gear, Spur, 20 Teeth 7 134399 Boot, Shifter 48 106589X Gear, Spur, 25 Teeth 8 134791 Screw, Tapping w/Sealer 49 120408X Gear, Spur, 28 Teeth 9 138241 Square Ring 50 105937X Gear, Spur, 28 Teeth 9 138241 Square Ring 50 105937X Gear, Spur, 28 Teeth 9 138241 Square Ring 50 105937X Gear, Spur, 28 Teeth 9 138241 Square Ring 50 105937X Gear, Spur, 28 Teeth 10 142672 Ring, Retaining 51 2226J Washer, Plain .632 x 1.00 x .060 Washer, Neoprene 53 2264J Washer, Plain .632 x 1.00 x .060 Washer, Neoprene 53 2264J Washer, Plain .632 x 1.00 x .050 Washer, Neoprene 54 120476X Axle, L.H. 42674 Key, Woodruff, #9 55 110081X Gear, Miter, 15 Teeth 10078X Plinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 10078X Plinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 105911X Bearing, Flange 60 120475X Axle, R.H. 105911X Bearing, F | | | | 43 | 134394 | * Assembly, Kit, Shim .750 Shaft |
| 5 105905X Screw, Set 46 142679 Gear, Spur, 15 Teeth 6 138235 Kit, Shifter Assembly 47 120407X Gear, Spur, 25 Teeth 8 134791 Screw, Tapping w/Sealer 48 106589X Gear, Spur, 25 Teeth 9 138241 Square Ring 50 105937X Gear, Spur, 25 Teeth 10 142672 Ring, Retaining 51 2226J Washer, Plain .632 x 1.00 x .060 11 134793 * Assembly, Kit, Shim .625 Shaft 52 134401 Washer, Plain .632 x 1.00 x .060 12 142673 Bearing, Flange 53 2264J Washer, Plain .632 x 1.00 x .060 13 120415X Washer, Plain .632 x 1.38 x .046 54 120474X Akle, L.H. 142674 Key, Woodruff, #9 55 110081X Gear, Spur, 32 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth | | | | | | |
| 6 138235 Kit, Shifter Assembly 47 120407X Gear, Spur, 20 Teeth 134399 Boot, Shifter 48 106589X Gear, Spur, 22 Teeth 49 120408X Gear, Spur, 22 Teeth 49 120408X Gear, Spur, 28 Teeth 49 120408X Gear, Spur, 21 Teeth 49 120408X Gear, Spur, 31 Teeth 49 120408X Gear, Spur, 31 Teeth 49 120408X Gear, Spur, 32 Teeth 53 120415X Washer, Plain .625 Shaft 52 134401 Washer, Plain .758 x 1.25 x .031 120415X Washer, Plain .625 x 1.38 x .046 54 120474X Akle, L.H. 64 120 | 4 | | | | | Gear, Spur, 12 Teeth |
| 7 134399 Boot, Shifter 8 134791 Screw, Tapping w/Sealer 9 138241 Square Ring 10 142672 Ring, Retaining 11 134793 *Assembly, Kit, Shim .625 Shaft 12 142673 Bearing, Flange 13 120415X Washer, Plain .632 x 1.38 x .046 14 142674 Key, Woodruff, #9 15 138234 Assembly, Kit, Input Shaft 16 110078X Pinion, Bevel, 14 Teeth 17 105909X Ring, Retaining 18 105910X Chain, 24 Pitches 19 105911X Bearing, Flange 10 15910X Chain, 24 Pitches 11 38246 Collar, Clutch 12 13826 Assembly, Kit, Clutch Keys 17 38205 Locknut 5/16-24 18 120370X Sprocket, 18 Teeth 18 105916X Ring, Retaining 19 105916X Ring, Retaining 10 120405X Gear, Spur, 37 Teeth 10 10070X Spacer 11 10070X Spacer 12 10405X Gear, Spur, 37 Teeth 13 120405X Gear, Spur, 25 Teeth 14 120405X Gear, Spur, 25 Teeth 15 105925X Washer, Plain .632 x 1.00 x .026 17 10898X Spacer .630 x 1.00 x .169 18 105925X Spacer .630 x 1.00 x .169 18 10079X Spacer .630 x 1.00 x .169 19 105916X Ring, Retaining 19 105916X Ring, Retaining 19 105916X Ring, Retaining 19 105916X Ring, Retaining 10 10070X Spacer .630 x 1.00 x .026 11 10070X Spacer .630 x 1.00 x .026 11 10070X Spacer .630 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 x 1.00 x .026 11 10079X Washer, Plain .632 | 5 | | | | | Gear, Spur, 15 Teeth |
| 8 134791 Screw, Tapping w/Sealer 9 138241 Square Ring Flange 50 105937X Gear, Spur, 28 Teeth 10 142672 Ring, Retaining 51 2226J Washer, Plain .632 x 1.00 x .060 Washer, Plain .758 x 1.25 x .031 120415X Washer, Plain .632 x 1.38 x .046 54 120474X Axle, L.H. Gear, Miter, 15 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining Gear, Spur, 32 Teeth 57 110071X Gear, Spur, 32 Teeth 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Spur, 32 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 22 2444J Key, Woodruff, #61 66 120954X Pin, Dowel 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 22 2444J Key, Woodruff, #61 66 120954X Pin, Dowel 27 120470X Sprocket, 18 Teeth 69 108996X Washer, Plain .632 x 1.00 x .026 73 108978X Spacer 630 x 1.00 x .169 Assembly, Gear, Spur, 25 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 5/16-18 x 2.25 108980X Gear, Spur, 25 Teeth 72 120951X Puck, Friction 73 120416X Grease 105925X Washer, Plain .632 x 1.00 x .026 73 108978X Spacer .630 x 1.00 x .169 Assembly, Gear, Combination of 12 Teeth and 35 Teeth 70 120956X Bracket, Anti-Rotation 73 120416X Grease 100994 | 6 | | | | | |
| 9 138241 Square Ring 50 105937X Gear, Spur, 31 Teeth 134793 | | | | | | Gear, Spur, 25 Teeth |
| 10 142672 Ring, Retaining 51 2226J Washer, Plain .632 x 1.00 x .060 11 134793 *Assembly, Kit, Shim .625 Shaft 52 134401 Washer, Neoprene 12 142673 Bearing, Flange 53 2264J Washer, Plain .758 x 1.25 x .031 13 120415X Washer, Plain .632 x 1.38 x .046 54 120474X Axle, L.H. 14 142674 Key, Woodruff, #9 55 110081X Gear, Miter, 15 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 142676 Shaft, Intermediate 65 120953X Jaw, Brake | | | Screw, Tapping w/Sealer | | | |
| 11 134793 | | | | | | |
| 12 142673 Bearing, Flange 53 2264J Washer, Plain .758 x 1.25 x .031 13 120415X Washer, Plain .632 x 1.38 x .046 54 120474X Axle, L.H. 14 142674 Key, Woodruff, #9 55 110081X Gear, Miter, 15 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 120961X Puck, Friction 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 13810500 Locknut S/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 | | | Ring, Retaining | | | |
| 13 120415X Washer, Plain 632 x 1.38 x .046 54 120474X Axle, L.H. 14 142674 Key, Woodruff, #9 55 110081X Gear, Miter, 15 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 21 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>Washer Diain 759 v 1 05 v 001</td> | | | | | | Washer Diain 759 v 1 05 v 001 |
| 14 142674 Key, Woodruff, #9 55 110081X Gear, Miter, 15 Teeth 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 21 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X <td< td=""><td></td><td></td><td>Weeker Diein 620 v 1 29 v 046</td><td></td><td></td><td></td></td<> | | | Weeker Diein 620 v 1 29 v 046 | | | |
| 15 138234 Assembly, Kit, Input Shaft 56 105941X Ring, Retaining 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 | | | VVasiler, Flair .032 x 1.30 x .040 | | | |
| 16 110078X Pinion, Bevel, 14 Teeth 57 110071X Gear, Spur, 32 Teeth 17 105909X Ring, Retaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Spacer 68 < | | | | | | |
| 17 105909X Ring, Áetaining 58 120952X Shaft, Cross 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 28 110070X Spacer 68 | | | | | | |
| 18 105910X Chain, 24 Pitches 59 110082X Gear, Miter, 15 Teeth 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 37 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 25 Teeth | | | | | | |
| 19 105911X Bearing, Flange 60 120475X Axle, R.H. 20 142675 Gear, Spur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 30 Teeth 71 106596X Bracket, Anti-Rotation 31 120406X Gear, Spur, 25 Teeth 72 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| 20 142675 Gear, Špur, 14 Teeth 61 142680 Housing, Lower 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 30 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 35 105925X Washer, Plain .640 | | | | | | |
| 21 138246 Collar, Clutch 62 120961X Puck, Friction 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 30 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Tee | | | | | | |
| 22 138236 Assembly, Kit, Clutch Keys 63 7294J Disc, Brake 23 73810500 Locknut 5/16-24 64 108989X Spacer 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .632 | | | | | | |
| 23 73810500 | | | | | | |
| 24 142676 Shaft, Intermediate 65 120953X Jaw, Brake 25 2244J Key, Woodruff, #61 66 120954X Pin, Dowel 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .632 x 1.00 x .026 * Use in combinations to maintain proper clearances 36 108978X <td></td> <td></td> <td>Locknut 5/16-24</td> <td></td> <td>108989X</td> <td></td> | | | Locknut 5/16-24 | | 108989X | |
| 26 105916X Ring, Retaining 67 134799 Screw, Self-Tapping, Large 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 71 106596X Screw, Self-Tapping, Large 33 120406X Gear, Spur, 25 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .632 x 1.00 x .026 * Use in combinations to maintain proper clearances 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination | 24 | 142676 | Shaft, Intermediate | 65 | | Jaw, Brake |
| 27 120470X Sprocket, 18 Teeth 5/16-18 x 2.25 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 5/16-18 x 1.44 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .632 x 1.00 x .026 * Use in combinations to maintain proper clearances 37 108978X Spacer .630 x 1.00 x .169 ** Order Key No. 15 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth ** Order Key No. 15 | | 2244J | Key, Woodruff, #61 | | | |
| 28 110070X Spacer 68 138244 Lever, Actuating 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 5/16-18 x 1.44 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 * Use in combinations to maintain proper clearances 37 108978X Spacer .630 x 1.00 x .169 ** Order Key No. 15 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth ** Order Key No. 15 | 26 | | | 67 | 134799 | Screw, Self-Tapping, Large |
| 29 142677 Gear, Spur, 37 Teeth 69 108996X Washer, Plain .321 x 1.00 x .055 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 5/16-18 x 1.44 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 70 120956X Bracket, Anti-Rotation 71 106596X Screw, Self-Tapping, Large 5/16-18 x 1.44 72 120951X Puck, Friction 73 120416X Grease 74 Use in combinations to maintain proper clearances 75 Order Key No. 15 | | | | | | |
| 30 142681 Gear, Spur, 35 Teeth 70 120956X Bracket, Anti-Rotation 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 32 108980X Gear, Spur, 25 Teeth 5/16-18 x 1.44 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 70 120956X Bracket, Anti-Rotation 71 106596X Screw, Self-Tapping, Large 5/16-18 x 1.44 72 120951X Puck, Friction 73 120416X Grease * Use in combinations to maintain proper clearances * Order Key No. 15 | | | | | | Lever, Actuating |
| 31 120405X Gear, Spur, 30 Teeth 71 106596X Screw, Self-Tapping, Large 5/16-18 x 1.44 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 71 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 72 120951X Puck, Friction 73 120416X Grease 74 Use in combinations to maintain proper clearances 75 108596X Screw, Self-Tapping, Large 5/16-18 x 1.44 72 120951X Puck, Friction 73 120416X Grease 75 Use in combinations to maintain proper clearances 75 108596X Screw, Self-Tapping, Large 5/16-18 x 1.44 75 120951X Puck, Friction 75 120416X Grease 75 Use in combinations to maintain proper clearances 75 108596X Screw, Self-Tapping, Large 5/16-18 x 1.44 75 120951X Puck, Friction 75 120416X Grease 75 Use in combinations to maintain proper clearances 75 Use in combinations to maintain proper clearances 75 108596X Screw, Self-Tapping, Large 75 16-18 x 1.44 75 120951X Puck, Friction 75 120416X Grease 75 Use in combinations to maintain proper clearances 75 108596X Screw, Self-Tapping, Large 75 16-18 x 1.44 76 120951X Puck, Friction 75 120416X Grease 75 | | | Gear, Spur, 37 Teeth | | | Washer, Plain .321 x 1.00 x .055 |
| 32 108980X Gear, Spur, 25 Teeth 33 120406X Gear, Spur, 22 Teeth 34 134796 Gear, Spur, 19 Teeth 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 5/16-18 x 1.44 72 120951X Puck, Friction 73 120416X Grease * Use in combinations to maintain proper clearances * Order Key No. 15 | | | Gear, Spur, 35 Teeth | | | |
| 33 120406X Gear, Spur, 22 Teeth 72 120951X Puck, Friction 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 72 120951X Puck, Friction 73 120416X Grease * Use in combinations to maintain proper clearances * Order Key No. 15 | | | Gear, Spur, 30 Teeth | 71 | 106596X | |
| 34 134796 Gear, Spur, 19 Teeth 73 120416X Grease 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth 73 120416X Grease * Use in combinations to maintain proper clearances ** Order Key No. 15 | | | Gear, Spur, 25 Teeth | 70 | 4000E4V | |
| 35 105925X Washer, Plain .640 x 1.37 x .061 36 2232J Washer, Plain .632 x 1.00 x .026 * Use in combinations to maintain proper clearances 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth * Order Key No. 15 | | | | | | |
| 36 2232J Washer, Plain .632 x 1.00 x .026 * Use in combinations to maintain proper clearances 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of 12 Teeth and 35 Teeth * Use in combinations to maintain proper clearances ** Order Key No. 15 | | | Gear, Spur, 19 Teeth | 73 | 120416X | Grease |
| 37 108978X Spacer .630 x 1.00 x .169 38 110079X Assembly, Gear, Combination of ** Order Key No. 15 12 Teeth and 35 Teeth | | | | * | Hoo in combine | ations to maintain proper clearances |
| 38 110079X Assembly, Gear, Combination of ** Order Key No. 15 12 Teeth and 35 Teeth | | | Spacer 620 v 1 00 v 160 | | Ose in combina | ations to maintain proper clearances |
| 12 Teeth and 35 Teeth | | | Accombly Goar Combination of | ** | Order Key No | 15 |
| | 50 | 1100/3/ | | | Order Ney No. | 10 |
| AN IZANANA SDAIT IDIEL NICHES NICHE All COMPONENT DIMENSIONS DIVER IN LES INCHES | 39 | 124639X | Shaft, Idler | NOT | E. All compone | nt dimensions given in U.S. inches |
| 40 120472X Spacer .635 x .875 x .755 1 inch = 25.4 mm | | | | .1011 | | |

TRACTOR - - MODEL NUMBER 6H1A9C



| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|------------|-------------|----------------------------------|------------|---------------|---|
| 1 | 145545 | Decal, Inst. Oper. Sym. | 11 | 145437 | Decal, Europe, Scand. Ce |
| 2 | 141744 | Decal, Stripe, Hood, L.H. | 12 | 145005 | Decal, Caution, Battery, Dan/Poi |
| 3 | 141743 | Decal, Stripe, Hood, R.H. | 14 | 125690X | Decal 100 Dba |
| 4 | 132627 | Decal, Grill | 15 | 137703 | Decal, Hood Insert |
| 5 | 136830 | Decal, V-Belt Sch. | 16 | 127075 | Decal, Wheel Steering |
| 6 | 132628 | Decal, Fender | | 147193 | Manual, Operator's (Euro) |
| 7 | 145498 | Decal, Read. Owner's Manual Sym. | | 147194 | Manual, Operator's (Scan) |
| 8 | 145494 | Decal, International, Cutfinger | | 147560 | Manual, Repair Parts |
| 9 | 135013 | Decal, Enviro Deck | Avail | able accessor | ies are not included with your tractor: |
| 10 | 272632 | Decal, Engine | | MP36 | Mulcher Kit |

TIRES & WHEELS



| KEY NO. | PART NO. | DESCRIPTION |
|------------|---------------|-------------------------------|
| 1 | 59192 | Cap, Valve |
| 2 | 65139 | Stem, Valve |
| 3 | 65139 278H | Fitting, Grease (Front Only) |
| 4 | 123410X | Tire, Front |
| | 106230X | Tire, Rear |
| 5 | 59904 | Tube, Tire, Front |
| | | (Optional, Service Item Only) |
| | 8134H | Tube, Tire, Rear |
| | | (Optional, Service Item Only) |
| 6 | 122394X427 | Rim Assembly, Front |
| | 140325X427 | Rim Assembly, Rear |
| 7 | 104757X | Cap, Axle |
| 8 | 9040H | Bearing, Flange (Front Only) |
| 9 | 121748X | Washer, Axle Cap |
| | 144334 | Sealant, Tire (10 oz. Tube) |
| | | |