

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

DECALS



	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9	136795 136433 136434 132627 127033 132628 125690X 133795 101892X 127035	Decal, Instruction, Operating (Eng./Fr.) Decal, Hood, Stripe L.H. Decal, Hood, Stripe R.H. Decal, Grill Decal, HP, Hood Decal, Fender Decal, 100 DBA Decal, Caution Decal, Clutch/Brake Decal, Chassis, Speed/Deck Size	11 12 13 14 15 16 —	137259 135013 127075 121549X 129823 126016X 138311 137372 139026	Decal, Warning Decal, Enviro. Deck Decal, Steering Wheel Insert Decal, Caution, Battery Decal, Stripe, Grill Decal, Engine Decal, Handle Lift (Lift Handle) Manual, Operator's E/F Manual, Parts E/F

WHEELS & TIRES




KEY NO.	PART NO.	DESCRIPTION
-	59192 65139 278H 124635X 106222X 7152J 59904 106108X311 106732X311 104757X 9040H 121748X	Cap, Valve Stem, Valve Fitting, Grease Tire, Rear Tire, Front Tube, Rear (Opt. Serv. Items Only) Tube, Front (Opt. Serv. Items Only) Rim, Assembly, Rear Rim, Assembly, Front Cap, Axle Bearing, Flange (Front Wheels Only) Washer 25/32 x 1-5/8 x 16 Ga.

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm


12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

SCHEMATIC



12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

ELECTRICAL



12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A


ELECTRICAL

NO KE		DESCRIPTION
1234567890112345678901234567890123456789012345678901234567890123456789012345678	121265X 4406R 124211X 132017 4207J 132202 4799J 129965 109596X 138406 10090400 73350400 74780408 11050400 73510400 131563 109553X 17021008 104445X 17021008 121305X 121264X 74760412 19091016 10040400 73220400 122147X 108824X 109238X 123620X 110712X 136849 7662J 108236X 17021008 130890 17021008 130890 17021008 11150400	Battery 12 VOLT 25 AMP Switch Ign 5 Term Wo/wash/nut Nut Ignition Harness Ign Bs/tec Dash HI Cable Ground 6 Ga 12"black Cable Battery 6 Ga 43"red Cable Battery 6 Ga 11"red Case Battery Hinge Mech W/Lid Clamp Hose Olive Solenoid Washer Lock 1/4 Nut Jam Hex 1/4-20 Unc Bolt Fin Hex 1/4-20 Unc Bolt Fin Hex 1/4-20 Unc Cover Terminal Red Switch Intlk Clutch Gry 4 Term Screw Tap Hex #10-24unc X 1/2 Switch Intlk Clutch Gry 2 Term Screw Tap Hex #10-24unc X 1/2 Switch Plunger Nc Gray Caps Battery 20/25/30 AMP Bolt Hex Hd 1/4-20 Unc Key Ign Molded Generic Fuse 30 AMP Auto Green Tube Plastic 12" Cover Sw Key Blk 1 25 Text SLT Switch Light Blk Blk Red Harness Asm Light W/7662j Bulb Light #1141 Bracket Switch Clutch Screw Tap Hex #10-24unc X 1/2 Bracket Switch Interlock Screw Tap Hex #10-24unc X 1/2 Bracket Switch Interlock Screw Tap Hex #10-24unc X 1/2 Washer Lock Internal Tooth 1/4

NOTE: All component dimentions given in U. S. inches. 1 inch = 25.4 mm

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

CHASSIS AND ENCLOSURES




12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A CHASSIS AND ENCLOSURES

KEY NO.		DESCRIPTION
1234567890112345678900134 1112345678900134 5555	135034 137275 17490612 74760612 73680600 124464X017 17490608 2751R 137411X012 5479J 122795X 121794X 124031X012 17490608 74180512 73510500 133956X505 126938X 133805 132257 19091216 108067X 74760612 19131312 73680600 17490608 109872X505 136619 17490612 105476X505 72110606 73680600 134618 134617 72140608 73800600 19131216 72140608 73800600 19131216 72140608 74760614	Chassis Wldmt 11 Ga 38/42 W/pvt Drawbar LT/YT 11 Ga Screw Thdrol 3/8-16x3/4 Ty-tt Bolt Fin Hex 3/8-16unc X 3/4 Nut Crownlock 3/8-16 Unc Saddle Screw Thdrol 3/8-16x1/2 Ty-tt Clip Line Fuel 13/32 Mtg Hole Dash Plug Button Blk 359 Dia Choke Panel Dash LH Cover Access Black Square Panel RH Dash Screw Thdrol 3/8-16x1/2 Ty-tt Screw Mach TRHD 5/16-18uncx3/4 Nut Keps 5/16-18 Unc Hood/Grill Asm. Bumper Hood Lens Grille H/bar Clear Lt Bezel Light Washer 9/32 X 3/4 X 16Ga Nut Pal Bolt Fin Hex 3/8-16unc X 3/4 Washer 13/32 X 13/16 X 12 Ga Nut Crownlock 3/8-16 Unc Screw Thdrol 3/8-16x1/2 Ty-tt Fender Bracket Fender Repl 10973x Screw Thdrol 3/8-16x3/4 Ty-tt Footrest LH Perf Footrest RH Perf Bolt Rdhd Sht Sqnk 3/8-16 X3/4 Nut Crownlock 3/8-16 Unc Bracket Asm Pvt38 RH MWR Rear Bracket Asm Pvt38 RH MWR Rear Bolt RDHD SQNK 3/8-16 x 1 Nut Lock Hex W/wsh 3/8-16unc Washer 13/32 X 3/4 X 16 Ga Bolt Rd Sqnk 3/8 - 16 X 7/8

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

DRIVE




12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

DRIVE

KE'NO.		DESCRIPTION	KE NC		DESCRIPTION
1234567890112345678901123456789012345678901333333333333333333333333333333333333	110422X 123666X 12000028 121520X 17490512 106919X 124461X 19151216 76020416 105701X 19091210 71040412 10040400 74760540 73680500 121520X 74760612 73680600 17490512 106279X 131867 73800600 73350600 106888X 19131316 76020412 128904 7733J 109167X 127275X 74760616 73680600 122424X 120183X 19211616 1572H	Transaxle 6sp Std D4360-48 Spring Return Brake T/a Zinc Pulley Transaxle 18"tires Ring Retainer # 5100-62 Strap Torque 30 Degrees Screw Thdrol 5/16-18 X 3/4 TYT Plate Rod Shift Rod Shf Sdl LY/YT Str Blk Zinc Washer 15/32 X 3/4 X 16 Ga Pin Cotter 1/8 X 1 Cad Washer Plate Shf 388 Sq Hole Washer Plate Shf 388 Sq Hole Washer Plate Shf 388 Sq Hole Washer Hex 1/4-28unfx3/4 Gr8 Washer Lock Hvy Helical 1/4 Bolt Fin Hex 5/16-18uncx 2-1/2 Nut Crown Lock 5/16-18 Strap Torque 30 Degrees Bolt Fin Hex 3/8-16unc X 3/4 Nut Crownlock 3/8-16 Unc Screw Thdrol 5/16-18 X 3/4 TYT Knob Rd 1/2-13 Plstc Thds Yel Rod Brake Nut Lock Hex W/wsh 3/8-16unc Nut Hex Jam 3/8-16 Unc Spring Rod Brake 2 00 Zinc Washer 13/32 X 13/16 X 16 Ga Pin Cotter 1/8 X 3/4 Cad Rod Brake Parking LT Cap Parking Brake Yellow Bracket Mtg Transaxle Keeper Belt LH LT 14 Ga Bolt, Fin Hex 3/8-16 Unc x 1 Nut, Crownlock 3/8-16 Unc Shaft Asm Pedal Foot 1 930 Bearing Nylon Blk 629 Id Washer 21/32 X 1 X 16 Ga Pin Roll 3/16 X 1"	389 441 443 444 444 445 555 555 555 566 666 666 677 777 777 77	74760644 4470J 109070X 19131312 73680600 105706X	Pulley Idler Flat Bolt Fin Hex 3/8-16unc X 2-3/4 Spacer Split 395 X 59 Bzp Keeper Belt Retainer Washer 13/32 X 13/16 X 12 Ga Nut Crownlock 3/8-16 Unc Bearing Nyl 503 X 628 X 1 25 Washer Hardened Ring Klip #t5304-50 Pulley Idler V Groove Plastic Bellcrank Asm Clutch Retainer Belt Style Spring Bolt Hex Hd 3/8-16unc X 1-1/2 Nut Crownlock 3/8-16 Unc Washer 13/32 X 13/16 X 16 Ga Link Clutch 7 66 Pin Cotter 1/8 X 3/4 Cad Spring Return Clutch 6 75 Pin Cotter 1/8 X 3/4 Cad V-Belt Ground Drive 95 25 42" Keeper Belt RH LT Pnt/zinc 16g Keeper Belt Chassis Washer 13/32 x 13/16 x 12 Ga Screw Thdrol 3/8-16 x 3/4 Ty-tt Cover Pedal Bik Round Engine Pulley LT/YT Bolt Hex 7/16-20x4 Gr 5 Washer Lock Hvy Hlcl Spr 7/16 Keeper Belt Engine LH LT Bolt Fin Hex 3/8-16unc X 1 Washer 13/32 X 13/16 X 12 Ga Nut Crownlock 3/8-16 Unc Guide Belt Mower Drive RH Bolt Fin Hex 3/8-16unc X 1 Washer 13/32 X 1-1/4 X 12 Ga Nut Crownlock 3/8-16 Unc Spacer Split 80x1 94 Cad/zinc Washer 25/32 X 1 1/4 X 16 Ga E-ring #5133-75 Key Square 2 0 X 1845/ 1865 Washer 25/32 X 1-5/8 X 16 Ga

NOTE: All component dimensions give in U.S. inches. 1 inch = 25.4 mm.

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A STEERING AND FRONT AXLE




12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A STEERING AND FRONT AXLE

KE NC	Y PART . NO.	DESCRIPTION
12345678901123456789 11123456789 222222222222222222222222222222222222	135228 6266H 121748X 19272016 12000029 3366R 130468 10040600 73610600 110438X 74011056 73901000 132624 132614 57079	Wheel, Steering Axle, Front Spindle, L.H. Spindle, R.H. Bearing, Thrust Washer 27/32 x 1-1/4 x 16 Ga. Washer 27/32 x 1-1/4 x 16 Ga. Ring Klip Bearing Link, Drag Washer, Lock 3/8 Nut, Hex 3/8-24 Spacer, Bearing, Front Axle Bolt, Hex 5/8-11 x 3-1/2 Nut, Lock Flange 5/8-11 Unc Pin, Axle 5/8 x 1.55/1.54 Lg. Shaft, Steering Washer Shaft, Support Washer 5/8 x 1/4 x 16 Ga. Lock Washer 1/4 Screw, Socket Hex 1/4 x 20 x 5/8 Shaft, Pitman Nyliner, Snap-in Bracket, Steering Ring Klip Gear, Sector Bearing Race Thrust Harden Screw, Hex Washer Head Thread
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	10040600 73610600 130465 126847X 19131416 76020412 132196 17431008 133742 19133808 7810H 104820X 124418X 121749X 121748X 121748X 12000029 121232X 6855M	Rolling 3/8-16 x 3/4 Type TT Washer Lock 3/8 Nut, Fin Hex 3/8-24 Unf Rod, Tie Bushing Washer 13/32 x 7/8 x 16 Ga. Pin, Cotter 1/8 x 3/4 Bushing, Steering Screw, Hex Tapping #10-16 x 1/2 Type ABTPS Insert, Steering Wheel Washer 13/32 x 2-3/8 x 8 Ga. Locknut, Center 3/8-24 Adapter, Steering Wheel Boot, Steering Washer 25/32 x 1-1/4 x 16 Ga. Washer Ring Klip Cap, Spindle Fitting Grease

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A


SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
123456780	127427 126656X 74760612 19131610 2751R 73680600 124181X 17490616	Seat V-350 Bracket Pivot Seat 8 720 Bolt Fin Hex 3/8-16unc X 3/4 Washer Flat 13/32 X1 X 10 Ga Clip Line Fuel 13/32 Mtg Hole Nut Crownlock 3/8-16 Unc Spring Seat Cprsn 2 250 Blk Zi Screw Thorology 1 X 1 Ty-tt	14 15 16 17 18 19 20 21	72050411 134300 121250X 123976X 74641008 73951000 4171R 105529X	Bolt Rdhd Sht Nk 1/4-20x1-3/8 Spacer Split 28x 96 Yel Zinc Spring Cprsn 1 27 Blk Pnt Nut Lock 1/4 Lge Flg Gr 5 Zinc Screw SLTD Pan Hd #10-32 X 1/2 Nut Keps #10-32 Unf Clip Insulated 11/32 Mtg Hole Bolt Shoulder 5/16-18 Unc Blkz
9 10 11 12 13	19131614 131451 121251X 121246X 121248X	Washer 13/32 X 1 X 14 Gá Pan Seat Strip Foam Gray Or Black Bracket Mounting Switch Bushing Snap Blk Nyl 50 Id	22 23 24 25 26	73680500 74780814 19171912 127018X 10040800	Nut Crown Lock 5/16-18 Bolt Fin Hex 1/2-13 X 7/8 Gr 5 Washer 17/32 X 1-3/16 X 12 Ga Bolt Shoulder 5/16-18 X 62 Washer Lock Hvy Hlcl Spr 1/2

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 6 7 8 9 10 11 12 13	132771 17720410 127951 125593X 10040500 71070510 13280324 13200300 11050600 17490620 137348	Control Throttle Screw Hex Thd Cut 1/4-20x5/8 T Engine B&S 12HP Model #283707 Stop Throt 3000 Rpm Gasket Eng 1 313 Id Tin Plated Washer Lock Hvy Hlcl Spr 5/16 Screw Hexhd Cap 5/16-18x5/8 Nipple Pipe 3/8 Npt X 3" Elbow Std 90 Degree 3/8-18 Npt Washer Lock Ext Tooth 3/8 Screw Thdrol 3/8-16x1-1/4 TYTT Muffler LT B&S 12/12 5 HP	16 17 18 19 20 21 22 23 24 25 26	128953 17021008 137180 109202X 123549X 123487X 17490612 19091416 8548R 124028X	Shield Heat Browning LT/YT Screw Tap Hex #10-24unc X 1/2 Kit Spark Arrestor 1 25 Tank Fuel Front 1 25 Cap Asm Fuel W/sym Vented CLAMP Hose Blk Screw Thdrol 3/8-16x3/4 Ty-tt Washer 9/32 x 7/8 x 16 Ga. Line Fuel 13" Bushing Snap Nyl Blk Fuel Line Plug Oil Drain (Order From Engine Manufacturer)

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

12 HP 38" TRACTOR - - MODEL NO. 7D3B3A





12 HP 38" TRACTOR -- MODEL NO. 7D3B3A


MOWER

KEY NO.	PART NO.	DESCRIPTION	KEY NO.		DESCRIPTION
28 29 30 31	138026 73680500 72140506 7631J 138017 4939M 130832 138440 132827 73800500 72140506 136929 110485X 128774 137645 129895 131322 129962 10030600 850857 131290 128772 19111216 106736X 106735X 137607 105304X 106734X 19111016 110452X 78158 129963 129206	Mower Asm 38"welded Nut Crown Lock 5/16-18 Bolt Rdhd Sqnk 5/16-18unc X3/4 Runner Mower LH 10 00 Bracket assembly, front Retaining spring Arm, suspension rear Bracket Deck Sway Bar Bolt, Shoulder 5/16-18 Hex locknut 5/16-18 Carriage bolt 5/16-18 x 3/4 Stripper Mower Vented Bearing Ball Mandrel Housing Mandrel Vented(machd) Shaft Asm W/lower Bearing Bearing Ball #6204 (Mandrel) Blade Mower Euro. 38 Washer Hard Blade Mower Vented Washer Lock Hvy 3/8 Unplated Bolt 3/8-24x1 25 Gr8 Patched V-Belt Mower 88 12 Black 38" Runner RH 38" Washer 11/32 X 3/4 X 16 Ga Shield Deflector Mower 38"blk Rod Hinge Brt/blk Zinc 9 88 Lg Bracket Deflector Mower Cap Sleeve 80x 112 Blk Mower Spring Deflector 4 46 Blk Washer 11/32 X 5/8 X 16 Ga Nut Push Phos & Oil Bolt 5/16-18 X 1 25 T/t Washer Spacer Mower Vented Pulley Mandrel 38" Single	334556789012	137226 133840 131494 122052X 19131612 73680600 74600636 19131612 131289 130840 17490512 131288 72110614 76020312 133551 133504 134666 4497H 131870 127498 133573 127847 121748X 12000029 128903 127845 128759 133502 133503 7803J 138361 130794	Nut 9/16top Lock Flng Oil Dip Arm Idler 38" Pulley Idler Flat 3 060 Spacer Retainer Pm Mower Washer 13/32 X 1 X 12 Ga Nut Crownlock 3/8-16 Unc Bolt Hex 3/8-16 X 2-1/4 Washer 13/32 X 1 X 12 Ga Rod Brake Mandrel LH 4 856 Brake Asm Mower Vented Screw Thdrol 5/16-18 X 3/4 TYT Rod Brake Mandrel RH 10 744 Bolt Rdhd 3/8-16uncx1-3/4 Gr5 Pin Cotter 3/32 X 3/4 Cad Rod Pivot W/nibs Rod Clutch Secondary W/nibs Rod Clutch Primary 38/42 Spring Retainer 1" Zinc/cad Spring Return Bushing 747 Od X 794 Lg Brass Arm Asm Clutch Primary Arm Clutch Secondary Washer 25/32 X 1-5/8 X 16 Ga Ring Klip #t5304-75 Bolt Shoulder 3/8-16 Unc 1 44 Keeper Spring 4 000 Spring Clutch Mower 2 750 Zinc Spacer Arm Idler Upper Hdn 42" Stiffener Arm Idler Upper 42" Knob Rd 3/8-16 Plstc Thds Deck Serv 38"mech Mandrel Asm Service (Includes Key Nos. 12-15, 17-19, 31 and 33)

NOTE: All component dimensions given in U.S. inches - 1 inch = 25.4 mm.

12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A

MOWER LIFT



12 HP 38" TRACTOR - - MODEL NUMBER 7D3B3A


MOWER LIFT

KEY NO.		DESCRIPTION
13 14 15 16 17 18	122512X 134619 135388	Wire Asm Inner W/plunger 17 32 Shaft Asm Lift 9 680 Pin Groove 1 500 Zinc E Ring #5133-62 Washer PLTD 21/32 X 1 X 21ga Bearing Nylon Blk 629 Id Grip Handle Bicycle Matte Blk Button Plunger Yellow Spring Cprsn 3 750 Oiled Link Lift LH Fixed Length Link Lift RH Fixed Length Retainer Spring Pin Roll SLT 5/16 X 1 25 Blk O Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Lock W/wsh 1/2-13unc Arm Suspension Rear Retainer Spring
		. ~

NOTE: All dimensions given in U.S. inches. 1 inch = 25.4 mm

12 HP 38" TRACTOR -- MODEL NUMBER 7D3B3A TRANSAXLE DANA -- MODEL NUMBER 4360-48

TRANSAXLE



12 HP 38" TRACTOR -- MODEL NUMBER 7D3B3A TRANSAXLE DANA -- MODEL NUMBER 4360-48

TRANSAXLE

	PART NO.	DESCRIPTION		/ PART NO.	DESCRIPTION
1	138248	Housing, Upper	41	105928X	Sprocket, 9 Teeth
ż	2274J	Screw, Self-Tapping, Large	42	110084X	Gear, Bevel, 42 Teeth
_	227-10	1/4-20 x .734	43		* Assembly, Kit, Shim .750 Shaft
3	134400	Ball, Detent	44	120473X	Shaft, Drive
4	105904X	Spring, Detent	45	105933X	Gear, Spur, 12 Teeth
5	105905X	Screw, Set	46	106151X	Gear, Spur, 15 Teeth
5 6	138235	Kit, Shifter Assembly	47	120407X	Gear, Spur, 20 Teeth
7	134399	Boot, Shifter	48	106589X	Gear, Spur, 25 Teeth
8	134791	Screw, Tapping w/Sealer	49	120408X	Gear, Spur, 28 Teeth
9	138241	Square Ring		105937X	Gear, Spur, 31 Teeth
10	2267J	Ring, Retaining	51		Washer, Plain .632 x 1.00 x .060
11		* Assembly, Kit, Shim .625 Shaft	52	134401	Washer, Neoprene
	138240	Bearing, Flange	53	2264J	Washer, Plain .758 x 1.25 x .031
	120415X	Washer, Plain .632 x 1.38 x .046		120474X	Axle, L.H.
	2257J	Key, Woodruff, #9		110081X	Gear, Miter, 15 Teeth
15	138234	Assembly, Kit, Input Shaft		105941X	Ring, Retaining
16	110078X	Pinion, Bevel, 14 Teeth		110071X	Gear, Spur, 32 Teeth
17	105909X	Ring, Retaining		120952X	Shaft, Cross
	105910X	Chain, 24 Pitches	59	110082X	Gear, Miter, 15 Teeth
	105911X	Bearing, Flange		120475X	Axle, R.H.
	138242	Gear, Spur, 14 Teeth		138247	Housing, Lower
	138246	Collar, Clutch		120961X	Puck, Friction
	138236	Assembly, Kit, Clutch Keys	63	7294J	Disc, Brake
	73810500	Locknut 5/16-24		108989X	Spacer
24	138243	Shaft, Intermediate			Jaw, Brake
25	2244J	Key, Woodruff, #61	66		Pin, Dowel
	105916X	Ring, Retaining	67	134799	Screw, Self-Tapping, Large
	120470X	Sprocket, 18 Teeth			5/16-18 x 2.25
	110070X	Spacer	68	138244	Lever, Actuating
	108977X	Gear, Spur, 37 Teeth			Washer, Plain .321 x 1.00 x .055
	109254X	Gear, Spur, 35 Teeth		120956X	Bracket, Anti-Rotation
31	120405X	Gear, Spur, 30 Teeth	71		Screw, Self-Tapping, Large
	108980X	Gear, Spur, 25 Teeth			5/16-18 x 1.44
	120406X				Puck, Friction
	134796		73	120416X	Grease
	105925X	Washer, Plain .640 x 1.37 x .061			
	2232J	Washer, Plain .632 x 1.00 x .026	*	Use in combina	tions to maintain proper clearances
	108978X	Spacer .630 x 1.00 x .169			
38	110079X	Assembly, Gear, Combination of	**	Order Key No.	15
0.0	10100011	12 Teeth and 35 Teeth		** A.I.	
	124639X	Shaft, Idler	NOTE		nt dimensions given in U.S. inches
40	120472X	Spacer .635 x .875 x .755		1 inch = 25.4	mm