
### **TRACTOR - - MODEL NUMBER 7H4B3C**

### ELECTRICAL



### **TRACTOR - - MODEL NUMBER 7H4B3C**


#### ELECTRICAL

KEY NO.	DESCRIPTION
$\begin{array}{c}1&2&3&4&6&7&8\\&&&&&9&5&1&6&9\\&&&&&&&&&&&&\\&&&&&&&&&&&&\\&&&&&&&&&$	Battery 12 Volt 25 Amp Bolt Hex Hd 1/4-20unc X 3/4 Washer 9/32 X 5/8 X 16 Ga Washer Lock Hvy Helical 1/4 Nut Fin Hex 1/4-20 Unc Tube Plastic 12" Case Battery Clamp Hose Olive Screw Cap Hex Nylon 3/8-16 x 1 Nut Nylon 3/8-16 Washer Lock 1/4 Nut Jam Hex 1/4-20 Unc Harness Asm Light W/4152J Bulb Light #1156 Cable Battery 6 Ga 11"red Cable Battery 6 Ga 11"red Cable Battery 6 Ga 12" black Switch Plunger Nc Gray Switch Ign 3 Nut Ignition Cover Sw Ign Key Ign Switch Light Blk Blk Red Bracket Switch Clutch Screw Tap Hex #10-24unc X 1/2 Bracket Switch Interlock Switch Intlk Clutch Gry 4 Term Harness Ign Bolt Blk Fin Hex 1/4-20 x 3/4 Cover Terminal Red Solenoid Nut Keps Hex 1/4-20 Unc Adapter Ammeter Rectangular Washer, Lock, Internal Tooth 5/8 Harness Eng Briggs/Tec Dual

**NOTE:** All component dimensions give in U.S. inches 1 inch = 25.4 mm.


### **TRACTOR - - MODEL NUMBER 7H4B3C**

#### SCHEMATIC



### **TRACTOR - - MODEL NUMBER 7H4B3C**

### **CHASSIS AND ENCLOSURES**



1

÷

### **TRACTOR - - MODEL NUMBER 7H4B3C**


### CHASSIS AND ENCLOSURES

KEY NO.	PART NO.	DESCRIPTION
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5501 0356 490612 0131216 6077 5208X016 6471X 6757X011 140608 6956 6961X012 490608 180512 510500 3956X505 6938X 780616 131312 800600 3805 9872X505 16619 5476X505 5475X505 110606 8067X 9886 9887 2257 7316X	Chassis WIdmt 11" Ga Drawbar 12 Ga 46 5" wheel Base Screw Thdrol 3/8-16x3/4 Ty-tt Washer 13/32 x 3/4 x 16 Ga. Bumper Snap-In SaddleLT Saddle Shift Clip Insulator 406 Mtg Hole Dash Slkscr 1-pc M W/i N/c Sym Bolt Rdhd Sqnk 3/8-16unc X1" Panel Dash LH Panel Dash RH Silkscr Notch Screw Thdrol 3/8-16x1/2 Ty-tt Screw Mach TRHD 5/16-18uncx 3/4 Nut Keps 5/16-18 Unc Hood/grille Asm Welded Bumper Hood Bolt Fin Hex 3/8-16unc X 1 Gr. 5 Washer 13/32 X 13/16 X 12 Ga Locknut Hex W/Ins 3/8-16 UNC Lens Grille HI Bar Clear LT Fender Pnt LT Bracket Fender Repl 109873x Footrest Pnt LH Ms-505 Bolt Rdhd Sht Sqnk 3/8-16 X3/4 Nut Pal Bracket Asm Pvt42 LH MWR Rear Bracket Asm Pvt42 RH MWR Rear Bracket Asm Pvt42 RH MWR Rear Bezel Light Retainer Plug Button Blk 359 Dia Choke
0.	79J	

**NOTE:** All component dimensions are given in U.S. inches 1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER 7H4B3C** 

DRIVE




### **TRACTOR - - MODEL NUMBER 7H4B3C**

### DRIVE

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
NO. 1 2 3 4 5 6 7 8 10 11 12 3 4 5 6 7 8 10 11 12 3 4 5 6 7 8 10 11 12 3 4 5 6 7 8 10 11 12 3 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 13 4 5 10 11 12 13 14 5 18 19 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 10 11 12 22 4 5 6 7 8 9 10 11 12 22 4 5 6 7 8 9 10 11 12 22 4 5 6 7 8 9 10 11 12 22 4 5 6 7 8 9 10 10 10 10 10 10 10 10 10 10	NO. 142603 146682 123666X 12000028 121520X 17490512 130802 131679 76020416 105701X 19151216 74550412 10040400 74780544 74780544 74780616 73800600 106933X 130804 73350600 106888X 19131316 76020412 145204 71673 130807 127275X	Transaxle, 6 speed, Dana D4360-79 Spring brake Return Pulley, Transaxle Ring Retainer Strap Torque 30° Screw Thdrol 5/16-18 x 3/4 TYT Bracket Saddle Shift T/a Rod Shifter Pin Cotter 1/8 x 1 Washer Plate shf 388 Sq Hole Washer 15/32 x 3/4 x 16 Ga. Bolt Hex 1/4-28 unf Gr. 8 W/Patch Washer Lock Hvy Helical 1/4 Bolt Hex 5/16 - 18 x 2-3/4 Bolt Hex 3/8-16 unc x 1 Nt Lock Hex w/wsh 3/8 - 16 UNC Knob Rod Brake Nut Hex Jam H 3/8-16 Unc Spring, Brake Rod Washer 13/32 x 13/16 x 16 Ga. Pin Cotter 1/8 x 3/4 Rod Brake Parking Cap Brake Parking Black Bracket Transmission Keeper Belt LH LT 14 Ga.	NO. 41 42 44 45 46 47 48 951 523 556 57 58 961 623 64 666 72 74 75	NO. 109070X 19131312 105706X 110812X 12000039 127783 123789X 123205X 74760624 73680600 73680500 105710X 105709X 74760620 130801 127274X 140312 17490612 8883R 140186 71170764 10040700 129921 134683 19132012 109502X 121749X	Keeper Belt Washer 13/32 x 13/16 x 12 Ga. Bearing Nylon Washer Hardened Ring Klip #t5304-50 Pulley Idler V-groove Plastic Bellcrank Asm Clutch Retainer Belt Style Spring Bolt Hex 3/8-16 unc x 1-1/2 Nut Crownlock 3/8-16 Unc Nut, Crownlock 5/16-18 Link Clutch Spring Return Clutch Bolt, Fin Hex 3/8-16 x 1-1/4 V-Belt Ground Drive 95 25 Keeper Belt (RH) Keeper Belt Chassis Screw Thdrol 3/8-16x3/4 Ty-tt Cover Pedal Pulley Engine Bolt Hex 7/16-20 x 4 Gr. 5 Washer Lock Hvy, Helical Spr 7/16 Keeper Belt (LH) Guide Belt Mower Drive RH Washer 13/32 X 1-1/4 X 12 Ga. Spacer Split Washer 25/32 X 1 1/4 X 16 Ga.
32 34 35 36 37 38	74760512 149001 120183X 19211616 1572H 123674X	Bolt Hex 5/16 - 18 x 2-1/2 Shaft Asm Pedal Foot Bearing Nylon Blk 629 AD Washer 21/32 x 1 x 16 Ga. Pin Roll 3/16 x 1" Pulley Idler Flat	112	12000001 123583X 121748X 19111216 19091210 <b>F:</b> All compo	E-ring Key Square Washer 25/32 X 1-5/8 X 16 Ga. Washer 11/32 x 3/4 x 16 Ga. Washer 9/32 x 3/4 x 10 Ga. nent dimensions give in U.S. inches
39 40	74760644 4470J	Bolt Hex 3/8-16 unc x 2-3/4 Spacer Split		1 inch = $25$	5.4 mm

### **TRACTOR - - MODEL NUMBER 7H4B3C**

### STEERING ASSEMBLY



### **TRACTOR - - MODEL NUMBER 7H4B3C**

#### STEERING ASSEMBLY


1

KE NC		DESCRIPTION
N 123456789011234567890112345678902222222222333334442367	NO.           133741           142033           135227           135228           6266H           121748X           19272016           12000029           3366R           130468           10040600           73610600           110438X           74011056           73901000           132624           132614           57079           124035X           126684X           10040400           71070410           127501           109816X           124036X           126847X           136874           19131416           17490612           76020412           130465           132196           17431008           133742           19133808           7810H           104820X           124418X           121749X           121232X           6855M	Wheel Steering Ayp/kelch Blk Axle Asm Fr Spindle Asm LH Spindle Asm RH Bearing Race Thrust Harden Washer 25/32 X 1-5/8 X 16 Ga Washer 27/32 X 1-1/4 X 16 Ga Ring Klip #t5304-75 Bearing Col Strg Blk Link Drag Sol Ball Jt 20 064 Washer Lock Hvy Hlcl Spr 3/8 Nut Fin Hex 3/8-24 Unf Spacer Bearing Axle Front Bolt Hex 5/8-11 Unc X 3-1/2 Nut Lock Flange 5/8-11 Unc Pin Axle 5/8 X 1 55/1 54 Lg Shaft Asm Strg 5/8 X 15 19 LT Washer Thrust 515x 750x 033 Support Shaft Washer Shim 1/4 X 5/8 X 062 Washer Lock Hvy Helical 1/4 Screw Hex Socket 1/4-20 X 5/8 Shaft Asm Pittman Nyliner Snap In Bracket Steering Bushing Link Drag Blk LR Gear Sector Washer 13/32 X 7/8 X 16 Ga Screw Thdrol 3/8-16x3/4 Ty-tt Pin Cotter 1/8 X 3/4 Cad Rod Tie Wire Form 19 75 Mech Bushing Strg 5/8 Id Dash Screw Slftp #10-16 X 1/2 Ty-b Cap Wheel Steer Ayp/kelch Blk Washer 13/32 X 2-3/8 X 8 Ga Nut Lock Center 3/8-24 Unf Adaptor Wheel Strg 640/ 635id Boot Steering Shaft Washer 25/32 X 1 1/4 X 16 Ga Cap Spindle Fr Top Blk Fitting Grease
••		<b>v</b>

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER 7H4B3C** 

ENGINE



### TRACTOR - - MODEL NUMBER 7H4B3C

#### ENGINE


1

KE'I NO.		DESCRIPTION
1	132623	Control Th/ch RH Blk Tee 15 10 Screw Hex Thd Cut 1/4-20x5/8 T
2 3	17720410	Engine B&S 12/12.5 IC Model No. 289707
4	137348	Muffler LT B&S12/12.5/13 HP
13		Gasket Eng 1 313 Id Tin Plated
14		Nipple Pipe 3/8 Npt X 3"
	13200300	Elbow Std 90 Degree 3/8-18 Npt
	11050600	Washer Lock Ext Tooth 3/8
23		Shield Browning
24	17021008	Screw
29		Kit Spark Arrestor (Flat Scrn)
31		Tank Fuel Front 1 25
32 33		Cap Asm Fuel Clamp Hose Blk
33 37		Line Fuel
38	137040	Plug Oil Drain (Order From Engine
00		Manufacturer)
40	124028X	Bushing Snap Nyl Blk Fuel Line
44	17490412	Screw Hexwsh Thdrol 1/4-20x3/4
46	19091416	Washer 9/32 X 7/8 X 16 Ga
62	10040500	Washer 5/16
66		Stop Throttle 3000 RPM
	71070512	Screw 5/16-18 x 3/4
78		Screw Thdrol 3/8-16x1-1/4 TYTT
81	73510400	Nut, Keps Hex 1/4-20 UNC

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

### **TRACTOR - - MODEL NUMBER 7H4B3C**

#### SEAT ASSEMBLY




KEY NO.		DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	127427	Seat	14	72050411	Bolt Rdhd Sht Nk 1/4-20x1-3/8
2	140551	Bracket Pivot Seat	15	134300	Spacer Split 28x 96 Yel Zinc
3	74760616	Bolt Hex 3/8 - 16 X 1	16	121250X	Spring Cprsn 1 27 Blk Pnt
4	19131610	Washer 13/32 X 1"	17	123976X	Nut Lock 1/4 Lge Flg Gr 5 Zinc
5	145006	Clip Push-In	21	139888	Bolt Shoulder 5/16-18
6	73800600	Locknut, Hex W/Ins 3/8 - 16 Unc	22	73800500	Locknut, Hex W/wsh 5/16-18
7	124181X	Spring Seat Cprsn 2 250 Blk Zi	23	74780814	Bolt Fin Hex 1/2-13 X 7/8 Gr 5
8	17490616	Screw Thdrol 3/8-16 X 1 Ty-tt	24	19171912	Washer 17/32 X 1-3/16 X 12 Ga
9	19131614	Washer 13/32 X 1 X 14 Ga	25	127018X	Bolt Shoulder 5/16-18 X 62
10	140552	Pan Seat	26	10040800	Washer Lock Hvy Hici Spr 1/2
12 13	121246X 121248X	Bracket Mounting Switch Bushing Snap Blk Nyl 50 Id	NOT	E: All compo 1 inch = 2	nent dimensions given in U.S. inches 5.4 mm.

1

No. and


Ć

### **TRACTOR - - MODEL NUMBER 7H4B3C**



KEY NO.	PART NO.	DESCRIPTION	KEY NO.
1	272632	Decal B&S Engine 12.5 IC	13 127
2	132627	Decal Grille (Logo)	14 14
3	141745	Decal Hood RH	15 136
4	145437	Decal Europe Stand CE	16 132
5	129823	Decal Stripe Grille	18 140
6	145498	Decal, Read Owner's Manual Syms	138
7	125690X	Decal 100 DBA	148
8	141746	Decal Hood LH	148
9	131425	Decal Chassis 42" 6 Sp	Available
10	135866	Decal Hood HP	LBI
11	145494	Decal Mower Cutfinger Symbol	CE
12	135013	Decal Enviro Deck Yellow	LCO

#### **WHEELS & TIRES**



	DESCRIPTION
127075	Decal Wheel Steering
145005	Decal Bat Dan/Poi P/L Symbols
136832	Decal V-Belt Sch
132628	Decal Fender Rally
140837	Decal Saddle Brake Parking
138311	Decal Handle LFT Height Adj
148777	Manual Parts
148779	Manual Oper
able Acces	sories:
LBD48	48" Snow Blade
CE42	Grass Catcher
	33' Wheel Wts.
CH12	Tire Chains
LSB42	40" Snow Thrower
MK42	Mulch Kit W/Blades
	NO. 127075 145005 136832 132628 140837 138311 148777 148779 able Access LBD48 CE42 LC05 CH12 LSB42

#### KEY PART NO. NO.


#### DESCRIPTION

4	50100	Con Volve Tire					
1	59192	Cap Valve Tire					
2	65139	Stem Valve					
3	106222X	Tire F Ts 15 X 6 0 - 6 Service					
4	59904	Tube Front (Service Item Only)					
5	106732X427	Rim Asm 6"`(front White Serviće)					
6	278H	Fitting Grease (Front Wheel Only)					
7	9040H	Bearing Flange (Front Wheel Only)					
8	106108X427	Rim Asm 8" (rear White Service)					
9	124635X	Tire R Ts 18x8 5-8 C Service					
10	7152J	Tube Rear (Service Item Only)					
11	104757X	Cap Axle Blk 1 50 X 1 00					
	144334	Sealant, Tire (10 oz. Tube)					
107							

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER 7H4B3C** 

**MOWER DECK** 




### **TRACTOR - - MODEL NUMBER 7H4B3C**

#### **MOWER DECK**

KE NC		DESCRIPTION	KE NO.		PART NO.	DESCRIPTION
1 2 3 4 5 6 8 9 11123 45 6 8 9 11123 45 6 8 9 11123 145 167 189 21223 45 267 8 9 01 333 34 5 6 7 9 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3	72140506 138017 138440 4939M 130832 850857 10030600 140296 138498 129895 137645 128774 110485X 140329 72110610 72140505 132827 136888 73680500 134753 131267 105304X 123713X 110452X 139450 19111016 131491 138776 129963 129861 137266 72110614 133835 131494 19131316 M190511014	Mower Deck Assembly, 42" Bolt Bracket Asm Fr. Sway Bar Bracket Asm Deck 42" Sway Bar Retainer Spring Arm, Suspension, Rear Bolt 3/8-24 x 1.25 Grade 8 Washer, Lock Washer, Hardened Blade, High Lift 42" Bearing, Ball Shaft Assembly, Mandrel, Vented (Includes Key Number 12) Housing, Mandrel, Vented Bearing, Ball, Mandrel Stripper, Vented Mower Deck Bolt, Carriage 3/8-16 x 1-1/4 Bolt, Carriage 5/16-18 x 5/8 Bolt, Shoulder Baffle, Vortex Nut, Crownlock 5/16-18 UNC Stiffener Bracket Bracket, Deflector Cap, Sleeve Spring, Torsion, Deflector Nut, Push Deflector, Clipping TUV Washer 11/32 x 5/8 x 16 Gauge Rod, Hinge Screw Thdrol. Hex Head Zinc Washer, Spacer Pulley, Mandrel Nut, Toplock 9/16 Bolt Fastener, Christmas Tree Pulley, Idler, Flat Washer 13/32 x 13/16 x 16 Ga. Washer MS DIN 125A BN713	44 45 46 47 48 49 51 52 53 55 55 55 56 89 06 47 81 23 45 67 77 77 77 78 90 81 23 45 2 -	141N11161111111111111111111111111111111	4394 140618 800600 0794	Guard, Mandrel, LH Retainer Screw, Thread Roll 1/4-20 x 5/8
40 41 43	73680600 133551 140083	Nut, Crownlock 3/8-16 UNC Rod, Pivot, with Nibs Rod, Clutch, Secondary, with Nibs	NOTE	:	All compone 1 inch = 25.4	ent dimensions given in U.S. inches 4 mm

TRACTOR - - MODEL NUMBER 7H4B3C

LIFT



- ---- -

-----

### **TRACTOR - - MODEL NUMBER 7H4B3C**

(


KEY NO.	NO.	DESCRIPTION
11 12 13 15 16 17 18 19 20	136973 122507X 105767X 1200002 19211621 120183X 109413X 124526X 122512X 139865 139866 4939M 127218 73350800 130171 73800800 139868 3146R 140302 73540600	Wire Asm Inner w/plunger Shaft Asm Lift Pin Groove E Ring #5133-62 Washer 21/32 X 1 X 21Ga Bearing Nylon Grip Handle Bicycle Matte Blk Button Plunger Spring Cprsn Link Lift LH Link Lift RH Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Lock W/wsh 1/2-13 Unc Arm Suspension Rear Retainer Spring Bearing Pvt. Lift Spherical Nut Crownlock 3/8-24

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER 7H4B3C TRANSAXLE DANA - MODEL NUMBER 4360-79

ľ

TRANSAXLE



### TRACTOR - - MODEL NUMBER 7H4B3C TRANSAXLE DANA - MODEL NUMBER 4360-79

PART

NO.

### TRANSAXLE

1       142671       Housing, Upper       41         2       2274J       Screw, Self-Tapping, Large       42         1/4-20 x.734       43         3       134400       Ball, Detent       44         4       105904X       Spring, Detent       45         5       105905X       Screw, Set       46         6       138235       Kit, Shifter Assembly       47         7       134399       Boot, Shifter       48         8       134791       Screw, Tapping w/Sealer       49         9       138241       Square Ring       50         10       142672       Ring, Retaining       51         11       134793       * Assembly, Kit, Shim .625 Shaft       52         12       142673       Bearing, Flange       53         13       120415X       Washer, Plain .632 x 1.38 x .046       54         14       142674       Key, Woodruff, #9       55         15       138234       Assembly, Kit, Input Shaft       56         16       110078X       Pinion, Bevel, 14 Teeth       57         17       105909X       Ring, Retaining       58         18       105910X       Chain, 24 Pitc		ey part D. No.	DESCRIPTION	KEY NO.
3       134400       Ball, Detent       44         4       105904X       Spring, Detent       45         5       105905X       Screw, Set       46         6       138235       Kit, Shifter Assembly       47         7       134399       Boot, Shifter       48         8       134791       Screw, Tapping w/Sealer       49         9       138241       Square Ring       50         10       142672       Ring, Retaining       51         11       134793       * Assembly, Kit, Shim .625 Shaft       52         12       142673       Bearing, Flange       53         13       120415X       Washer, Plain .632 x 1.38 x .046       54         44       142674       Key, Woodruff, #9       55         138234       Assembly, Kit, Input Shaft       56         16       110078X       Pinion, Bevel, 14 Teeth       57         17       105909X       Ring, Retaining       58         105911X       Bearing, Flange       60       60         20       142675       Gear, Spur, 14 Teeth       61         21       138246       Collar, Clutch       62         22       138236			Screw, Self-Tapping, Large	42
39 124639X Shaft, Idler NOTI	345678901123456789011234567890112345678901233456789012334567890123345678901233456789012334567	<ul> <li>3 134400</li> <li>105904X</li> <li>105905X</li> <li>138235</li> <li>134399</li> <li>134791</li> <li>138241</li> <li>142672</li> <li>134793</li> <li>142673</li> <li>120415X</li> <li>142674</li> <li>138234</li> <li>110078X</li> <li>105909X</li> <li>105910X</li> <li>105910X</li> <li>105911X</li> <li>142675</li> <li>138246</li> <li>138236</li> <li>73810500</li> <li>142676</li> <li>2244J</li> <li>105916X</li> <li>120470X</li> <li>142677</li> <li>142681</li> <li>120405X</li> <li>108980X</li> <li>120406X</li> <li>134796</li> <li>105925X</li> <li>2232J</li> <li>108978X</li> </ul>	1/4-20 x .734 Ball, Detent Spring, Detent Screw, Set Kit, Shifter Assembly Boot, Shifter Screw, Tapping w/Sealer Square Ring Ring, Retaining * Assembly, Kit, Shim .625 Shaft Bearing, Flange Washer, Plain .632 x 1.38 x .046 Key, Woodruff, #9 Assembly, Kit, Input Shaft Pinion, Bevel, 14 Teeth Ring, Retaining Chain, 24 Pitches Bearing, Flange Gear, Spur, 14 Teeth Collar, Clutch Assembly, Kit, Clutch Keys Locknut 5/16-24 Shaft, Intermediate Key, Woodruff, #61 Ring, Retaining Sprocket, 18 Teeth Spacer Gear, Spur, 37 Teeth Gear, Spur, 37 Teeth Gear, Spur, 25 Teeth Gear, Spur, 19 Teeth Washer, Plain .640 x 1.37 x .061 Washer, Plain .632 x 1.00 x .026 Spacer .630 x 1.00 x .169 Assembly, Gear, Combination of	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
			Shaft, Idler	NOTE:

18

41       105928X       Sprocket, 9 Teeth         42       110084X       Gear, Bevel, 42 Teeth         43       134394       * Assembly, Kit, Shim .750 Shaft         44       120473X       Shaft, Drive         45       142678       Gear, Spur, 12 Teeth         46       142679       Gear, Spur, 20 Teeth         47       120407X       Gear, Spur, 25 Teeth         48       106589X       Gear, Spur, 28 Teeth         50       105937X       Gear, Spur, 31 Teeth         51       226J       Washer, Plain .632 x 1.00 x .060         52       134401       Washer, Neoprene         53       2264J       Washer, Plain .758 x 1.25 x .031         54       120474X       Axle, L.H.         55       110081X       Gear, Spur, 32 Teeth         56       105941X       Ring, Retaining         57       110071X       Gear, Miter, 15 Teeth         58       120952X       Shaft, Cross         59       11082X       Gear, Miter, 15 Teeth         60       120475X       Axle, R.H.         61       142680       Housing, Lower         62       120961X       Puck, Friction         63       7294J	NU.	NO.	DESCRIPTION
72 120951X Puck, Friction 73 120416X Grease	41 42 43 44 45 46 47 48 49 51 52 55 55 55 55 55 56 61 23 45 66 66 66 7 89 71 72	105928X 110084X 134394 120473X 142678 142679 120407X 106589X 120408X 105937X 2226J 134401 2264J 120474X 110081X 105941X 110071X 120952X 110082X 120954X 120951X	Sprocket, 9 Teeth Gear, Bevel, 42 Teeth * Assembly, Kit, Shim .750 Shaft Shaft, Drive Gear, Spur, 12 Teeth Gear, Spur, 15 Teeth Gear, Spur, 20 Teeth Gear, Spur, 25 Teeth Gear, Spur, 28 Teeth Gear, Spur, 28 Teeth Washer, Plain .632 x 1.00 x .060 Washer, Neoprene Washer, Plain .758 x 1.25 x .031 Axle, L.H. Gear, Miter, 15 Teeth Ring, Retaining Gear, Spur, 32 Teeth Shaft, Cross Gear, Miter, 15 Teeth Axle, R.H. Housing, Lower Puck, Friction Disc, Brake Spacer Jaw, Brake Pin, Dowel Screw, Self-Tapping, Large 5/16-18 x 2.25 Lever, Actuating Washer, Plain .321 x 1.00 x .055 Bracket, Anti-Rotation Screw, Self-Tapping, Large 5/16-18 x 1.44 Puck, Friction
	0	LOTION	MIGUGE

DESCRIPTION

\* Use in combinations to maintain proper clearances

\*\* Order Key No. 15

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm