

Illustrated Parts List
26" RIDING MOWER
SIDE DISCHARGE
ELECTRIC START

GRASS CATCHER # 960730027
MULCH KIT # MK26

WEEDEATER®
One



Catalog No.
WE261

IMPORTANT:

Read and follow all Safety Rules and Instructions before operating this equipment.



Patents Pending

532 43 32-03 Rev. 10

SCH21


RIDING MOWER --CATALOG NO. WE261

SCHEMATIC



IGNITION SWITCH

POSITION	CIRCUIT	"MAKE"
OFF	M+G+A1	
RUN/OVERRIDE	B+A1	
RUN	B+A1	L+A2
START	B+S+A1	



SAFETY START MODULE
VIEWED FROM MATING SIDE


WIRING INSULATED CLIPS
NOTE: IF WIRING INSULATED CLIPS
WERE REMOVED FOR SERVICING OF
UNIT, THEY SHOULD BE RE-INSTALLED
TO PROPERLY SECURE YOUR WIRING.

REMOVABLE
CONNECTIONS

NON-REMOVABLE
CONNECTIONS

RIDING MOWER - -CATALOG NO. WE261

ELECTRICAL




KEY NO.	PART NO.	DESCRIPTION
1	532 43 70-70	BATTERY
2	532 42 54-16	FOAM, POLYURETHANE
3	532 19 33-50	SWITCH, IGN, DLTA, P-IN, ROS
4	532 41 19-33	KEY, MOLDED ENGLISH/SPANISH
--	532 41 19-35	KEY, MOLDED ENGLISH/FRENCH/INTERNATIONAL
5	532 43 33-30	FUSE, 5A
6	532 42 59-37	FUSE, 40A
7	532 16 07-84	SWITCH, PLUNGER, NO, OLIVE
8	532 43 15-42	RELAY, 40A
9	532 10 95-53	SWITCH, INTLK,CL, MWR, GRY
10	532 17 61-38	SWITCH, INTERLOCK, NONC,GRAY
11	532 43 18-46	MODULE, STARTING, RECOIL, LRV
12	532 19 27-49	SWITCH, SEAT, DP, ROS
13	532 42 84-77	HARNESS, IGN, ELECTSTART, LRV

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

RIDING MOWER - -CATALOG NO. WE261

CHASSIS




LRV-Chassis_1_r2

KEY NO.	PART NO.	DESCRIPTION
1	532 42 80-48	WELDMENT, CHASSIS
2	532 42 82-47	SUPPORT, AXEL LH
3	532 42 82-44	SUPPORT, AXEL RH
4	532 42 83-46	SHIELD, TRANSAXLE FRONT
5	532 42 81-10	BRACE, AXLE CROSS
6	532 42 81-09	COVER, FRICTION DRIVE
7	532 42 80-40	PLATE, ENGINE
8	532 42 85-76	BRACKET, CHASSIS FRONT
9	532 42 88-56	BRACKET, STEERING SUPPORT
10	532 19 55-30	PAN, SEAT
11	532 17 46-48	BRACKET, SWITCH MOUNTING
12	532 43 68-91	BOOT, DUST
13	532 43 64-96	COVER, FOOT REST
14	532 42 82-50	STRUCTURE, FOOT REST
15	532 42 82-49	SUPPORT, FOOT REST
16	532 43 64-97	FENDER, CONTROL
17	532 42 83-48	GUARD, ENGINE
18	532 42 80-47	ENGINE, (NON-CALIFORNIA) 12S907-1411-B1
--	532 43 23-89	ENGINE, (California) 121S07-1415-F1
--	532 43 56-74	ENGINE, (CANADA) 12S907-1463-B1
19	532 42 89-86	KEEPER, BELT
20	532 42 80-46	BRACKET, BATTERY
21	532 42 98-15	LEVER, SWITCH
22	532 42 88-26	DECK CLUTCH ASM
23	532 14 98-46	KNOB
24	532 41 63-58	SCREW, NO. 10
25	872 14 04-24	BOLT, CARRIAGE 1/4-20 X 3
26	873 51 04-00	NUT, 1/4-20
27	532 43 00-87	SPACER, ENGINE
28	532 42 83-01	DISC, FRICTION ASM
29	532 43 08-17	BOLT, SCKT HD 3/8-24 X 1 .25
30	532 43 04-70	BEARING
31	532 43 04-69	SPACER, NEUTRAL
32	532 15 04-06	BOLT, 3/8-16 X .280
33	532 12 41-81	SPRING, SEAT
34	532 12 12-50	SPRING
35	872 05 04-12	BOLT, 1/4-20 X 1 1/2
36	532 12 70-18	BOLT, SHOULDER
37	819 17 19-12	WASHER, 17/32 X 1 3/16
38	532 16 63-69	KNOB, SEAT
39	532 13 43-00	SPACER
40	532 12 12-48	BUSHING, NYLON SNAP
41	532 12 39-76	NUT, LOCK
42	532 17 18-52	BOLT, 5/16-18 SHOULDER
43	873 80 05-00	NUT, 5/16-18
44	532 42 82-43	SEAT
45	817 00 05-12	BOLT, 5/16-18 X 3/4
46	817 49 05-08	BOLT, 5/16-18 X 1/2
47	532 08 67-77	SCREW
48	532 40 89-81	BEARING, FLANGE, BALL
49	817 06 05-16	SCREW, 5/16-18 X1
50	532 16 54-92	Bolt, Shoulder, 5/16-18 x .561

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

DRIVE



LRV-Drive_1_r3


RIDING MOWER - -CATALOG NO. WE261

DRIVE

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
—	—	532 43 61-44	39	874 78 04-12	BOLT, 1/4-20 X 3/4
1	532 43 64-98	SERVICE KIT, TRANSAXLE	40	810 04 04-00	WASHER, LOCK
2	532 12 17-48	WHEEL ASM (REAR)	41	819 09 12-10	WASHER FLAT
3	812 00 00-01	WASHER, 16 GA.	42	532 16 60-02	WASHER, SERRATED
4	532 12 35-83	E-CLIP	43	873 88 04-00	NUT, CROWN LOCK 114-20
5	532 42 79-39	KEY, SQUARE	45	817 49 04-36	SCREW 1/4-20 X 2 114
6	532 42 80-69	WELDMENT, DRIVE AXLE	46	819 09 10-16	WASHER
7	532 42 78-73	CHAIN DRIVE	47	817 49 04-20	SCREW, 1/4-20 X 1 1/2
8	812 10 00-09	SPROCKET, 9 TOOTH	48	532 43 02-49	PLATE BRAKE ANTI - ROTATE
10	532 42 88-76	SPLINED	49	532 43 02-45	SPRING, BRAKE RETURN
11	532 00 13-70	RING, SNAP	50	532 42 80-21	ARM, BRAKE
12	532 43 06-45	DIFFERENTIAL ASM	51	532 43 02-47	SPACER RETURN
13	532 43 08-45	WASHER, THRUST	52	532 42 80-78	CALIPER, BRAKE ASM
14	532 42 79-46	CHAIN, PRIMARY DRIVE	53	877 01 08-10	PIN, DOWEL 1/4
15	532 12 47-93	BUSHING	54	532 42 80-19	PLATE, BRAKE PAD
16	532 42 79-26	BRACKET, CARRIER	55	532 42 80-17	PUCK BRAKE
17	532 42 81-06	BEARING ASM	56	532 43 52-53	ROTOR, BRAKE
18	532 42 47-59	SHAFT INPUT	57	532 42 80-16	CAP, BRAKE CALIPER
19	532 43 08-70	WHEEL, FRICTION A5M	58	532 12 47-88	PIN, RETAINER
20	532 42 79-97	ARM, SHIFT	59	817 49 05-08	BOLT, 5/16-16 X 112
21	532 42 80-77	ROD, BYPASS	60	532 42 84-60	CABLE, BRAKE
22	532 42 80-76	BRACE CARRIER REAR	61	532 42 79-45	WELDMENT, PEDAL
23	532 43 13-74	SPRING, CARRIER	62	532 42 96-78	ROD, PARKING BRAKE
24	532 42 79-95	SPRING, BRAKE	63	877 10 08-12	PIN, .25 X .75 CLEVIS
25	532 42 83-03	SPRING, BYPASS	64	876 02 02-08	PIN, 1/16 DIA. COTTER
26	532 42 98-16	BRACE CARRIER BOX	65	532 42 93-25	BRACKET, BRAKE SUPPORT
27	532 42 90-53	LINK, SHIFT	66	532 42 96-94	COVER PEDAL
28	532 42 83-02	ARM, CLUTCH	67	532 42 96-93	COVER, BRAKE PEDAL
29	532 17 48-40	WELDMENT SHIFT LEVER	68	817 49 04-06	SCREW, 1/4-20 X 3/8
30	532 18 39-00	SUPPORT, SHIFT LEVER	69	532 42 80-70	BRAKE CABLE MOUNT
31	532 42 90-55	WASHER, NYLON	70	817 00 05-12	BOLT, 5/16-18 X 3/4
32	532 42 84-64	HUB SHIFT LEVER	71	532 43 64-99	CAP HUB AXLE
33	532 42 84-61	SPACER, NYLON	72	812 00 00-02	E RING #5133-62
34	532 42 84-62	MNTG BRKT. SHIFT ARM	73	532 42 95-19	SPROCKET II TOOTH
35	532 19 64-92	BRACKET, SHIFTER FLEX			SPLINED
36	872 11 04-06	TUBE SHIFT ARM			
37	873 80 04-00	GRIP, HANDLE			
38	532 16 54-92	BOLT, CARRIAGE - 114-20 X 3/4			
		NUT NYLON LOCK 114-20			
		BOLT, SHOULDER			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

STEERING




LRV-Steering_1_r2

KEY NO.	PART NO.	DESCRIPTION
1	532 43 65-00	WHEEL ASM (FRONT)
2	812 00 00-01	E-CLIP
3	532 18 89-67	WASHER, HARDENED
4	532 12 17-49	WASHER, 1/4 X 3/4
5	532 42 80-34	SPINDLE, RH
6	532 12 49-31	WASHER, HARDENED THRUST
7	532 12 49-37	BUSHING, STEERING COLUMN
8	532 42 10-76	PIN, 5/64 X 3/4 COTTER
9	819 13 14-14	WASHER
10	532 42 80-57	WELDMENT, LWR STRG SHAFT
11	532 42 80-35	LINK, STRNG LH
12	532 42 80-36	LINK, STRNG RH
13	874 78 05-24	BOLT, 5/16-18 X 1 1/2
14	819 13 10-16	WASHER
15	873 80 05-00	NUT, 5/16-18
16	532 42 80-44	BUSHING, STEERING SNAP
17	532 42 82-52	SUPPORT, UPPER STEERING
18	532 19 52-27	BUSHING, UPPER STEERING
19	817 00 05-12	BOLT, 5/16-18 X 3/4
20	532 42 80-45	CLIP, RETAINER SPRING
21	532 42 83-47	COVER, STEERING COLUMN
22	532 42 82-13	SHAFT, STEERING
23	532 18 67-37	ADAPTER, STEERING WHEEL
24	819 18 38-12	WASHER, 9/16 X 2 3/8 12 GA.
25	873 94 08-00	NUT, JAM LOCK 1/2-20
26	532 43 65-01	WHEEL, STEERING
27	532 43 65-02	CAP, STEERING WHEEL
28	532 19 98-49	CLIP, RETAINER SPRING
29	532 42 80-33	SPINDLE, LH
30	532 43 64-99	CAP, HUB, AXLE

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

MOWER DECK




LRV-Deck_1_r4

KEY NO.	PART NO.	DESCRIPTION
1	532 42 81-93	DECK, 26"
2	532 19 28-70	MANDREL ASM
3	532 43 25-20	KEEPER, BELT
4	532 43 25-94	PULLEY, MANDREL
5	532 42 85-78	BELT
6	532 42 82-42	COVER, MANDREL
7	532 42 93-95	LIFT ASM, DECK
8	532 42 91-95	LINK, DECK LIFT
9	532 42 93-97	LINK, ADJUSTABLE
10	532 43 89-23	DEFLECTOR
11	532 42 89-68	SUPPORT, DEFLECTOR
12	532 13 14-91	ROD, HINGE
13	532 19 70-26	SPRING, TORSION
14	532 41 88-63	ARM, MOWER SUPPORT
15	873 90 05-00	NUT, LOCK
16	532 19 51-61	STUD
17	819 19 19-12	WASHER
18	532 19 42-09	PIN
19	532 19 65-39	BOLT, SHOULDER
20	532 19 42-08	PIN
21	819 17 19-12	WASHER, 17/32 X 1 3/16
22	532 42 93-50	LINK, DECK
23	873 93 06-00	NUT, LCK 3/8-16
24	532 42 95-31	SPRING, DECK
25	532 12 47-88	PIN
26	532 18 76-90	SPACER, MANDREL
27	532 17 39-84	BOLT, MANDREL
28	532 40 02-34	NUT, LOCK
29	532 42 85-00	BLADE
30	532 19 30-03	BOLT, BLADE
31	532 19 31-97	PULLEY, IDLER
32	532 14 10-43	GUARD, IDLER
33	532 19 34-14	KEEPER, BELT IDLER
34	872 11 06-12	BOLT, 3/8-16 X 1 1/2
35	532 19 94-70	ARM, BRAKE
36	532 13 77-29	SCREW, 1/4-20 X 5/8
37	873 90 06-00	NUT, 3/8-16 FLANGE
38	532 42 84-35	ARM, IDLER
39	817 49 05-08	BOLT, 5/16-18 X 1/2
40	819 17 16-16	WASHER, 16 GA.
41	532 10 53-04	CAP, SLEEVE
42	532 11 04-52	NUT, PUSH
43	532 12 56-31	GRIP, HANDLE
44	532 42 94-01	PLUNGER
45	532 10 57-67	PIN
46	532 43 86-10	KEEPER, BELT

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

DECALS

RIDING MOWER - -CATALOG NO. WE261



KEY PART		DESCRIPTION
NO.	NO.	
1	532 43 05-88	DECAL, STEERING WHEEL
2	532 43 35-96	DECAL, V-BELT SCH 30"
3	532 42 51-13	DECAL, WARN. DEFLECT/CTFGR
4	532 43 05-89	DECAL, DECK/DEFLECTOR
5	532 43 44-57	DECAL, WARNING ENGINEGUARD
6	532 43 53-48	DECAL, STRBRCKT INSTALL BOOT
--	532 43 24-79	DECAL, BYPASS
--	532 43 32-03	MANUAL OPERATOR ENGLISH
--	532 43 36-32	MANUAL OPERATOR SPANISH
--	532 43 36-33	MANUAL OPERATOR FRENCH
--	532 43 68-68	MANUAL OPERATOR PORTUGUESE

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm