

### RIDING MOWER - -CATALOG NO. WE261 (96022000901) SCHEMATIC



# RIDING MOWER - -CATALOG NO. WE261 (96022000901) ELECTRICAL




### RIDING MOWER - -CATALOG NO. WE261 (96022000901) ELECTRICAL

KEY NO.	PART NO.	DESCRIPTION
1	532 43 70-70	BATTERY
2	532 42 54-16	FOAM, POLYURETHANE
3	532 19 33-50	SWITCH, IGN, DLTA, P-IN, ROS
4	532 41 19-33	KEY/CHAIN
5	532 43 33-30	FUSE, 5A
6	532 42 59-37	FUSE, 40A
7	532 16 07-84	SWITCH, PLUNGER, NO, OLIVE
8	532 43 15-42	RELAY, 40A
9	532 10 95-53	SWITCH, INTLK,CL, MWR, GRY
10	532 17 61-38	SWITCH, INTERLOCK, NONC, GRAY
11	532 43 18-46	MODULE, STARTING, RECOIL, LRV
12	532 19 27-49	SWITCH, SEAT, DP, ROS
13	532 42 84-77	HARNESS, IGN, ELECTSTART, LRV
14	532 10 97-48	RELAY

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm


### RIDING MOWER - - CATALOG NO. WE261 (96022000901) CHASSIS



### RIDING MOWER - -CATALOG NO. WE261 (96022000901) CHASSIS

	PART	DECORIDATION
NO.	NO.	DESCRIPTION
1	532 42 80-48	WELDMENT, CHASSIS
2	532 42 82-47	SUPPORT, AXEL LH
3	532 42 82-44	SUPPORT, AXEL RH
4	532 42 83-46	SHIELD, TRANSAXLE FRONT
5 6	532 42 81-10 532 42 81-09	BRACE, AXLE CROSS COVER, FRICTION DRIVE
7	532 42 80-40	PLATE, ENGINE
8	532 42 85-76	BRACKET, CHASSIS FRONT
9	532 42 88-56	BRACKET, STEERING SUPPORT
10	532 19 55-30	PAN, SEAT
11	532 17 46-48	BRACKET, SWITCH MOUNTING
12	532 42 82-48	BOOT, DUST
13	532 43 64-96	COVER, FOOT REST
14	532 42 82-50	STRUCTURE, FOOT REST
15	532 42 82-49	SUPPORT, FOOT REST
16	532 43 64-97 532 42 83-48	FENDER, CONTROL
17 18	532 42 83-48	GUARD, ENGINE ENGINE, (NON-CALIFORNIA) 12S907-2411-B1
19	532 42 89-86	KEEPER. BELT
20	532 42 80-46	BRACKET, BATTERY
21	532 42 98-15	LEVER, SWITCH
22	532 42 88-26	DECK CLUTCH ASM
23	532 14 98-46	KNOB
24	532 41 63-58	SCREW, NO. 10
25	872 14 04-24	BOLT, CARRIAGE 1/4-20 X 3
26	873 51 04-00	NUT, 1/4-20
27 28	532 43 00-87 532 42 83-01	SPACER, ENGINE DISC, FRICTION ASM
20 29	532 42 63-01	BOLT, SCKT HD 3/8-24 X 1 .25
30	532 43 04-70	BEARING
31	532 43 73-22	SPACER, NEUTRAL
32	532 15 04-06	BOLT, ENG 3/8-16 X 1.280
33	532 12 41-81	SPRING, SEAT
34	532 12 12-50	SPRING
35	872 05 04-12	BOLT, 1/4-20 X 1 1/2
36	532 12 70-18	BOLT, SHOULDER
37	819 17 19-12	WASHER, 17/32 X 1 3/16
38 39	532 16 63-69 532 13 43-00	KNOB, SEAT SPACER
40	532 12 12-48	BUSHING, NYLON SNAP
41	532 12 39-76	NUT, LOCK
42	532 17 18-52	BOLT, 5/16-18 SHOULDER
43	873 80 05-00	NUT, 5/16-18
44	532 42 82-43	SEAT
45	817 00 05-12	BOLT, 5/16-18 X 3/4
46	817 49 05-08	BOLT, 5/16-18 X 1/2
47	532 08 67-77	SCREW
48	532 40 89-81	BEARING, FLANGE, BALL
49 50	817 06 05-16 532 16 54-92	SCREW, 5/16-18 X1 BOLT. SHOULDER. 5/16-18 X .561
50 52	532 14 50-06	CLIP PUSH-IN HINGED
32	002 14 00-00	OLII I GGI FIN I IINGLD

 $\begin{tabular}{ll} \textbf{NOTE:} All component dimensions given in U.S. inches \\ 1 inch = 25.4 \ mm \end{tabular}$ 




#### RIDING MOWER - - CATALOG NO. WE261 (96022000901)

#### **DRIVE**

KEY	PART		KEY	PART	
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
	532 43 61-44	SERVICE KIT, TRANSAXLE	40	810 04 04-00	WASHER, LOCK
1	532 43 64-98	WHEEL ASM (REAR)	41	819 09 12-10	WASHER FLAT
2	532 12 17-48	WASHER, 16 GA.	42	532 16 60-02	WASHER, SERRATED
3	812 00 00-01	E-CLIP	43	873 68 04-00	NUT, CROWN LOCK 114-20
4	532 12 35-83	KEY. SQUARE	45	817 49 04-36	SCREW 1/4-20 X 2 114
5	532 42 79-39	WELDMENT. DRIVE AXLE	46	819 09 10-16	WASHER
6	532 42 80-69	CHAIN DRIVE	47	817 49 04-20	SCREW, 1/4-20 X 1 1/2
7	532 42 78-73	SPROCKET. 9 TOOTH	48	532 43 02-49	PLATE BRAKE ANTI - ROTATE
		SPLINED	49	532 43 02-45	SPRING, BRAKE RETURN
8	812 10 00-09	RING, SNAP	50	532 42 80-21	ARM, BRAKE
10	532 42 88-76	DIFFERENTIAL ASM	51	532 43 02-47	SPACER RETURN
11	532 00 13-70	WASHER, THRUST	52	532 42 80-78	CALIPER, BRAKE ASM
12	532 43 06-45	CHAIN, PRIMARY DRIVE	53	877 01 08-10	PIN, DOWEL 1/4
13	532 43 08-45	BUSHING	54	532 42 80-19	PLATE, BRAKE PAD
14	532 43 85-68	BRACKET, CARRIER	55	532 42 80-17	PUCK BRAKE
15	532 12 47-93	BEARING ASM	56	532 43 52-53	ROTOR, BRAKE
16	532 42 79-26	SHAFT INPUT	57	532 42 80-16	CAP, BRAKE CALIPER
17	532 43 72-81	WHEEL, FRICTION A5M	58	532 12 47-88	PIN, RETAINER
18	532 42 47-59	ARM, SHIFT	59	817 49 05-08	BOLT, 5/16-16 X 112
19	532 43 08-70	ROD, BYPASS	60	532 44 08-55	CABLE, BRAKE
20	532 42 79-97	BRACE CARRIER REAR	61	532 42 79-45	WELDMENT, PEDAL
21	532 42 80-77	SPRING, CARRIER	62	532 42 96-78	ROD, PARKING BRAKE
22	532 42 80-76	SPRING, BRAKE	63	877 10 08-12	PIN, .25 X .75 CLEVIS
23	532 43 13-74	SPRING, BYPASS	64	532 42 10-76	PIN, COTTER 5/64 X 3/4
24	532 42 79-95	BRACE CARRIER BOX	65	532 42 93-25	BRACKET, BRAKE SUPPORT
25	532 42 83-03	LINK, SHIFT	66	532 42 96-94	COVER PEDAL
26 27	532 42 98-16 532 42 90-53	ARM. CLUTCH WELDMENT SHIFT LEVER	67 68	532 42 96-93 817 49 04-06	COVER, BRAKE PEDAL SCREW, 1/4-20 X 3/8
28	532 42 90-53	SUPPORT, SHIFT LEVER	69	532 42 80-70	BRAKE CABLE MOUNT
29	532 17 48-40	WASHER, NYLON	70	817 00 05-12	BOLT, 5/16-18 X 3/4
30	532 17 48-40	HUB SHIFT LEVER	71	532 43 64-99	CAP HUB AXLE
31	532 42 90-55	SPACER, NYLON	72	812 00 00-02	E RING #5133-62
32	532 42 84-64	MNTG BRKT. SHIFT ARM	73	532 42 95-19	SPROCKET II TOOTH
33	532 42 84-61	BRACKET, SHIFTER FLEX	70	302 42 33-13	SPLINED
34	532 42 84-62	TUBE SHIFT ARM	74	532 43 78-41	TENSION LRV CHAIN
35	532 41 15-55	GRIP, HANDLE	75	532 43 34-95	SPROCKET IDLER
36	872 11 04-06	BOLT, CARRIAGE - 114-20 X 3/4		332 10 0 1 00	S SINE! IDEE!!
37	873 80 04-00	NUT NYLON LOCK 114-20			
38	532 16 54-92	BOLT. SHOULDER	NOT	E. All composes	dimonoiono givon in LLC inches
39	874 78 04-12	BOLT, 1/4-20 X 3/4	NOTE	ai component: 1 inch = 25.4 n	dimensions given in U.S. inches
		• •		1 111011 = 25.4 [	11111

### RIDING MOWER - - CATALOG NO. WE261 (96022000901) STEERING




### RIDING MOWER - - CATALOG NO. WE261 (96022000901) STEERING

KEY NO.	PART NO.	DESCRIPTION
NO.	NO.	DESCRIPTION
1	532 43 65-00	WHEEL ASM (FRONT)
2	812 00 00-01	E-CLIP
3	532 18 89-67	WASHER, HARDENED
4	532 12 17-49	WASHER, 1/4 X 3/4
5	532 43 53-24	SPINDLE, RH
6	532 12 49-31	WASHER, HARDENED THRUST
7	532 12 49-37	BUSHING, STEERING COLUMN
8	532 42 10-76	PIN, 5/64 X 3/4 COTTER
9	819 13 14-14	WASHER
10	532 42 80-57	WELDMENT, LWR STRG SHAFT
11	532 42 80-35	LINK, STRNG LH
12	532 42 80-36	LINK, STRNG RH
13	874 78 05-24	BOLT, 5/16-18 X 1 1/2
14	819 13 10-16	WASHER
15	873 80 05-00	NUT, 5/16-18
16 17	532 42 80-44 532 42 82-52	BUSHING, STEERING SNAP SUPPORT, UPPER STEERING
18	532 42 82-52	BUSHING, UPPER STEERING
19	817 00 05-12	BOLT, 5/16-18 X 3/4
20	532 42 80-45	CLIP, RETAINER SPRING
21	532 42 83-47	COVER. STEERING COLUMN
22	532 42 82-13	SHAFT. STEERING
23	532 43 77-47	ADAPTER. STEERING WHEEL
24	819 18 38-12	WASHER, 9/16 X 2 3/8 12 GA.
25	873 94 08-00	NUT. JAM LOCK 1/2-20
26	532 44 16-14	WHEEL. STEERING
27	532 44 16-15	CAP. STEERING WHEEL
28	532 19 98-49	CLIP, RETAINER SPRING
29	532 43 53-23	SPINDLE, LH
30	532 43 64-99	CAP, HUB, AXLE
31	819 34 32-10	WASHER 1-1/16 X 2 X 10 GA

 $\begin{tabular}{ll} \textbf{NOTE:} & All component dimensions given in U.S. inches \\ 1 & inch = 25.4 & mm \end{tabular}$ 

## RIDING MOWER - -CATALOG NO. WE261 (96022000901) MOWER DECK




### RIDING MOWER - -CATALOG NO. WE261 (96022000901) MOWER DECK

KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 45 45 46 47 48 48 49 49 49 49 49 49 49 49 49 49 49 49 49	532 42 81-93 532 19 28-70 532 43 25-90 532 43 25-94 532 42 85-78 532 42 82-42 532 42 93-95 532 42 93-95 532 42 93-97 532 43 89-23 532 42 89-68 532 13 14-91 532 19 70-26 532 41 88-63 873 90 05-00 532 19 51-61 819 19 19-12 532 19 42-09 532 19 42-09 532 19 42-08 819 17 19-12 532 19 42-08 819 17 19-12 532 19 24-08 819 17 19-12 532 19 31-97 532 19 53-04 532 19 50-08 819 17 16-16 532 10 53-04 532 11 04-52 532 12 56-31 532 12 45-26 532 12 45-26 532 13 40 47-42 817 67 06-08	DECK, 26" MANDREL ASM KEEPER, BELT PULLEY, MANDREL BELT COVER, MANDREL LIFT ASM, DECK LINK, DECK LIFT LINK, ADJUSTABLE DEFLECTOR SUPPORT, DEFLECTOR ROD, HINGE SPRING, TORSION ARM, MOWER SUPPORT NUT, LOCK STUD WASHER PIN BOLT, SHOULDER PIN WASHER, 17/32 X 1 3/16 LINK, DECK NUT, LCK 3/8-16 SPRING, DECK PIN SPACER, MANDREL BOLT, MANDREL BOLT, MANDREL BOLT, BLADE PULLEY, IDLER GUARD, IDLER KEEPER, BELT IDLER BOLT, 3/8-16 X 1 1/2 ARM, BRAKE SCREW, 1/4-20 X 5/8 NUT, 3/8-16 FLANGE ARM, IDLER BOLT, 5/16-18 X 1/2 WASHER, 16 GA. CAP, SLEEVE NUT, PUSH GRIP, HANDLE PLUNGER PIN GROOVE 1.500 BUTTON PLUNGER KEEPER BELT SPACER RETAINER SCREW 3/8-16 X 1 BUMPER SCREW 3/8-16 X 1/2

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

### RIDING MOWER - - CATALOG NO. WE261 (96022000901) DECALS



KEY NO.	PART NO.	DESCRIPTION
1	532 43 05-88	DECAL, STEERING WHEEL
2	532 43 35-96	DECAL, V-BELT SCH 30"
3	532 42 51-13	DECAL, WARN. DEFLECT/CTFGR
4	532 44 07-79	DECAL, DECK/DEFLECTOR
5	532 43 44-57	DECAL, WARNING ENGINE
6	532 43 67-55	DECAL
7	532 43 73-12	DECAL, STEERING BRKT
	532 43 24-79	DECAL, BYPASS
	532 44 20-91	MANUAL OPERATOR ENGLISH
	532 44 20-92	MANUAL OPERATOR SPANISH

 $\begin{tabular}{ll} \textbf{NOTE:} All component dimensions given in U.S. inches \\ 1 inch = 25.4 \ mm \end{tabular}$