

#### RIDING MOWER - - CATALOG NO. WE261 96022001001 SCHEMATIC



# RIDING MOWER - - CATALOG NO. WE261 96022001001 ELECTRICAL




## RIDING MOWER - - CATALOG NO. WE261 96022001001 ELECTRICAL

KEY	PART	
NO.	NO.	DESCRIPTION
1	532 43 70-70	BATTERY
2	532 42 54-16	FOAM, POLYURETHANE
3	532 19 33-50	SWITCH, IGN, DLTA, P-IN, ROS
4	532 41 19-33	KEY/CHAIN
5	532 43 33-30	FUSE, 5A
6	532 42 59-37	FUSE, 40A
7	532 16 07-84	SWITCH, PLUNGER, NO, OLIVE
8	532 43 15-42	RELAY, 40A
9	532 10 95-53	SWITCH, INTLK,CL, MWR, GRY
10	532 17 61-38	SWITCH, INTERLOCK, NONC, GRAY
11	532 43 18-46	MODULE, STARTING, RECOIL, LRV
12	532 19 27-49	SWITCH, SEAT, DP, ROS
13	532 42 84-77	HARNESS, IGN, ELECTSTART, LRV
14	532 10 97-48	RELAY

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


## RIDING MOWER - - CATALOG NO. WE261 96022001001 CHASSIS



#### RIDING MOWER - - CATALOG NO. WE261 96022001001 CHASSIS

KEY	PART	
NO.	NO.	DESCRIPTION
1	532 42 80-48	WELDMENT, CHASSIS
2	532 42 82-47	SUPPORT, AXEL LH
3 4	532 42 82-44 532 42 83-46	SUPPORT, AXEL RH SHIELD, TRANSAXLE FRONT
5	532 42 81-10	BRACE, AXLE CROSS
6	532 42 81-09	COVER, FRICTION DRIVE
7	532 42 80-40	PLATE, ENGINE
8	532 42 85-76	BRACKET, CHASSIS FRONT
9	532 42 88-56	BRACKET, STEERING SUPPORT
10	532 19 55-30	PAN, SEAT
11 12	532 17 46-48 532 43 68-91	BRACKET, SWITCH MOUNTING BOOT, DUST
13	532 43 64-96	COVER, FOOT REST
14	532 42 82-50	STRUCTURE, FOOT REST
15	532 42 82-49	SUPPORT, FOOT REST
16	532 43 64-97	FENDER, CONTROL
17	532 42 83-48	GUARD, ENGINE
18 19	532 43 81-54 532 42 89-86	ENGINE 121S07-2415-F1 KEEPER, BELT
20	532 42 80-46	BRACKET, BATTERY
21	532 42 98-15	LEVER, SWITCH
22	532 42 88-26	DECK CLUTCH ASM
23	532 14 98-46	KNOB
24	532 41 63-58	SCREW, NO. 10
25 26	872 14 04-24 873 51 04-00	BOLT, CARRIAGE 1/4-20 X 3 NUT, 1/4-20
27	532 43 00-87	SPACER, ENGINE
28	532 42 83-01	DISC, FRICTION ASM
29	532 43 08-17	BOLT, SCKT HD 3/8-24 X 1 .25
30	532 43 04-70	BEARING
31 32	532 43 73-22 817 49 05-06	SPACER, NEUTRAL BOLT, HEX WSH HD 5/16-18 X 3/8
33	532 12 41-81	SPRING, SEAT
34	532 12 12-50	SPRING
35	872 05 04-12	BOLT, 1/4-20 X 1 1/2
36	532 12 70-18	BOLT, SHOULDER
37	819 17 19-12	WASHER, 17/32 X 1 3/16
38 39	532 16 63-69 532 13 43-00	KNOB, SEAT SPACER
40	532 12 12-48	BUSHING, NYLON SNAP
41	532 12 39-76	NUT, LOCK
42	532 17 18-52	BOLT, 5/16-18 SHOULDER
43	873 80 05-00	NUT, 5/16-18
44	532 42 82-43	SEAT
45 46	817 00 05-12 817 49 05-08	BOLT, 5/16-18 X 3/4 BOLT, 5/16-18 X 1/2
47	532 08 67-77	SCREW
48	532 40 89-81	BEARING, FLANGE, BALL
49	817 06 05-16	SCREW, 5/16-18 X1
50	532 16 54-92	BOLT, SHOULDER, 5/16-18 X .561
52	532 14 50-06	CLIP PUSH-IN HINGED


 $\begin{tabular}{ll} \textbf{NOTE:} All component dimensions given in U.S. inches \\ 1 inch = 25.4 \ mm \end{tabular}$ 



#### **DRIVE**

	PART			PART	
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
	532 43 61-44	SERVICE KIT, TRANSAXLE	40	810 04 04-00	WASHER, LOCK
1	532 43 64-98	WHEEL ASM (REAR)	41	819 09 12-10	WASHER FLAT
2	532 12 17-48	WASHER, 16 GA.	42	532 16 60-02	WASHER, SERRATED
3	812 00 00-01	E-CLIP	43	873 68 04-00	NUT, CROWN LOCK 114-20
4	532 12 35-83	KEY. SQUARE	45	817 49 04-36	SCREW 1/4-20 X 2 114
5	532 42 79-39	WELDMENT. DRIVE AXLE	46	819 09 10-16	WASHER
6	532 42 80-69	CHAIN DRIVE	47	817 49 04-20	SCREW, 1/4-20 X 1 1/2
7	532 42 78-73	SPROCKET. 9 TOOTH	48	532 43 02-49	PLATE BRAKE ANTI - ROTATE
		SPLINED	49	532 43 02-45	SPRING, BRAKE RETURN
8	812 10 00-09	RING, SNAP	50	532 42 80-21	ARM, BRAKE
10	532 42 88-76	DIFFERENTIAL ASM	51	532 43 02-47	SPACER RETURN
11	532 00 13-70	WASHER, THRUST	52	532 42 80-78	CALIPER, BRAKE ASM
12	532 43 06-45	CHAIN, PRIMARY DRIVE	53	877 01 08-10	PIN, DOWEL 1/4
13	532 43 08-45	BUSHING	54	532 42 80-19	PLATE, BRAKE PAD
14	532 43 85-68	BRACKET, CARRIER	55	532 42 80-17	PUCK BRAKE
15	532 12 47-93	BEARING ASM	56	532 43 52-53	ROTOR, BRAKE
16	532 42 79-26	SHAFT INPUT	57	532 42 80-16	CAP, BRAKE CALIPER
17	532 43 72-81	WHEEL, FRICTION A5M	58	532 12 47-88	PIN, RETAINER
18	532 42 47-59	ARM, SHIFT	59	817 49 05-08	BOLT, 5/16-16 X 112
19	532 43 08-70	ROD, BYPASS	60	532 44 08-55	CABLE, BRAKE
20	532 42 79-97	BRACE CARRIER REAR	61	532 42 79-45	WELDMENT, PEDAL
21	532 42 80-77	SPRING, CARRIER	62	532 42 96-78	ROD, PARKING BRAKE
22	532 42 80-76	SPRING, BRAKE	63	877 10 08-12	PIN, .25 X .75 CLEVIS
23	532 43 13-74	SPRING, BYPASS	64	532 42 10-76	PIN, COTTER 5/64 X 3/4
24	532 42 79-95	BRACE CARRIER BOX	65	532 42 93-25	BRACKET, BRAKE SUPPORT
25	532 42 83-03	LINK, SHIFT	66	532 42 96-94	COVER PEDAL
26	532 42 98-16	ARM. CLUTCH	67	532 42 96-93	COVER, BRAKE PEDAL
27	532 42 90-53	WELDMENT SHIFT LEVER	68	817 49 04-06	SCREW, 1/4-20 X 3/8
28	532 42 83-02	SUPPORT, SHIFT LEVER	69	532 42 80-70	BRAKE CABLE MOUNT
29	532 17 48-40	WASHER, NYLON	70	817 00 05-12	BOLT, 5/16-18 X 3/4
30	532 18 39-00	HUB SHIFT LEVER	71	532 43 64-99	CAP HUB AXLE
31	532 42 90-55	SPACER, NYLON	72	812 00 00-02	E RING #5133-62
32	532 42 84-64	MNTG BRKT. SHIFT ARM	73	532 42 95-19	SPROCKET II TOOTH
33	532 42 84-61	BRACKET, SHIFTER FLEX	7.4	500 40 70 44	SPLINED
34	532 42 84-62	TUBE SHIFT ARM	74	532 43 78-41	TENSION LRV CHAIN
35	532 19 64-92	GRIP, HANDLE	75	532 43 34-95	SPROCKET IDLER
36	872 11 04-06	BOLT, CARRIAGE - 114-20 X 3/4			
37	873 80 04-00	NUT NYLON LOCK 114-20			
38 39	532 16 54-92 874 78 04-12	BOLT, SHOULDER	NOTE		dimensions given in U.S. inches
39	0/4/804-12	BOLT, 1/4-20 X 3/4		1 inch = 25.4 m	m

## RIDING MOWER - - CATALOG NO. WE261 96022001001 STEERING




## RIDING MOWER - - CATALOG NO. WE261 96022001001 STEERING

	PART	DECODIDATION
NO.	NO.	DESCRIPTION
1	532 43 65-00	WHEEL ASM (FRONT)
2	812 00 00-01	E-CLIP
3	532 18 89-67	WASHER, HARDENED
4	532 12 17-49	WASHER, 1/4 X 3/4
5	532 43 53-24	SPINDLE, RH
6	532 12 49-31	WASHER, HARDENED THRUST
7	532 12 49-37	BUSHING, STEERING COLUMN
8	532 42 10-76	PIN, 5/64 X 3/4 COTTER
9	819 13 14-14	WASHER
10	532 42 80-57	WELDMENT, LWR STRG SHAFT
11	532 42 80-35	LINK, STRNG LH
12	532 42 80-36	LINK, STRNG RH
13	874 78 05-24	BOLT, 5/16-18 X 1 1/2
14	819 13 10-16	WASHER
15	873 80 05-00	NUT, 5/16-18
16	532 42 80-44	BUSHING, STEERING SNAP
17	532 42 82-52	SUPPORT, UPPER STEERING
18	532 19 52-27	BUSHING, UPPER STEERING
19	817 00 05-12	BOLT, 5/16-18 X 3/4
20	532 42 80-45	CLIP, RETAINER SPRING
21	532 42 83-47	COVER, STEERING COLUMN
22	532 42 82-13	SHAFT, STEERING
23 24	532 43 77-47 819 18 38-12	ADAPTER, STEERING WHEEL
25	873 94 08-00	WASHER, 9/16 X 2 3/8 12 GA. NUT. JAM LOCK 1/2-20
26	532 41 48-51	WHEEL. STEERING
27	532 41 48-51	CAP, STEERING WHEEL
28	532 41 48-52	CLIP, RETAINER SPRING
29	532 43 53-23	SPINDLE, LH
30	532 43 64-99	CAP, HUB, AXLE
31	819 34 32-10	WASHER 1-1/16 X 2 X 10 GA
01	019 04 02-10	WAGIILIT I-1/10 X Z X 10 GA

 $\begin{tabular}{ll} \textbf{NOTE:} & All component dimensions given in U.S. inches \\ 1 & inch = 25.4 & mm \end{tabular}$ 

# RIDING MOWER - - CATALOG NO. WE261 96022001001 MOWER DECK




#### RIDING MOWER - - CATALOG NO. WE261 96022001001 MOWER DECK

KEY NO.	PART NO.	DESCRIPTION
NO.  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 47 48 49 50 51 52	NO.  532 42 81-93 532 19 28-70 532 43 25-94 532 42 85-78 532 42 91-95 532 42 91-95 532 42 91-95 532 42 89-68 532 13 14-91 532 19 70-26 532 43 89-63 532 19 19 5-161 819 19 19-12 532 19 42-09 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 42-08 532 19 30-03 532 19 31-97 532 14 10-43 532 19 34-14 872 11 06-12 532 19 94-70 532 13 77-29 873 90 06-00 532 42 85-36 532 13 10-43 532 19 31-97 532 14 10-43 532 19 34-14 532 19 34-14 532 19 94-70 532 13 77-29 873 90 06-00 532 42 84-36 532 19 50-08 819 17 16-16 532 13 77-29 873 90 06-00 532 42 84-36 532 19 50-08 819 17 16-16 532 10 53-04 532 11 04-52 532 19 64-92 532 43 46-10 532 19 90-92 817 00 06-16 532 19 90-92 817 00 06-16 532 19 90-92 817 00 06-16	DESCRIPTION  DECK, 26" MANDREL ASM KEEPER, BELT PULLEY, MANDREL BELT COVER, MANDREL LIFT ASM, DECK LINK, DECK LIFT LINK, ADJUSTABLE DEFLECTOR ROD, HINGE SPRING, TORSION ARM, MOWER SUPPORT NUT, LOCK STUD WASHER PIN BOLT, SHOULDER PIN WASHER, 17/32 X 1 3/16 LINK, DECK NUT, LCK 3/8-16 SPRING, DECK PIN SPACER, MANDREL BOLT, MANDREL BOLT, MANDREL NUT, LOCK BLADE BOLT, BLADE PULLEY, IDLER GUARD, IDLER KEEPER, BELT IDLER BOLT, 3/8-16 X 1 1/2 ARM, BRAKE SCREW, 1/4-20 X 5/8 NUT, 3/8-16 FLANGE ARM, IDLER BOLT, 5/16-18 X 1/2 WASHER, 16 GA. CAP, SLEEVE NUT, PUSH GRIP, HANDLE PLUNGER BUTTON PLUNGER KEEPER BELT SPACER RETAINER SCREW 3/8-16 X 1 BUMPER SCREW 3/8-16 X 1/2
	532 42 97-58	COVER ASM MULCH

 $\begin{tabular}{ll} \textbf{NOTE:} & All component dimensions given in U.S. inches \\ 1 & inch = 25.4 & mm \end{tabular}$ 

#### RIDING MOWER - - CATALOG NO. WE261 96022001001 DECALS



KEY NO.	PART NO.	DESCRIPTION
1	532 43 05-88	DECAL, STEERING WHEEL
2	532 43 35-96	DECAL, V-BELT SCH 30"
3	532 42 51-13	DECAL, WARN. DEFLECT/CTFGR
4	532 44 07-79	DECAL, DECK/DEFLECTOR
6	532 43 67-55	DECAL
7	532 42 41-02	DECAL, WARNING SPARK ARRESTOR
8	532 43 73-12	DECAL, STEERING BRKT INSTALL
	532 43 24-79	DECAL, BYPASS
	532 44 18-93	MANUAL OWNER'S ENGLISH
	532 44 18-94	MANUAL OWNER'S SPANISH

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm