


# TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12

## SCHEMATIC


SCH11

**NOTE**  
YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE IS SPEEDED UP, THE LIGHTS WILL BECOME THEIR BRIGHTEST.




IGNITION SWITCH

| POSITION     | CIRCUIT    | "MAKE" |
|--------------|------------|--------|
| OFF          | M+G+A1     |        |
| RUN/OVERRIDE | B+A1       |        |
| RUN          | B+A1       | L+A2   |
| START        | B + S + A1 |        |



CHASSIS HARNESS CONNECTOR (MATING SIDE)




DASH HARNESS CONNECTOR (MATING SIDE)


WIRING INSULATED CLIPS  
NOTE: IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE RE-INSTALLED TO PROPERLY SECURE YOUR WIRING.

NON-REMOVABLE CONNECTIONS

REMOVABLE CONNECTIONS



**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**ELECTRICAL**




**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**ELECTRICAL**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>              |
|----------------|-----------------|---------------------------------|
| 1              | 163465          | Battery                         |
| 2              | 74760412        | Bolt Hex Head 1/4-20 x 3/4      |
| 8              | 193228          | Box Battery                     |
| 16             | 176138          | Switch Interlock Push-In        |
| 21             | 183759          | Harness Socket Light w/4152J    |
| 22             | 4152J           | Bulb Light                      |
| 25             | 412894          | Cable Starter                   |
| 26             | 175158          | Fuse                            |
| 27             | 73510400        | Nut Keps Hex 1/4-20 unc         |
| 28             | 198885          | Cable, Ground                   |
| 29             | 401545          | Switch, Seat                    |
| 30             | 193350          | Switch, Ignition                |
| 33             | 411935          | Key/Chain                       |
| 34             | 110712X         | Switch Light/Reset              |
| 40             | 401098          | Harness Ignition Dash           |
| 41             | 17720408        | Screw Thd Cut 1/4-20 x 1/2      |
| 42             | 131563          | Cover, Terminal                 |
| 43             | 192507          | Solenoid                        |
| 46             | 401763          | Gauge SRVCMNDR HRMTR            |
| 55             | 17060512        | Screw Thdrol 5/16-18 x 3/4 TYTT |
| 71             | 400449          | Harness Ignition                |
| 79             | 175242          | Socket Asm Bulb Twistlock       |
| 87             | 197802          | Switch Interlock Clutch Cable   |
| 90             | 400725          | Cover Terminal Battery          |
| 92             | 196615          | Harness Pigtail Console ROS     |
| 93             | 192540          | Screw Plastite 10-14 x 2.0      |
| 94             | 191834          | Module Reverse ROS              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12

## CHASSIS




chassis-tex\_elite-husq\_3

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**CHASSIS**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                |
|----------------|-----------------|-----------------------------------|
| 5              | 199647x428      | Dash upper tex elite el ck 428    |
| 14             | 425404x421      | Hood pnt elite spl-tp w-skirts    |
| 15             | 188264x599      | lens elite-husq clear LH          |
| 18             | 430395          | Grille asm elite dl BLK           |
| 25             | 188263x599      | Lens elite-husq clear RH          |
| 34             | 196125          | Plate engine welded chassis       |
| 36             | 17060512        | Screw 5/16-18 x 3/4 smgml tap/r   |
| 37             | 414872x421      | Fender tlt w/cph w/fw 421         |
| 52             | 73680500        | Nut, hex, crownlock 5/16-18       |
| 58             | 412280          | Drawbar upper 2pc sml fender      |
| 68             | 17490508        | Screw thdrol 5/16-18 x 1/2tytt    |
| 130            | 416358          | Screw                             |
| 137            | 184921          | Bumper hood large 1 75"           |
| 138            | 193224x428      | Cupholder tl tex 428              |
| 150            | 431632          | Air duct                          |
| 151            | 407807          | Bracket pivot lasr/elte/husqlt    |
| 152            | 199535          | Shield browning w/tex             |
| 162            | 142432          | Screw hex wsh hi-lo 1/4 x 1/2 unc |
| 175            | 193243          | Crossmember lt                    |
| 176            | 400776          | Screw #10-24x5/8 rnd qudrx gim    |
| 177            | 195227          | Bushing steering yt/gt            |
| 180            | 415063          | Chass wldmt tl 12 ga/2pc 18/22"   |
| 181            | 193102x428      | Bushing mnt fend crgo blk tex     |
| 182            | 193057          | Dash lower lt ccs                 |
| 183            | 74780520        | Bolt fin hex 5/16-18 unc x 1-1/4  |
| 189            | 17000512        | Screw 5/16-18 x 3/4 smgml tap/bl  |
| 191            | 188267          | Insert lens rflct elt-husq        |
| 194            | 73900500        | Nut, lock hex flange 5/16-18 unc  |
| 196            | 414579          | Console asm decklft bl/rbt tlt    |
| 205            | 188265x428      | Skirt side rh elite husq 428      |
| 206            | 188266x428      | Skirt side lh elite husq 428      |
| 213            | 74760512        | Bolt, hex head 5/16-18 x 3/4      |
| 217            | 409167          | Rod pivot hood                    |
| 218            | 196395          | X-piece hood stop non/stealth     |
| 228            | 195161          | Stud fastner w/"d'anti-rotatio    |
| 235            | 406129          | Spacer fender                     |
| 236            | 73930500        | Nut center lock 5/16-18 unc       |
| 287            | 17600406        | Screw hex washead 1/4-20 x 3/8    |
| 289            | 400796x428      | Plug cruise hook phone            |
| 297            | 416500          | Insert reflective RH              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**DRIVE**




drive\_tex\_peerless\_fender\_35

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**DRIVE**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>             | <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>              |
|----------------|-----------------|--------------------------------|----------------|-----------------|---------------------------------|
| 1              | -----           | Transaxle, Peerless 206-565    | 160            | 169484          | Retainer Clip                   |
| 2              | 123583X         | Key Square                     | 161            | 105709X         | Spring, Return, Clutch          |
| 15             | 19131316        | Washer 13/32 x 13/16 x 16 Ga.  | 165            | 196212          | Busing Shaft Brake Hand Control |
| 17             | 197297          | Spring, Brake                  | 166            | 428305          | Nut Push .625                   |
| 22             | 197660          | Rod Shift                      | 167            | 405257          | Latch Brake Parking             |
| 23             | 106933X         | Knob                           | 172            | 197657          | Strap Torque LH                 |
| 26             | 197455          | Spring Brake RTN               | 174            | 197289          | Nut Push                        |
| 29             | 197267          | Rod, Brake                     | 175            | 197858          | Shaft Asm Shift                 |
| 33             | 12000001        | Ring E                         | 176            | 196214          | Arm Clevis Rod Shift            |
| 35             | 197722          | Rod, Brake, Park               | 178            | 197456          | Spring Shift                    |
| 37             | 121749X         | Washer 25/32 x 1-1/4 x 16 Ga.  | 183            | 137057          | Spacer, Axle                    |
| 42             | 8883R           | Cover, Foot Pedal              | 184            | 198403X505      | Handle Parking Brake            |
| 49             | 72110614        | Bolt                           | 185            | 72110622        | Bolt                            |
| 50             | 194327          | Pulley Idler Flat              | 186            | 194321          | Spacer Retainer                 |
| 51             | 73900600        | Lock Nut 3/8-16                | 187            | 19133210        | Washer                          |
| 52             | 194326          | Idler V-Groove                 | 188            | 194323          | Link Clutch Ground Drive        |
| 56             | 194346          | V-Belt, Drive                  | 189            | 194317          | Bellcrank Ground Drive          |
| 61             | 123666X         | Pulley Transaxle               | 190            | 194318          | Keeper Bellcrank Ground Drive   |
| 64             | 196200          | Shaft Asm. Pedal Brake Control | 192            | 150360          | Nut Lock Center 1/4-28          |
| 70             | 193225X428      | Console                        | 193            | 17060512        | Screw 5/16-18 x 3/4             |
| 73             | 74490544        | Bolt 5/16-18 Gr. 5             | 195            | 197332          | Bracket Brake Rod               |
| 74             | 142432          | Screw 1/4 x 1/2                | 202            | 197859          | Link Shift                      |
| 116            | 73900500        | Nut Lock Hex Flange 5/16-18    | 203            | 19111116        | Washer 11/32 x 11/16 x 16 Ga.   |
| 125            | 17000512        | Screw 5/16-18 x 3/4            | 205            | 121748X         | Washer 25/32 x 1-5/8 x 16 Ga.   |
| 134            | 197857          | Arm Shift                      | 221            | 403187          | Retainer Spring Clip Handle     |
| 139            | 74550412        | Bolt 1/4-20 unf Gr. 8 w/Patch  | 232            | 74780716        | Bolt 7/16-14 x 1 Gr. 5          |
| 140            | 10040400        | Washer Lock Hvy Helical 1/4    | 233            | 405296          | Washer Serrated                 |
| 141            | 19091210        | Washer 9/32 x 3/4 x 10 Ga.     |                |                 |                                 |
| 155            | 12000028        | Ring Retainer                  |                |                 |                                 |
| 157            | 105701X         | Washer Plate Shf               |                |                 |                                 |
| 158            | 194352          | Keeper T/A                     |                |                 |                                 |
| 159            | 76020412        | Pin Cotter 1/8 x 3/4           |                |                 |                                 |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12  
ENGINE**



engine-tex\_bs-2cyl\_49

# TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12 ENGINE

| KEY NO. | PART NO.   | DESCRIPTION                         |
|---------|------------|-------------------------------------|
| 1       | -----      | Engine B&S Model No. 406777-0442-B1 |
| 2       | 149723     | Muffler                             |
| 9       | 194319     | Keeper Belt Engine                  |
| 12      | 401985     | Pulley Engine                       |
| 15      | 407489     | Tank Fuel                           |
| 18      | 425162     | Cap Fuel                            |
| 20      | 421473X428 | Control Throttle/Choke              |
| 21      | 416358     | Screw #10 x 0.750 BOS Thread        |
| 28      | 401137     | Fuel Line                           |
| 29      | 137180     | Spark Arrester Kit                  |
| 37      | 123487X    | Clamp Hose                          |
| 42      | 10040700   | Washer Lock 7/16                    |
| 45      | 73510400   | Nut Keps Hex 1/4-20 unc             |
| 62      | 146629     | Shield Heat Muffler                 |
| 69      | 165391     | Gasket                              |
| 70      | 159955     | Exhaust Tube LH                     |
| 71      | 160589     | Exhaust Tube RH                     |
| 79      | 183906     | Screw Socket HD 5/16-18 x 1         |
| 81      | 148456     | Tube Drain Oil Easy                 |
| 82      | 428287     | Valve Drain Oil                     |
| 84      | 17060620   | Screw 3/8-16 x 1-1/4                |
| 85      | 173937     | Bolt 7/16-20 x 4 x Gr. 5-1.5        |
| 87      | 171877     | Bolt 5/16-18 unc x 3/4              |
| 90      | 17000616   | Screw 3/8-16 x 1                    |
| 96      | 19091416   | Washer 9/32 x 7/8 x 16 Ga.          |
| 97      | 17670412   | Screw 1/4-20 x 3/4                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


For engine service and replacement parts, call the toll free  
number for your engine manufacturer listed below:

Briggs & Stratton                      1-800-233-3723

## ENGINE POWER RATING INFORMATION

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J11940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-5). Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net horsepower). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**STEERING ASSEMBLY**




steering-tex\_STDSRR\_1\_r1

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**STEERING ASSEMBLY**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>                  |
|--------------------|---------------------|-------------------------------------|
| 1                  | 414851X421          | Wheel, Steering                     |
| 2                  | 195968              | Axle Asm., Front                    |
| 4                  | 403087              | Spindle Asm., LH                    |
| 5                  | 403088              | Spindle Asm., RH                    |
| 6                  | 6266H               | Bearing, Race Thrust Harden         |
| 7                  | 121748X             | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8                  | 12000029            | Ring, Clip #T5304-75                |
| 9                  | 121232X             | Cap, Spindle                        |
| 13                 | 121749X             | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14                 | 10040600            | Washer, Lock Hvy Hlcl Spr 3/8       |
| 15                 | 73540600            | Nut, Crown Lock 3/8-24 unf          |
| 16                 | 408219              | Shaft Steering                      |
| 19                 | 194729              | Plate Steering                      |
| 20                 | 199743X428          | Boot, Steering                      |
| 21                 | 186737              | Adapter, Wheel Steering             |
| 22                 | 420537              | Steering Support Lower              |
| 26                 | 414854X421          | Insert, Wheel Steering              |
| 28                 | 17000612            | Screw 3/8-16 x 3/4                  |
| 35                 | 194732              | Gear, Sector Plate                  |
| 45                 | 19183812            | Washer 9/16 ID x 2-3/8 x 12 Ga.     |
| 51                 | 73940800            | Nut Hex Jam Toplock 1/2-20 unf      |
| 53                 | 188967              | Washer Hardened .793 x 1.637 x .060 |
| 57                 | 407465              | Bracket Upstop                      |
| 58                 | 194747              | Bolt Shoulder Sector Pivot CFM      |
| 59                 | 194748              | Washer Thrust Sector Steering       |
| 60                 | 73971000            | Nut Flange Lock 5/8-11              |
| 61                 | 194740              | Draglink, LH                        |
| 62                 | 194741              | Draglink, RH                        |
| 63                 | 17000512            | Screw 5/16-18 x 3/4                 |
| 64                 | 199849              | Retainer Clip Spring Steering       |
| 66                 | 71020748            | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67                 | 194737              | Bushing PM Front Axle               |
| 68                 | 73900700            | Nut Lock Flange 7/16-14 Gr. 5       |
| 69                 | 199162              | Washer 1.5 x .505 x .118            |
| 70                 | 196197              | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**MOWER DECK**




42\_D\_man-tex\_LT\_33\_r2

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**MOWER DECK**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                                             | <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                                                                                                            |
|----------------|-----------------|----------------------------------------------------------------|----------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1              | 196495          | Mower Housing                                                  | 57             | 17000616        | Screw Hexwsh Thd 3/8-16 x 1                                                                                                   |
| 2              | 72140506        | Bolt Rdhd 5/16-18 x 3/4                                        | 59             | 141043          | Guard, Tuv Idler (94)                                                                                                         |
| 6              | 195186          | Arm Suspension                                                 | 60             | 197261          | Arm Brake Mower                                                                                                               |
| 7              | 416358          | Screw #10 x 0.750 BOS Thread                                   | 62             | 72110616        | Bolt Rdhd Sqnk 3/8-16 unc x 2                                                                                                 |
| 8              | 193003          | Bolt/Washer Asm 7/16-20 unf                                    | 63             | 199477          | Arm Brake Mower                                                                                                               |
| 11             | 138971          | Blade, 42" Hi-Lift<br>(For bagging or discharge)               | 64             | 199790          | Linkage Brake                                                                                                                 |
| --             | 139775          | Blade, 42" Mulching Premium<br>(For better wear when mulching) | 67             | 198398X428      | Handle, Clutch Cable                                                                                                          |
| --             | 134149          | Blade, 42" Mulching Std<br>(For mulching mowers only)          | 68             | 429636          | V-Belt                                                                                                                        |
| --             | 424752          | Blade 42SP" 3N1                                                | 69             | 72140505        | Bolt Rdhd Sqnk 5/16-18 x 5/8                                                                                                  |
| --             | 422719          | Blade 42SP" Premium                                            | 70             | 199779          | Clutch Asm. Manual                                                                                                            |
| 13             | 192872          | Shaft Assembly, Mandrel                                        | 111            | 532404784       | Bracket Wheel Gauge LH                                                                                                        |
| 14             | 187281          | Housing, Mandrel                                               | 112            | 532404785       | Bracket Wheel Gauge RH                                                                                                        |
| 15             | 110485X         | Bearing, Ball, Mandrel                                         | 113            | 17000510        | Screw 5/16-18                                                                                                                 |
| 19             | 196539          | Bolt, Shoulder                                                 | 116            | 4898H           | Bolt Shoulder "A" 2.41 "B" 1.66                                                                                               |
| 20             | 159770          | Baffle, Vortex                                                 | 117            | 188606          | Wheel Gage                                                                                                                    |
| 21             | 73680500        | Nut, Crownlock 5/16-18 unc                                     | 118            | 73930600        | Nut Centerlock 3/8-16 unc                                                                                                     |
| 23             | 192557          | Bracket, Deflector                                             | 119            | 19121414        | Washer 3/8 x 7/8 x 14 Ga.                                                                                                     |
| 24             | 105304X         | Cap, Sleeve                                                    | 122            | 197258          | Keeper Belt Eng. LH                                                                                                           |
| 25             | 197026          | Spring, Torsion, Deflector                                     | 123            | 197259          | Keeper Belt Eng. RH                                                                                                           |
| 26             | 110452X         | Nut, Push                                                      | 144            | 199204          | Keeper Belt                                                                                                                   |
| 27             | 193108X428      | Shield, Deflector                                              | 145            | 193197          | Pulley Idler Primary                                                                                                          |
| 29             | 131491          | Rod, Hinge                                                     | 147            | 401971          | Spring Return                                                                                                                 |
| 30             | 173984          | Screw Thdrol Rolling Wsh Hd                                    | 152            | 408714          | Cable Clutch Manual w/Spr.                                                                                                    |
| 31             | 187690          | Washer, Spacer                                                 | 188            | 195161          | Stud Fastener                                                                                                                 |
| 32             | 197473          | Pulley, Mandrel                                                | 189            | 73900500        | Nut Lock Hex Flange                                                                                                           |
| 33             | 400234          | Nut, Toplock, Flanged                                          | 192            | 197260          | Bracket Brake Stand LH                                                                                                        |
| 34             | 72110612        | Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5                             | 195            | 17000612        | Screw Hexwsh Thdr 3/8-16 x 3/4                                                                                                |
| 36             | 197379          | Pulley, Idler 4.50 RAW                                         | 241            | 152927          | Screw #10-32.5 3/8 Flange                                                                                                     |
| 37             | 19131316        | Washer 13/32 x 13/16 x 16 Ga.                                  | 242            | 415598          | Port Washout                                                                                                                  |
| 38             | 199189          | Keeper Belt LH Mandrel                                         | --             | 192870          | Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included) |
| 40             | 73900600        | Nut, Lock Flg. 3/8-16 unc                                      | --             | 403066          | Replacement Mower, Complete                                                                                                   |
| 42             | 198410          | Spring Torsion Brake                                           |                |                 |                                                                                                                               |
| 43             | 197256          | Spring Torsion Retainer                                        |                |                 |                                                                                                                               |
| 46             | 137729          | Screw Thd Roll 1/4-20 x 5/8                                    |                |                 |                                                                                                                               |
| 47             | 197250          | Bracket Clutch Cable                                           |                |                 |                                                                                                                               |
| 55             | 197249          | Arm, Idler                                                     |                |                 |                                                                                                                               |
| 56             | 199092          | Spacer, Retainer                                               |                |                 |                                                                                                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**MOWER LIFT**




| KEY NO. | PART NO.   | DESCRIPTION                  |
|---------|------------|------------------------------|
| 2       | 422027     | Shaft Asm., Lift             |
| 3       | 195231     | Lever Asm., Lift RH          |
| 7       | 196492X428 | Grip, Lever                  |
| 10      | 196314     | Spring Torsion               |
| 87      | 194209     | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 410710     | Spring Lift Assist           |
| 89      | 19191912   | Washer Clear Zinc            |
| 90      | 194208     | Pin Cotter 5/16 Bow Tie Lock |
| 91      | 195181     | Link Asm. Lift Rear          |

| KEY NO. | PART NO. | DESCRIPTION                      |
|---------|----------|----------------------------------|
| 97      | 17000612 | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98      | 195270   | Link Lift Susp. Front Mower      |
| 100     | 73930600 | Nut Centerlock 3/8-16 unc        |
| 101     | 407003   | Link Asm. Lift Fixed             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12**  
**SEAT ASSEMBLY**



seat-tex\_6.5SL\_1\_r1


| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 1       | 406623   | Seat                          |
| 2       | 180166   | Bracket Pivot Fender          |
| 3       | 140675   | Strap, Asm Fender             |
| 6       | 73800600 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 124181X  | Spring, Seat Cprsn            |
| 8       | 171877   | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 196977   | Pan, Seat                     |
| 21      | 171852   | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 37      | 73800500 | Nut, Lock 5/16-18 unc         |
| 40      | 197661   | Handle Slide Seat             |
| 41      | 198200   | Spring Latch Seat             |
| 43      | 74760612 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 19133812 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. PB2042YT (96042011200), PRODUCT NO. 960 42 01-12


## DECALS



| KEY NO. | PART NO.      | DESCRIPTION              |
|---------|---------------|--------------------------|
| 1       | 430113        | Decal, Hood RH/LH        |
| 3       | 430336        | Decal, Side Panel        |
| 4       | 430112        | Decal, Fender            |
| 5       | <b>429561</b> | Decal, Eng H.P.          |
| 6       | 411658        | Decal, Fender Operator's |
| 8       | 170563        | Decal, Warning           |
| 9       | 145005        | Decal, Battery Dnge/Poi  |
| 10      | 430256        | Decal, Fender SD RH/LH   |
| 11      | 430085        | Decal, Replacement       |
| 13      | 430111        | Decal, Steering Wheel    |

| KEY NO. | PART NO.   | DESCRIPTION                         |
|---------|------------|-------------------------------------|
| 14      | 160396     | Decal, Mower Schematic              |
| --      | 193227X428 | Pad, Footrest RH                    |
| --      | 193226X428 | Pad, Footrest, LH                   |
| --      | 430097     | Manual, Operator's (English/French) |
| --      | 430463     | Manual, Operator's (Spanish)        |
| --      | 430098     | Manual, Parts (English/French)      |

## WHEELS AND TIRES



| KEY NO. | PART NO.   | DESCRIPTION                      |
|---------|------------|----------------------------------|
| 1       | 59192      | Cap, Valve, Tire                 |
| 2       | 65139      | Stem, Valve                      |
| 3       | 106732     | Rim Assembly, Front              |
| 4       | 59904      | Tube, Front                      |
| 5       | 106222X    | Tire, Front                      |
| 6       | 278H       | Fitting, Grease                  |
| 7       | 9040H      | Bearing, Flange                  |
| 8       | 104757X428 | Cap, Axle (Front Wheel Only)     |
| 9       | 420531     | Tire, Rear 18 x 9.5-8 Turf Saver |
| 10      | 7152J      | Tube, Rear                       |
| 11      | 106108X    | Rim Assembly, Rear               |
| --      | 144334     | Sealant, Tire (10 oz. Tube)      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm