


ROTARY LAWN MOWER -- MODEL NUMBER **SO675Y21R (MFG. ID. NUMBER 96142000500)**




ROTARY LAWN MOWER - - MODEL NUMBER S0675Y21R (MFG. ID. NUMBER 96142000500)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	183496X479	Upper Handle	39	176235	Pushnut
2	151721X479	Lower Handle	40	188839X004	Mounting Bracket, Debris Shield
3	146771	Control Bar	42	192325	Screw, Debris Shield
4	130861	Engine Zone Control Cable	43	188784	Debris Shield
5	191574	Handle Bolt	44	195619	Kit, Lawn Mower Housing
6	189713X428	Handle Knob			(Includes Key Numbers 10, 11, 12 and 45)
7	51793	Hairpin Cotter	45	141846	Danger Decal
8	66426	Wire Tie	46	189179	Blade Adapter / Pulley
9	180479	Rear Door Kit (Includes Key #16 and 17)	47	189028	Blade 21"
10	128415	Pop Rivet	48	851074	Hardened Washer
11	175069X479	Support Bracket, LH	49	850263	Helical Washer 3/8-24 x 1-3/8 Grade 8
12	175070X479	Support Bracket, RH	50	851084	Screw, Machine, Hex Head 3/8-24 x 1-3/8 Grade 8
13	17060410	Screw 1/4-20 x 5/8	59	175071	Deflector, Discharge
14	175082X479	Handle Bracket Assembly, LH	60	175735	Hinge Bracket Assembly
15	175081X479	Handle Bracket Assembly, RH	61	175285	Hinge Spring
16	180071	Spring, LH	62	175650	Hinge Rod
17	180072	Spring, RH	63	73800400	Nut, Hex
18	132004	Keps Locknut 1/4-20	64	175066	Mulcher Door
19	179585	Rope Guide	66	700417	Throttle Control
20	189005	Rear Skirt	67	183365	Screw
21	88652	Hinge Screw 1/4-20 x 1-1/4	68	111190X	Clamp, Cable
24	- - -	Engine, Briggs & Stratton, Model Number 125K02 (For engine service and replacement parts, call Briggs & Stratton at 1-800-233-3723)	69	83816	Screw
25	150406	Nut, Hex, Flanged	96	192770	Clip, Cable
26	83923	Wheel	- -	161058	Warning Decal (not shown)
27	146247	Shoulder Bolt 5/16-18 x .33	- -	193733	Operator's Manual, English
28	189312	Axle Arm Assembly, RR	- -	193743	Operator's Manual, Spanish
30	189596X004	Selecter Knob	- -	195618	Repair Parts Manual
31	87877	Selecter Spring			Available accessories not included with lawn mower:
32	175060X004	Axle Arm Assembly, LR	- -	71 33623	Gas Can (2.5 Gallon Container)
34	189597X004	Hubcap	- -	71 33500	Fuel Stabilizer
35	77400	Bolt	- -	71 33000	SAE 30W Oil (20 Ounce Bottle)
36	184193	Washer, Step			NOTE: All component dimensions given in U.S. inches.
38	176185				1 inch = 25.4 mm

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

ROTARY LAWN MOWER -- MODEL NUMBER **SO675Y21R (MFG. ID. NUMBER 96142000500)**



ROTARY LAWN MOWER - - MODEL NUMBER SO675Y21R (MFG. ID. NUMBER 96142000500)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	184588	Control Cable Assembly	54	195157	Grassbag Assembly
2	167387	Bearing, Wheel Adjuster	55	175739	Driveshaft Cover
3	175262	Pan Head Tapping Screw #10-24 x 2-3/4	57	188815	Frame, Grassbag
4	158755	Hex Washer Head Screw 1/4-20 x 2.12	60	183497	* Case, Lower
5	175436	V-Belt	61	183498	* Case, Upper
6	150495	Spring Retainer	62	183499	Gear, 27 Teeth
7	191730	Nut, Hex, Flanged 1/4-20	63	183500	Lever, Clutch
8	77400	Hubcap	64	183501	Spring, Return
9	145212	Locknut	65	183502	Shaft, Input
11	180776	Wheel & Tire Assembly	66	183503	Dog, Movable
12	12000058	E-Ring	67	183504	Dog, Fixed
13	137054	Pinion	68	183505	Wire, Formed
14	189403	Dust Cover	69	183506	Bearing, Ball
15	88118	Felt Washer	70	183507	Fork, Shift
16	67725	Washer 1/2 x 1-1/2 x .134	71	183508	Seal, Output Shaft
18	87877	Selector Knob	72	183509	Washer
28	181468	Drive Cover	73	183510	Seal, Case
31	132010	Hex Flange Nut	74	183511	Bushing
32	189407	Drive Pulley	75	183512	Shaft, Output
35	151521	Kit, Wheel Adjuster, LH (Includes Knob and Bearing)	76	183513	Screw
36	180184	Gear Case Assembly, Complete	77	183514	Seal, Input Shaft
38	73800400	Locknut 1/4-20			
40	137090	Spring			
41	151520	Kit, Wheel Adjuster, RH (Includes Knob and Bearing)			

* Use Dow Corning #709 to reseal Gear Case Halves.

NOTE: All component dimensions given in U.S. inches.
1 inch = 25.4 mm

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.