




LIMITED WARRANTY

The Manufacturer warrants to the original consumer purchaser that this product as manufactured is free from defects in materials and workmanship. For a period of two (2) years from date of purchase by the original consumer purchaser, we will repair or replace, at our option, without charge for parts or labor incurred in replacing parts, any part which we find to be defective due to materials or workmanship. This Warranty is subject to the following limitations and exclusions.

1. This warranty does not apply to the engine, transaxle/transmission components, battery (except as noted below) or components parts thereof. Please refer to the applicable manufacturer's warranty on these items.
2. Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. Transportation charges for any parts submitted for replacement under this warranty must be paid by the purchaser unless such return is requested by the manufacturer.
3. Battery Warranty: On products equipped with a Battery, we will replace, without charge to you, any battery which we find to be defective in manufacture, during the first ninety (90) days of ownership. After ninety (90) days, we will exchange the Battery, charging you 1/12 of the price of a new Battery for each full month from the date of the original sale. Battery must be maintained in accordance with the instructions furnished.
4. The Warranty period for any products used for rental or commercial purposes is limited to 45 days from the date of original purchase.
5. This Warranty applies only to products which have been properly assembled, adjusted, operated, and maintained in accordance with the instructions furnished. This Warranty does not apply to any product which has been subjected to alteration, misuse, abuse, improper assembly or installation, delivery damage, or to normal wear of the product.
6. Exclusions: Excluded from this Warranty are belts, blades, blade adapters, normal wear, normal adjustments, standard hardware and normal maintenance.
7. In the event you have a claim under this Warranty, you must return the product to an authorized service dealer.

Should you have any unanswered questions concerning this Warranty, contact:

Poulan Pro
Customer Service Department
9335 Harris Corners Parkway
Charlotte, NC 28269 USA

In Canada contact:

Poulan Pro
Customer Service Department
5855 Terry Fox Way
Mississauga, Ontario L5V 3E4

giving the model number, serial number and date of purchase of your product and the name and address of the authorized dealer from whom it was purchased. THIS WARRANTY DOES NOT APPLY TO INCIDENTAL OR CONSEQUENTIAL DAMAGES AND ANY IMPLIED WARRANTIES ARE LIMITED TO THE SAME TIME PERIODS STATED HEREIN FOR OUR EXPRESSED WARRANTIES.

Some areas do not allow the limitation of consequential damages or limitations of how long an implied Warranty may last, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may have other rights which vary from locale to locale.

This is a limited Warranty within the meaning of that term as defined in the Magnuson-Moss Act of 1975.

REPAIR PARTS MANUAL

MODEL NO. 96142010200

MFG. ID. NO. 96142010200

Rotary Lawn Mower

For Parts and Service or Technical Assistance, call 1-800-487-5951

Poulan PRO


NOTE: Gasoline containing up to 10% ethanol (E-10) is acceptable for use in this machine. The use of any gasoline exceeding 10% ethanol (E-10) will void the product warranty.

532 44 57-39 Rev. 2 02.15.12 BY

Printed in U.S.A.

Poulan PRO

SERVICE NOTES



POULAN PRO ROTARY LAWN MOWER -- MODEL NUMBER 96142010200

SERVICE NOTES


POULAN PRO ROTARY LAWN MOWER - - MODEL NUMBER 96142010200

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 42 79-75	Upper Handle	25	532 40 91-48	Nut, Hex, Flanged	51	532 17 00-31	Kit, Front Batlle
2	532 18 35-67	Engine Zone Control Cable	26	532 18 41-93	Bolt, Rear Door			(Includes Key Number 53)
3	532 12 51-62	Bracket, Upstop	27	532 44 79-93	Wheel & Tire Assembly, Rear	52	532 40 47-63	Danger Decal
4	532 16 66-49	Mulcher Plug	28	532 17 47-19	Bot, Shoulder 3/8-16 x 1	53	817 60 04-06	Screw, Serrated,
5	532 06 64-26	Wire Tie	29	532 40 16-30	Washer, Curved, Cylindrical	55	873 93 06-00	Locknut, Hex 3/8-16
6	532 19 19-38	Handle Knob	30	532 40 78-71	Axle Arm Assembly	56	532 08 86-52	Hinge Screw 1/4-20 x 1-1/4
7	532 75 06-34	Screw	31	532 43 63-48	Selector Knob	57	532 05 17-93	Hairpin Cotter
8	532 41 48-06	Control Bar	32	532 40 64-28	Selector Spring	58	532 43 45-14	Lower Handle
9	532 40 84-92	Rear Door Assembly	34	532 40 16-29	Spacer	59	532 19 15-74	Handle Bolt
10	532 12 84-15	Pop Rivet	35	532 41 06-24	Wheel Adjusting Bracket,			
11	532 15 00-50	Screw, Self-Tapping			Rear, RH	64	532 43 66-77	Engine, RATO, Model
12	817 06 04-10	Screw, Hex Hex Head,	37	532 42 88-67	Screw			Number RV140-1 (For
		#10-24 x 5/8						engine service and replace-
		Sems 1/4-20 x 5/8	39	532 19 70-28	Handle Bracket, LH			ment parts, call HOP, Inc.
			40	532 19 70-27	Handle Bracket, RH			at 1-800-487-6961)
14	532 19 70-76	Back Plate	41	532 15 04-06	Screw, Hex Head, Threaded,	68	532 41 06-23	Wheel Adjusting Bracket,
15	532 41 13-34	Side Batlle			Rollod 3/8-16 x 1-1/8			
16	532 17 71-33	Discharge Batlle	44	532 44 57-36	Kit, Housling (Includes Key			
17	532 14 89-41	Rear Batlle			Numbers 14, 15 and 51)	69	532 19 79-91	Clip, Cable
18	532 13 20-04	Keys Locknut 1/4-20	46	532 42 11-76	Blade Adapter / Pulley	71	532 42 90-01	Belt Keeper
19	532 19 47-88	Rope Guide	47	532 40 67-13	Blade, 22"			Warning Decal (Not Shown)
20	532 41 31-60	Rear Skirt	48	532 85 10-74	Washer, Hardened			Operator's Manual, English
21	532 40 54-21	Spring, Rear Door, LH	49	532 85 02-63	Washer, Helical			Operator's Manual, Spanish
24	532 40 54-23	Spring, Rear Door, RH	50	532 85 10-84	Screw, Machine, Hex Head	--	532 44 57-39	Repair Parts Manual

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.
IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.
IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

POULAN PRO ROTARY LAWN MOWER -- MODEL NUMBER 96142010200



POULAN PRO ROTARY LAWN MOWER -- MODEL NUMBER 96142010200

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 19 46-53	Drive Control Assembly (Includes Cable)	27	532 17 52-62	Screw, Pan Head, Self-Tapping #10-24 x 2-3/4
7	532 43 52-81	Control Bar, Drive	28	532 40 33-42	Drive Cover
11	532 43 04-52	Wheel & Tire Assembly, Front	29	532 40 91-48	Locknut, Hex
12	812 00 00 58	E Ring	33	532 14 65 27	V Belt
13	532 40 38-49	Pinion	35	532 43 84-85	Kit, Wheel Adjuster, LH
14	532 18 94-03	Dust Cover	36	532 41 52-26	Gear Case Assembly, Complete (Includes Knob and Bearing)
15	532 40 48-45	Pawl, Drive	38	873 80 04-00	Locknut, Hex 1/4-20
16	532 06 77-25	Washer, Flat 3/8	40	532 13 70-90	Spring
17	532 42 18-36	Bearing Assembly	41	532 43 84-86	Kit, Wheel Adjuster, RH (Includes Knob and Bearing)
18	532 43 63-48	Selector Knob	54	532 44 56-92	Grassbag Assembly
19	532 15 04-95	Retainer, Spring	57	532 41 19-52	Frame, Grassbag