

TRACTOR - - MODEL NUMBER AN1442B

SCHEMATIC



TRACTOR - - MODEL NUMBER AN1442B

ELECTRICAL



TRACTOR - - MODEL NUMBER AN1442B


ELECTRICAL

1 144925 2 74760412 3 19091016 4 10040400 6 73220400 7 109238X 8 144940 9 109596X 15 144935 16 145355 19 10090400 20 73350400 21 136850 22 4152J 24 4799J 25 146147 26 108824X 28 4207J 29 121305X 30 144921 31 140400 32 141226 33 140401 34 110712X 35 108236X 36 17021008 38 140336 39 109553X 40 146057 41 71110412 42 131563	DESCRIPTION
43 145673 44 73510400 45 140844	Battery 12 Volt 25 Amp Bolt Hex Hd 1/4-20unc X 3/4 Washer 9/32 X 5/8 X 16 Ga Washer Lock Hvy Helical 1/4 Nut Fin Hex 1/4-20 Unc Tube Plastic 12" Case Battery Clamp Hose Olive Screw Cap Hex Nylon 3/8-16 x 1 Nut Nylon 3/8-16 Washer Lock 1/4 Nut Jam Hex 1/4-20 Unc Harness Asm Light W/4152J Bulb Light #1156 Cable Battery 6 Ga 11"red Cable Battery 6 Ga red W/16 Wire Fuse 30 AMP Auto Green Cable Ground 6 Ga 12" black Switch Plunger Nc Gray Switch Ign 3 Nut Ignition Cover Sw Ign Key Ign Switch Light Blk Blk Red Bracket Switch Clutch Screw Tap Hex #10-24unc X 1/2 Bracket Switch Interlock Switch Intlk Clutch Gry 4 Term Harness Ign Bolt Blk Fin Hex 1/4-20 x 3/4 Cover Terminal Red Solenoid Nut Keps Hex 1/4-20 Unc Adapter Ammeter Rectangular
49 11151000 70 140422	Washer, Lock, Internal Tooth 5/8 Harness Eng Briggs/14 OHV Dual

NOTE: All component dimensions give in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AN1442B


SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY PA NO. NO		DESCRIPTION
1 2 3 4 5 6 7 8 9	127427 140551 74760616 19131610 145006 73800600 124181X 17490616 19131614	Seat Bracket Pivot Seat Bolt Hex 3/8 - 16 X 1 Washer 13/32 X 1" Clip Push-In Locknut, Hex W/Ins 3/8 - 16 Unc Spring Seat Cprsn 2 250 Blk Zi Screw Thdrol 3/8-16 X 1 Ty-tt Washer 13/32 X 1 X 14 Ga	14 72050 15 13430 16 12125 17 12397 21 13988 22 73800 23 74780 24 19171 25 12701	00 50X 76X 38 0500 0814 1912	Bolt Rdhd Sht Nk 1/4-20x1-3/8 Spacer Split 28x 96 Yel Zinc Spring Cprsn 1 27 Blk Pnt Nut Lock 1/4 Lge Flg Gr 5 Zinc Bolt Shoulder 5/16-18 Locknut, Hex W/wsh 5/16-18 Bolt Fin Hex 1/2-13 X 7/8 Gr 5 Washer 17/32 X 1-3/16 X 12 Ga Bolt Shoulder 5/16-18 X 62
10 12 13	140552 121246X 121248X	Pan Seat Bracket Mounting Switch Bushing Snap Blk Nyl 50 Id	26 10040 NOTE: All c	0800	Washer Lock Hvy Hlcl Spr 1/2 nt dimensions given in U.S. inches - 1 mm.

TRACTOR - - MODEL NUMBER AN1442B

CHASSIS AND ENCLOSURES



TRACTOR - - MODEL NUMBER AN1442B


CHASSIS AND ENCLOSURES

KE NO		DESCRIPTION
1 2 3 4 5 6 8 9 10 11 13	145501 140356 17490612 19131216 146077 145208X016 126471X 146757X011 72140608 135464 124031X012 17490608 74180512 73510500 133956X550 126938X	Chassis Widmt 11" Ga Drawbar 12 Ga 46 5" wheel Base Screw Thdrol 3/8-16x3/4 Ty-tt Washer 13/32 x 3/4 x 16 Ga. Bumper Snap-In SaddleLT Saddle Shift Clip Insulator 406 Mtg Hole Dash Slkscr 1-pc M W/i N/c Sym Bolt Rdhd Sqnk 3/8-16unc X1" Panel Dash LH Panel Dash RH Wld Notch Screw Thdrol 3/8-16x1/2 Ty-tt Screw Mach TRHD 5/16-18uncx 3/4 Nut Keps 5/16-18 Unc Hood/grille Asm Welded Bumper Hood Bolt Fin Hex 3/8-16unc X 1 Gr. 5 Washer 13/32 X 13/16 X 12 Ga Locknut Hex W/Ins 3/8-16 UNC Lens Grille HI Bar Clear LT Fender Pnt LT Bracket Fender Repl 109873x Footrest Pnt LH Ms-505 Footrest Pnt RH Ms-505 Bolt Rdhd Sht Sqnk 3/8-16 X3/4 Nut Pal Bracket Asm Pvt42 LH MWR Rear Bracket Asm Pvt42 RH MWR Rear Bezel Light Retainer
4/-	5479J	Plug Button Blk 359 Dia Choke

NOTE: All component dimensions are given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AN1442B

DRIVE




TRACTOR - - MODEL NUMBER AN1442B

DRIVE

KEY NO.		DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	142603	Transaxle, 6 speed, Dana	41	109070X	Keeper Belt
		D4360-79	42	19131312	Washer 13/32 x 13/16 x 12 Ga.
2	146682	Spring brake Return	44	105706X	Bearing Nylon
3	123666X	Pulley, Transaxle	45	110812X	Washer Hardened
4	12000028	Ring Retainer	46	12000039	Ring Klip #t5304-50
5	121520X	Strap Torque 30°	47	127783	Pulley Idler V-groove Plastic
6	17490512	Screw Thdrol 5/16-18 x 3/4 TYT	48	123789X	Bellcrank Asm Clutch
7	130802	Bracket Saddle Shift T/a	49	123205X	Retainer Belt Style Spring
8	131679	Rod Shifter	50	74760624	Bolt Hex 3/8-16 unc x 1-1/2
10	76020416	Pin Cotter 1/8 x 1	51	73680600	Nut Crownlock 3/8-16 Unc
11	105701X	Washer Plate shf 388 Sq Hole	52	73680500	Nut, Crownlock 5/16-18
12	19151216	Washer 15/32 x 3/4 x 16 Ga.	53	105710X	Link Clutch
13	74550412	Bolt Hex 1/4-28 unf Gr. 8 W/Patch	55	105709X	Spring Return Clutch
14	10040400	Washer Lock Hvy Helical 1/4	56	74760620	Bolt, Fin Hex 3/8-16 x 1-1/4
15	74780544	Bolt Hex 5/16 - 18 x 2-3/4	57	130801	V-Belt Ground Drive 95 25
18	74780616	Bolt Hex 3/8-16unc x 1	58	127274X	Keeper Belt(RH)
19	73800600	Nt Lock Hex w/wsh 3/8 - 16 UNC	59	140312	Keeper Belt Chassis
21	106933X	Knob	61	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
22	130804	Rod Brake	62	8883R	Cover Pedal
24	73350600	Nut Hex Jam H 3/8-16 Unc	63	140186	Pulley Engine
25	106888X	Spring, Brake Rod	64	71170764	Bolt Hex 7/16-20 x 4 Gr. 5
26	19131316	Washer 13/32 x 13/16 x 16 Ga.	65	10040700	Washer Lock Hvy, Helical Spr 7/16
27	76020412	Pin Cotter 1/8 x 3/4	66	129921	Keeper Belt (LH)
28	145204	Rod Brake Parking	67	74760616	Bolt Fin Hex 3/8-16 x 1
29 30	71673 130807	Cap Brake Parking Black Bracket Transmission	70	134683	Guide Belt Mower Drive RH Washer 13/32 X 1-1/4 X 12 Ga.
31	127275X	Keeper Belt LH LT 14 Ga.	72	19132012	Spacer Split
32	74760512	Bolt Hex 5/16 - 18 x 2-1/2	74	109502X	Washer 25/32 X 1 1/4 X 16 Ga.
34	122424X	Shaft Asm Pedal Foot	75 76	121749X 12000001	E-ring
35	120183X	Bearing Nylon Blk 629 AD	76 77	123583X	Key Square
36	19211616	Washer 21/32 x 1 x 16 Ga.		123363A 121748X	Washer 25/32 X 1-5/8 X 16 Ga.
37	1572H	Pin Roll 3/16 x 1"		19111216	Washer 11/32 x 3/4 x 16 Ga.
38	123674X	Pulley Idler Flat		19091210	Washer 9/32 x 3/4 x 10 Ga.
39	74760644	Bolt Hex 3/8-16 unc x 2-3/4	Sec. 4	The Williams	
40	4470J	Spacer Split	NOTI		pnent dimensions give in U.S. inches.
		alama, alam	* *** 	1 inch = 2	5.4 mm.

TRACTOR - - MODEL NUMBER AN1442B

STEERING ASSEMBLY



TRACTOR - - MODEL NUMBER AN1442B


STEERING ASSEMBLY

KI No	EY PART D. NO.	DESCRIPTION
N 123456789011234567890222222222233333344236	133741 142033 135227 135228 6266H 121748X 19272016 12000029 3366R 130468 10040600 73610600 110438X 74011056 73901000 132624 132614 57079	Ring Klip #t5304-75 Bearing Col Strg Blk Link Drag Sol Ball Jt 20 064 Washer Lock Hvy Hlcl Spr 3/8
47	6855M	Fitting Grease

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AN1442B

ENGINE



TRACTOR -- MODEL NUMBER AN1442B


ENGINE

KEY NO.	PART NO.	DESCRIPTION
1	132623	Control Th/ch RH Blk Tee 15 10 Screw Hex Thd Cut 1/4-20x5/8 T
1 2 3	17720410	Engine B&S 14.5 HP ICQ OHV Dual Model No. 287707
4	137352	Muffler Exhaust B&S
13	125593X	Gasket Eng 1 313 ld Tin Plated
14	13280324	Nipple Pipe 3/8 Npt X 3"
15	13200300	Elbow Std 90 Degree 3/8-18 Npt
16		Washer Lock Ext Tooth 3/8
23	128953 17021008	Shield Browning Screw
24 29	137180	Kit Spark Arrestor (Flat Scrn)
31	109202X	Tank Fuel Front 1 25
32		Cap Asm Fuel
33		Clamp Hose Blk
37	137040	Line Fuel
38		Plug Oil Drain (Order From Engine Manufacturer)
40	124028X	Bushing Snap Nyl Blk Fuel Line
	17490412	Screw Hexwsh Thdrol 1/4-20x3/4
46	19091416	Washer 9/32 X 7/8 X 16 Ga
62	10040500	Washer 5/16
66	127951	Stop Throttle 3000 RPM
	71070512	Screw 5/16-18 x 3/4
78 81	17490620 73510400	Screw Thdrol 3/8-16x1-1/4 TYTT Nut, Keps Hex 1/4-20 UNC
Οİ	73310400	Nui, Repartex 1/4-20 ONO

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AN1442B

MOWER DECK




TRACTOR -- MODEL NUMBER AN1442B

MOWER DECK

KEY NO.		DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
			43	140083	Rod, Clutch, Secondary, with Nibs
1	144393	Mower Deck Assembly, 42"	44	140088	Guard, Mandrel, LH
2	72140506	Bolt	45	4497H	Retainer
3	138017	Bracket Asm Fr. Sway Bar	46	137729	Screw, Thread Roll 1/4-20 x 5/8
4	138440	Bracket Asm Deck 42" Sway Bar	47	M730705000	Nut, Acron M5 x 0.8
5	4939M	Retainer Spring	48	133944	Washer, Hardened
6	130832	Arm, Suspension, Rear	49	133940	Roller Assembly, Cam Follower
8	850857	Bolt 3/8-24 x 1.25 Grade 8	50	131340	Bolt, Shloulder #10-24 Grade 5
9	10030600	Washer, Lock	51	69180	Locknut
10	140296	Washer, Hardened		139888	Bolt, Shoulder 5/16-18 UNC
11	138498	Blade, High Lift 42"	53	131845	Arm Assembly, Pad, Brake
12	129895	Bearing, Ball	54	133943	Washer, Hardened
13	137645	Shaft Assembly, Mandrel, Vented	55	140084	Arm, Idler
.0	107010	(Includes Key Number 12)		122052X	Spacer, Retainer
14	128774	Housing, Mandrel, Vented	58	140086	Spring Torsion Brakes
15	110485X	Bearing, Ball, Mandrel		141043	Guard Tuv Idler
16	140329	Stripper, Vented Mower Deck		M720305016	Bolt, Rd Hd Sqnk M5 x 0.8 x 16mm
17	72110610	Bolt, Carriage 3/8-16 x 1-1/4	64	139328	Guard, Deflector Mower 42" TUV
18	72140505	Bolt, Carriage 5/16-18 x 5/8	67	106932X	Knob Rd 3/8-16 UNC
19	132827	Bolt, Shoulder	68	144200	V-Belt, 42" Mower
20	136888	Baffle, Vortex	71	142427	Rod, Clutch, Primary
21	73680500	Nut, Crownlock 5/16-18 UNC		131870	Spring, Extension, Return
22	134753	Stiffener Bracket		127847	Arm, Clutch, Secondary
23	131267	Bracket, Deflector		121748X	Washer 25/32 x 1-5/8 x 16 Gauge
24	105304X	Cap, Sleeve		12000029	Ring, Klip
25	123713X	Spring, Torsion, Deflector		128903	Bolt, Shoulder 3/8-16 UNC x 1.44
26	110452X	Nut, Push	77	127845	Keeper, Spring
27	139450	Deflector, Clipping TUV		140334	Arm, Clutch, Primary
28	19111016	Washer 11/32 x 5/8 x 16 Gauge		127498	Bushing, Large, Brass
29	131491	Rod, Hinge		128759	Spring, Mower Clutch
30	138776	Screw Thdrol. Hex Head Zinc		73350600	Nut Hex Jam 3/8-16 UNC
31	129963	Washer, Spacer		142028	Trunnion Adj.
32	129861	Pulley, Mandrel		120958X	Washer Sintered
33	137266	Nut, Toplock 9/16		144394	Keeper Belt Idler Fixed
34	72110614	Bolt		72140620	Bolt Carriage 3/8-16 x 2-1/2 Gr 5
35	133835	Fastener, Christmas Tree		73800600	Nut
36	131494	Pulley, Idler, Flat	<u>ئر</u> يو د	130794	Mandrel Assembly (Includes Key
37	19131316	Washer 13/32 x 13/16 x 16 Ga.		14.1112	Numbers 8-10, 12-15, 31 and 33)
39	M190511014	Washer MS DIN 125A BN713	4.4	144783	Mower Deck, Complete
40	73680600	Nut, Crownlock 3/8-16 UNC	NOT	- All compon	ent dimensions given in U.S. inches
41	133551	Rod, Pivot, with Nibs	14011	1 inch = 25	
				1 111011 - 20	• • • • • • • • • • • • • • • • • • • •

TRACTOR - - MODEL NUMBER AN1442B

LIFT



TRACTOR - - MODEL NUMBER AN1442B


LIFT

KEY NO.		DESCRIPTION
1 2 3 4	136973 122507X 105767X 12000002	Wire Asm Inner w/plunger Shaft Asm Lift Pin Groove E Ring #5133-62
10	122507X 105767X 12000002 19211621 120183X 109413X 124526X 122512X	Washer 21/32 X 1 X 21Ga Bearing Nylon Grip Handle Bicycle Matte Blk Button Plunger Spring Cprsn
12 13 15 16	139865 139866 4939M 127218 73350800	Link Lift LH Link Lift RH Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc
18 19 20 31	130171 73800800 139868 3146R 140302 73540600	Trunnion Blk Zinc Nut Lock W/wsh 1/2-13 Unc Arm Suspension Rear Retainer Spring Bearing Pvt. Lift Spherical Nut Crownlock 3/8-24

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AN1442B TRANSAXLE DANA - MODEL NUMBER 4360-79

TRANSAXLE




TRACTOR - - MODEL NUMBER AN1442B TRANSAXLE DANA - MODEL NUMBER 4360-79

TRANSAXLE


	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
			44	105928X	Sprocket, 9 Teeth
1	142671	Housing, Upper	41	110084X	Gear, Bevel, 42 Teeth
2	2274J	Screw, Self-Tapping, Large	42		Assembly, Kit, Shim .750 Shaft
ė	121121	1/4-20 x .734	43	134394 * 120473X	Shaft, Drive
3	134400	Ball, Detent	44		Gear, Spur, 12 Teeth
4	105904X	Spring, Detent	45	142678 142679	Gear, Spur, 15 Teeth
5	105905X	Screw, Set	46	120407X	Gear, Spur, 20 Teeth
6	138235	Kit, Shifter Assembly	47	106589X	Gear, Spur, 25 Teeth
7	134399	Boot, Shifter	48 49	120408X	Gear, Spur, 28 Teeth
8	134791	Screw, Tapping w/Sealer		105937X	Gear, Spur, 31 Teeth
.9	138241	Square Ring	50 51	2226J	Washer, Plain .632 x 1.00 x .060
10	142672	Ring, Retaining		134401	Washer, Neoprene
11		* Assembly, Kit, Shim .625 Shaft	52	2264J	Washer, Plain .758 x 1.25 x .031
12	142673	Bearing, Flange	53 54	120474X	Axle, L.H.
13	120415X	Washer, Plain .632 x 1.38 x .046		110081X	Gear, Miter, 15 Teeth
14	142674	Key, Woodruff, #9	55 56	105941X	Ring, Retaining
15	138234	Assembly, Kit, Input Shaft		110071X	Gear, Spur, 32 Teeth
16	110078X	Pinion, Bevel, 14 Teeth	57	120952X	Shaft, Cross
17	105909X	Ring, Retaining	58		Gear, Miter, 15 Teeth
	105910X	Chain, 24 Pitches	59	110082X	Axle, R.H.
19	105911X	Bearing, Flange_	60	120475X 142680	Housing, Lower
	142675	Gear, Spur, 14 Teeth	61		Puck, Friction
21	138246	Collar, Clutch	62	120961X 7294J	Disc, Brake
22	138236	Assembly, Kit, Clutch Keys	63	108989X	Spacer
	73810500	Locknut 5/16-24	64		Jaw, Brake
	142676	Shaft, Intermediate	65	120953X 120954X	Pin, Dowel
	2244J	Key, Woodruff, #61	66	134799	Screw, Self-Tapping, Large
	105916X	Ring, Retaining	67	134/99	5/16-18 x 2.25
	120470X	Sprocket, 18 Teeth	60	138244	Lever, Actuating
	110070X	Spacer	68	108996X	Washer, Plain .321 x 1.00 x .055
	142677	Gear, Spur, 37 Teeth	69	120956X	Bracket, Anti-Rotation
	142681	Gear, Spur, 35 Teeth	70 71		Screw, Self-Tapping, Large
	120405X	Gear, Spur, 30 Teeth	71	106596X	5/16-18 x 1.44
	108980X	Gear, Spur, 25 Teeth	70	120951X	Puck, Friction
	120406X	Gear, Spur, 22 Teeth	72	120951A 120416X	Grease
	134796	Gear, Spur, 19 Teeth	73	1204107	Glease
	105925X	Washer, Plain .640 x 1.37 x .061	*	Hee in combine	ations to maintain proper clearances
	2232J	Washer, Plain .632 x 1.00 x .026		OSE III COMBIN	ations to maintain proper dioarances
	108978X	Spacer .630 x 1.00 x .169	**	Order Koy No	15
38	110079X	Assembly, Gear, Combination of		Order Key No.	10
	101000	12 Teeth and 35 Teeth	NAT	E. All compose	ent dimensions given in U.S. inches
	124639X	Shaft, Idler	IAOʻI	1 inch = 25.	A mm
40	120472X	Spacer .635 x .875 x .755		1 Inch = 25.4	7 (184)

TRACTOR - - MODEL NUMBER AN1442B



KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 2 3 4 6 7 8 10 11 12 13 14	272991 137044 143563 145437 145498 125690X 143564 148390 145494 139376 137042 145005	Decal B&S Engine 14.5 ICQ OHV Decal Grille (Logo) Decal Hood RH Decal Europe Stand CE Decal, Read Owner's Manual Syms Decal 100 DBA Decal Hood LH Decal Pnl Side Decal Mower Cutfinger Symbol Decal Mower Grasseater Decal Wheel Steering Decal Bat Dan/Poi P/L Symbols	15 136832 16 137043 17 131864 18 140837 138311 145744 144962 Available Access LBD48 CE42 LC05 LA018 LSB42 MK42	Decal V-Belt Sch Decal Fender Rally Pad Footrest Decal Saddle Brake Parking Decal Handle LFT Height Adj Manual Parts Manual Oper sories: 48" Snow Blade Grass Catcher 33' Wheel Wts. Tire Chains 40" Snow Thrower Mulch Kit W/Blades

WHEELS & TIRES



KEY NO.	PART NO.	DESCRIPTION
1	59192	Cap Valve Tire Stem Valve
2	65139	Tire F Ts 15 X 6 0 - 6 Service
3	106222X	Tube Front (Service Item Only)
4 5	59904	Rim Asm 6" (front Yellow Service)
	106732X473	All Asi o (none renow dervice)
6	278H	Fitting Grease (Front Wheel Only)
7	9040H	Bearing Flange (Front Wheel Only)
8	106108X473	Rim Asm 8" (rear Yellow Service)
9	106268X	Tire R Ts 18x9 5-8 C Service
10	7152J	Tube Rear (Service Item Only)
11	104757X	Cap Axle Blk 1 50 X 1 00
	144334	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.