**TRACTOR - - MODEL NUMBER AN1642A** 


5 5 6

ę.

(

Ą

#### ELECTRICAL



### **TRACTOR - - MODEL NUMBER AN1642A**

#### ELECTRICAL


ŝ

KE			ESCRIPTION
1 3 4 6 7 8 9 10 11 12	144925 747604 190910 100404 732204 7697J 7603J 109596 145211 145209 145769	12 Bol 16 Wa 00 Wa 00 Nur Tut Tra X Cla Bol Hol	ttery 12 Volt 25 Amp t Hex Hd 1/4-20unc X 3/4 Isher 9/32 X 5/8 X 16 Ga Isher Lock Hvy Helical 1/4 t Fin Hex 1/4-20 Unc be Plastic Isy Battery Imp Hose Olive t Battery Front 1/4-20 x 7.5 Iddown Battery Dash Mount t, Push Nylon 1/4" Battery
19 20 21 22 24 25 28 29 31 23 34 35	100904 733504 136850 4152J 4206J 146148 108824 145491 121305 144921 140400 141226 140401 110712 108236	00 Wa 00 Nut Bul Cab Cab Cab Cab Cab Cab Cab Swi Swi Swi Cov Key K	sher Lock 1/4 Jam Hex 1/4-20 Unc ness Asm Light W/4152J b Light #1156 ble Battery 6 Ga 22"red ble Battery 6 Ga red W/16 Wire e 30 AMP Auto Green ble Ground 6 Ga 21" black tch Plunger Nc Gray tch Ign 3 Ignition ver Sw Ign Ign tch Light Blk Blk Red cket Switch Clutch
36 38 39 40 41 42 43 44 45 49 55 70	1702100 140336 109553) 146057 7111041 131563 145673 7351040 140844 1115100 1749050 140413	08 Scru Bra (Swi Har 2 Bolt Cov Sole 00 Nut Ada 00 Was 08 Scru	w Tap Hex #10-24unc X 1/2 cket Switch Interlock tch Intlk Clutch Gry 4 Term ness Ign Blk Fin Hex 1/4-20 x 3/4 rer Terminal Red enoid Keps Hex 1/4-20 Unc pter Ammeter Rectangular sher, Lock, Internal Tooth 5/8 w, Thdrol 5/16-18 x 12 ness Eng Briggs/Tec Dual

**NOTE:** All component dimensions give in U.S. inches 1 inch = 25.4 mm.

### **TRACTOR - - MODEL NUMBER AN1642A**

**CHASSIS AND ENCLOSURES** 



## **TRACTOR - - MODEL NUMBER AN1642A**

#### **CHASSIS AND ENCLOSURES**

KE NO	DESCRIPTION
$1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 8 \\ 9 \\ 0 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$	Chassis Widmt 11" Ga Drawbar 12 Ga 46 5" wheel Base Screw Thdrol 3/8-16x3/4 Ty-tt Washer 13/32 x 3/4 x 16 Ga. Bumper Snap-In SaddleLT Saddle Shift Clip Insulator 406 Mtg Hole Dash Sikscr 1-pc M W/i N/c Sym Bolt Rdhd Sqnk 3/8-16unc X1" Panel Dash LH Panel Dash RH Wid Notch Screw Thdrol 3/8-16x1/2 Ty-tt Screw Mach TRHD 5/16-18uncx 3/4 Nut Keps 5/16-18 Unc Hood/grille Asm Welded Bumper Hood Plate Mtg Battery Fuel Tank 95 Bushing Snap Nyl Blk Fuel Line Bolt Fin Hex 3/8-16unc X 1 Gr. 5 Washer 13/32 X 13/16 X 12 Ga Locknut Hex W/Ins 3/8-16 UNC Lens Grille HI Bar Clear LT Fender Pnt LT Bracket Fender Repl 109873x Footrest Pnt LH Ms-505 Footrest Pnt RH Ms-505 Bolt Rdhd Sht Sqnk 3/8-16 X3/4 Nut Pal Screw, Thdrol 5/16-18 x 3/4 Bracket Asm Pvt42 LH MWR Rear Bracket Asm Pvt42 RH MWR Rear Bezel Light Retainer Plug Button Blk 359 Dia Choke
i	 <b>U</b>

**NOTE:** All component dimensions are given in U.S. inches 1 inch = 25.4 mm.


· ·

:5

**TRACTOR - - MODEL NUMBER AN1642A** 

\$1. 1

DRIVE



### **TRACTOR - - MODEL NUMBER AN1642A**


### DRIVE

	× ·			
KEN NO.		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	142603	Transaxle, 6 speed, Dana D4360-79	42 19131312 44 105706X	Washer 13/32 x 13/16 x 12 Ga. Bearing Nylon
2	146682	Spring brake Return	45 110812X	Washer Hardened
3	123666X	Pulley, Transaxle	46 12000039	
4	12000028	Ring Retainer	47 127783	Pulley Idler V-groove Plastic
5	121520X	Strap Torque 30°	48 123789X	Bellcrank Asm Clutch
6	17490512	Screw Thdrol 5/16-18 x 3/4 TYT	49 123205X	Retainer Belt Style Spring
7	130802	Bracket Saddle Shift T/a	50 74760624	
8	131679	Rod Shifter	51 73680600	
10	76020416	Pin Cotter 1/8 x 1	52 73680500	
11	105701X	Washer Plate shf 388 Sq Hole	53 105710X	Link Clutch
12	19151216	Washer 15/32 x 3/4 x 16 Ga.	54 2751R	Clip Line Fuel 13/32 Mtg Hole
13	74550412	Bolt Hex 1/4-28 unf Gr. 8 W/Patch	55 105709X	Spring Return Clutch
14	10040400	Washer Lock Hvy Helical 1/4 Bolt Hex 5/16 - 18 x 2-3/4	56 74760620	Bolt, Fin Hex 3/8-16 x 1-1/4
15 18	74780544	Bolt Hex 3/8-16unc x 1	57 130801	V-Belt Ground Drive 95 25
19	74780616 73800600	Nt Lock Hex w/wsh 3/8 - 16 UNC	58 127274X	Keeper Belt(RH) Keeper Belt Chassis
21	106933X	Knob	59 140312 61 17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
22	130804	Rod Brake	62 8883R	Cover Pedal
24	73350600	Nut Hex Jam H 3/8-16 Unc	63 140186	Pulley Engine
25	106888X	Spring, Brake Rod	64 71170764	
26	19131316	Washer 13/32 x 13/16 x 16 Ga.	65 10040700	Washer Lock Hvy, Helical Spr 7/16
27	76020412	Pin Cotter 1/8 x 3/4	66 129921	Keeper Belt (LH)
28	145204	Rod Brake Parking	67 74760616	Bolt Fin Hex 3/8-16 x 1
29	71673	Cap Brake Parking Black	70 134683	Guide Belt Mower Drive RH
30	130807	Bracket Transmission	72 19132012	Washer 13/32 X 1-1/4 X 12 Ga.
31	127275X	Keeper Belt LH LT 14 Ga.	74 109502X	Spacer Split
32	74760512	Bolt Hex 5/16 - 18 x 2-1/2	75 121749X	Washer 25/32 X 1 1/4 X 16 Ga.
34	149001	Shaft Asm Pedal Foot	76 12000001	E-ring
35	120183X	Bearing Nylon Blk 629 AD	77 123583X	Key Square
36	19211616	Washer 21/32 x 1 x 16 Ga.	78 121748X	Washer 25/32 X 1-5/8 X 16 Ga.
37	1572H	Pin Roll 3/16 x 1"	100 19111216	Washer 11/32 x 3/4 x 16 Ga.
38	123674X	Pulley Idler Flat	112 19091210	Washer 9/32 x 3/4 x 10 Ga.
39	74760644	Bolt Hex 3/8-16 unc x 2-3/4		
40	4470J	Spacer Split	NOTE: All com	ponent dimensions give in U.S. inches.
41	109070X	Keeper Belt	1 inch =	25.4 mm.

## **TRACTOR - - MODEL NUMBER AN1642A**

ź.

#### STEERING ASSEMBLY



## TRACTOR - - MODEL NUMBER AN1642A

#### STEERING ASSEMBLY


1. 134

KEY NO.	PART NO.	DESCRIPTION
	NO. 133741 142033 135227 135228 6266H 121748X 19272016 1200029 3366R 130468 10040600 73610600 110438X 74011056 73901000 132624 132614 57079 124035X 126684X 10040400 71070410 127501 109816X 126847X 136874 19131416 17490612 76020412 130465 132196 17431008 133742 19133808 7810H 104820X 124418X 121749X 121749X 121232X 6855M	Wheel Steering Ayp/kelch Blk Axle Asm Fr Spindle Asm LH Spindle Asm RH Bearing Race Thrust Harden Washer 25/32 X 1-5/8 X 16 Ga Washer 27/32 X 1-1/4 X 16 Ga Ring Klip #t5304-75 Bearing Col Strg Blk Link Drag Sol Ball Jt 20 064 Washer Lock Hvy Hlcl Spr 3/8 Nut Fin Hex 3/8-24 Unf Spacer Bearing Axle Front Bolt Hex 5/8-11 Unc X 3-1/2 Nut Lock Flange 5/8-11 Unc Pin Axle 5/8 X 1 55/1 54 Lg Shaft Asm Strg 5/8 X 15 19 LT Washer Thrust 515x 750x 033 Support Shaft Washer Shim 1/4 X 5/8 X 062 Washer Lock Hvy Helical 1/4 Screw Hex Socket 1/4-20 X 5/8 Shaft Asm Pittman Nyliner Snap In Bracket Steering Bushing Link Drag Blk LR Gear Sector Washer 13/32 X 7/8 X 16 Ga Screw Thdrol 3/8-16x3/4 Ty-tt Pin Cotter 1/8 X 3/4 Cad Rod Tie Wire Form 19 75 Mech Bushing Strg 5/8 Id Dash Screw Slftp #10-16 X 1/2 Ty-b Cap Wheel Steer Ayp/kelch Blk Washer 13/32 X 2-3/8 X 8 Ga Nut Lock Center 3/8-24unf Adaptor Wheel Strg 640/ 635id Boot Steering Shaft Washer 25/32 X 1 1/4 X 16 Ga Cap Spindle Fr Top Blk Fitting Grease

**NOTE:** All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

**TRACTOR - - MODEL NUMBER AN1642A** 

ENGINE



### TRACTOR - - MODEL NUMBER AN1642A


ENGINE

KE' NO		DESCRIPTION
1 2 3 4 5 6 7 8 9	137978 144069 144068 138129 122439X	Control Throt Flg Inv 180 34 60 Screw Hex Thd Cut 1/4-20x5/8 T Engine B&S 16hp, Model No. 402707 Muffler Exhaust Exhaust Asm. Left Exhaust Asm. Right Clamp Tube Double Engine Bracket Muffler Mounting Screw Hex Whs Thdcut 1/4-20 Unc
10 11 12 13 14 15	145552 100040400 74780412 8545J 13280336 13200300	Shield Pnt Heat Washer Lock Hvy. Helical 1/4 Bolt Fin Hex 1/4-20 x 3/4 Gasket Muffler Nipple Pipe 4-1/2" Elbow Std 90 Degree 3/8-18 Npt
16 17 23 24 25 26 27	11050600 17490624 128953 17021008 145996	Washer Lock Ext Tooth 3/8 Screw Thdrol 3/8-16x1-1/2 Tytt Shield Pnt Heat Browning Grass Screw Tap Hex #10-24 x 1/2 Control Choke Nut Hex 3/8-24 Unf
29 31 32 33 35	137180 141291 140527 123487X 17490512	Screw Slftp #10-24 x 1/2 TT-B Arrestor Spark Tank Fuel 3 50 Rear Cap Asm Fuel W/sym Vented Clamp Hose Blk Screw Hexwsh Thdrol 5/16-18 x 3/4
36 37 38	19132012 8548R	Washer 13/32 x 1-1/4 x 12 Ga. Line Fuel Plug Oil Drain (Order From Engine Manufacturer)
39 42 43 44 81	126564X 123803X 127530 17490612 73510400	Strip Foam Strap Tank Front Strap Tank Fuel Screw Thdrol 3/8-16 x 3/4 Nut Keps Hex 1/4-20 UNC

**NOTE:** All component dimensions given in U.S. inches. 1 inch = 25.4 mm

### **TRACTOR - - MODEL NUMBER AN1642A**

SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8	127427 140551 74760616 19131610 145006 73800600 124181X 17490616 19131614	Seat Bracket Pivot Seat Bolt Hex 3/8 - 16 X 1 Washer 13/32 X 1" Clip Push-In Locknut, Hex W/Ins 3/8 - 16 Unc Spring Seat Cprsn 2 250 Blk Zi Screw Thdrol 3/8-16 X 1 Ty-tt Washer 13/32 X 1 X 14 Ga
10 12	140552 121246X 121248X	Pan Seat Bracket Mounting Switch Bushing Snap Blk Nyl 50 Id


and the

KEÝ NO.	<b>PART</b> NO.	DESCRIPTION
14	72050411	Bolt Rdhd Sht Nk 1/4-20x1-3/8
15	134300	Spacer Split 28x 96 Yel Zinc
16	121250X	Spring Corsn 1 27 Blk Pnt
17	123976X	Nut Lock 1/4 Lge Flg Gr 5 Zinc
21	139888	Bolt Shoulder 5/16-18
22	73800500	Locknut, Hex W/wsh 5/16-18
23	74780814	Bolt Fin Hex 1/2-13 X 7/8 Gr 5
24	19171912	Washer 17/32 X 1-3/16 X 12 Ga
25	127018X	Bolt Shoulder 5/16-18 X 62
26	10040800	Washer Lock Hvy Hicl Spr 1/2

**NOTE:** All component dimensions given in U.S. inches - 1 inch = 25.4 mm.

# TRACTOR - - MODEL NUMBER AN1642A

**MOWER DECK** 



### **TRACTOR - - MODEL NUMBER AN1642A**


### **MOWER DECK**

Not al

KE NO		DESCRIPTION	KEY NO.		DESCRIPTION
1 2 3 4	144393 72140506 138017 138440	Mower Deck Assembly, 42" Bolt Bracket Asm Fr. Sway Bar Bracket Asm Deck 42" Sway Bar	43 44 45 46 47	140083 140088 4497H 137729 M730705000	Rod, Clutch, Secondary, with Nibs Guard, Mandrel, LH Retainer Screw, Thread Roll 1/4-20 x 5/8 Nut, Acron M5 x 0.8
5 6 8 9	4939M 130832 850857 10030600	Retainer Spring Arm, Suspension, Rear Bolt 3/8-24 x 1.25 Grade 8 Washer, Lock	48 49 50 51	133944 133940 131340 69180	Washer, Hardened Roller Assembly, Cam Follower Bolt, Shloulder #10-24 Grade 5 Locknut
10 11 12 13	140296 138498 129895 137645	Washer, Hardened Blade, High Lift 42" Bearing, Ball Shaft Assembly, Mandrel, Vented (Includes Key Number 12)	52 53 54 55 56	139888 131845 133943 140084 122052X	Bolt, Shoulder 5/16-18 UNC Arm Assembly, Pad, Brake Washer, Hardened Arm, Idler Spacer, Retainer
14 15 16 17	128774 110485X 140329 72110610	Housing, Mandrel, Vented Bearing, Ball, Mandrel Stripper, Vented Mower Deck Bolt, Carriage 3/8-16 x 1-1/4	58 59 60 64	140086 141043 M720305016 139328	Spring Torsion Brakes Guard Tuv Idler Bolt, Rd Hd Sqnk M5 x 0.8 x 16mm Guard, Deflector Mower 42" TUV
18 19 20 21 22	72140505 132827 136888 73680500 134753	Bolt, Carriage 5/16-18 x 5/8 Bolt, Shoulder Baffle, Vortex Nut, Crownlock 5/16-18 UNC Stiffener Bracket		106932X 144200 142427 131870 127847	Knob Rd 3/8-16 UNC V-Belt, 42" Mower Rod, Clutch, Primary Spring, Extension, Return Arm, Clutch, Secondary
23 24 25 26	131267 105304X 123713X 110452X	Bracket, Deflector Cap, Sleeve Spring, Torsion, Deflector Nut, Push	74 75 76	121748X 12000029 128903 127845	Washer 25/32 x 1-5/8 x 16 Gauge Ring, Klip Bolt, Shoulder 3/8-16 UNC x 1.44 Keeper, Spring
27 28 29 30	139450 19111016 131491 138776	Deflector, Clipping TUV Washer 11/32 x 5/8 x 16 Gauge Rod, Hinge Screw Thdrol. Hex Head Zinc	79 80 81	140334 127498 128759 73350600	Arm, Clutch, Primary Bushing, Large, Brass Spring, Mower Clutch Nut Hex Jam 3/8-16 UNC
31 32 33 34 35	129963 129861 137266 72110614 133835	Washer, Spacer Pulley, Mandrel Nut, Toplock 9/16 Bolt Fastener, Christmas Tree	83 84 85	142028 120958X 144394 72140620 73800600	Trunnion Adj. Washer Sintered Keeper Belt Idler Fixed Bolt Carriage 3/8-16 x 2-1/2 Gr 5 Nut
36 37 39 40	131494 19131316 M190511014 73680600	Pulley, Idler, Flat Washer 13/32 x 13/16 x 16 Ga. Washer MS DIN 125A BN713 Nut, Crownlock 3/8-16 UNC		130794 144783	Mandrel Assembly (Includes Key Numbers 8-10, 12-15, 31 and 33) Mower Deck, Complete
41	133551	Rod, Pivot, with Nibs	NOTE	All component 1 inch = 25.4	ent dimensions given in U.S. inches 4 mm

TRACTOR - - MODEL NUMBER AN1642A

LIFT



-

### **TRACTOR - - MODEL NUMBER AN1642A**


KE'NO.	Y PART NO.	DESCRIPTION
8 10 11	109413X 124526X 122512X 139865 139866 4939M 127218 73350800 130171 73800800	Wire Asm Inner w/plunger Shaft Asm Lift Pin Groove E Ring #5133-62 Washer 21/32 X 1 X 21Ga Bearing Nylon Grip Handle Bicycle Matte Blk Button Plunger Spring Cprsn Link Lift LH Link Lift RH Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Lock W/wsh 1/2-13 Unc Arm Suspension Rear Retainer Spring Bearing Pvt. Lift Spherical Nut Crownlock 3/8-24

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AN1642A TRANSAXLE DANA - MODEL NUMBER 4360-79

(Array

TRANSAXLE




## TRACTOR - - MODEL NUMBER AN1642A TRANSAXLE DANA - MODEL NUMBER 4360-79

### TRANSAXLE

(


	Y PART . NO.	DESCRIPTION		Y PART NO.	DESCRIPTION
1 2	142671 2274J	Housing, Upper Screw, Self-Tapping, Large 1/4-20 x .734	41 42	105928X 110084X	Sprocket, 9 Teeth Gear, Bevel, 42 Teeth
3	134400	Ball, Detent	43 44	134394 120473X	* Assembly, Kit, Shim .750 Shaft Shaft, Drive
4	105904X	Spring, Detent	45	142678	Gear, Spur, 12 Teeth
5 6	105905X 138235	Screw, Set Kit, Shifter Assembly	46 47	142679 120407X	Gear, Spur, 15 Teeth Gear, Spur, 20 Teeth
7	134399	Boot, Shifter	48	106589X	Gear, Spur, 25 Teeth
8	134791	Screw, Tapping w/Sealer	49	120408X	Gear, Spur, 28 Teeth
9	138241	Square Ring	50	105937X	Gear, Spur, 31 Teeth
10 11	142672 134793	Ring, Retaining * Assembly, Kit, Shim .625 Shaft	51 52	2226J 134401	Washer, Plain .632 x 1.00 x .060 Washer, Neoprene
12	142673	Bearing, Flange	52	2264J	Washer, Plain .758 x 1.25 x .031
13	120415X	Washer, Plain .632 x 1.38 x .046	54	120474X	Axle, L.H.
14	142674	Key, Woodruff, #9	55	110081X	Gear, Miter, 15 Teeth
15 16	138234 110078X	Assembly, Kit, Input Shaft Pinion, Bevel, 14 Teeth	56 57	105941X 110071X	Ring, Retaining Gear, Spur, 32 Teeth
17	105909X	Ring, Retaining	58	120952X	Shaft, Cross
18	105910X	Chain, 24 Pitches	59	110082X	Gear, Miter, 15 Teeth
19	105911X	Bearing, Flange	60	120475X	Axle, R.H.
20 21	142675 138246	Gear, Špur, 14 Teeth Collar, Clutch	61 62	142680 120961X	Housing, Lower Puck. Friction
22	138236	Assembly, Kit, Clutch Keys		7294J	Disc, Brake
23	73810500	Locknut 5/16-24	64	108989X	Spacer
24	142676	Shaft, Intermediate	65	120953X	Jaw, Brake
25 26	2244J 105916X	Key, Woodruff, #61		120954X	Pin, Dowel
27	120470X	Ring, Retaining Sprocket, 18 Teeth	67	134799	Screw, Self-Tapping, Large 5/16-18 x 2.25
28	110070X	Spacer	68	138244	Lever, Actuating
29	142677	Gear, Spur, 37 Teeth		108996X	Washer, Plain .321 x 1.00 x .055
30 31	142681 120405X	Gear, Spur, 35 Teeth		120956X	Bracket, Anti-Rotation
32	108980X	Gear, Spur, 30 Teeth Gear, Spur, 25 Teeth	71	106596X	Screw, Self-Tapping, Large 5/16-18 x 1.44
33	120406X	Gear, Spur, 22 Teeth	72	120951X	Puck, Friction
34	134796	Gear, Spur, 19 Teeth	73	120416X	Grease
35 36	105925X 2232J	Washer, Plain .640 x 1.37 x .061	*	Llas in combin	
37	108978X	Washer, Plain .632 x 1.00 x .026 Spacer .630 x 1.00 x .169		Use in combin	ations to maintain proper clearances
38	110079X	Assembly, Gear, Combination of	**	Order Key No.	15
00	1010001	12 Teeth and 35 Teeth			
39 40	124639X 120472X	Shaft, Idler	NOŢĒ		ent dimensions given in U.S. inches
-+0	1204127	Spacer .635 x .875 x .755		1 inch = 25.	4 11/11

**TRACTOR - - MODEL NUMBER AN1642A** 



KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
2	137044	Decal Grille (Logo)	16 137043	Decal Fender Rally
3	143563	Decal Hood RH	17 131864	Pad Footrest
4	145437	Decal Europe Stand CE	18 140837	Decal Saddle Brake Parking Decal Handle LFT Height Adj
6	145498	Decal, Read Owner's Manual Syms	138311 148258	Manual Parts
7	125690X	Decal 100 DBA	148258	Manual Oper
8	143566	Decal Hood LH	Available Accessor	
10	148060	Decal Pnl Side Decal Mower Cutfinger Symbol	LBD48	48" Snow Blade
11 12	145494 139376	Decal Mower Grasseater	CE42	Grass Catcher
13	137042	Decal Wheel Steering	LC05	33' Wheel Wts.
14	145005	Decal Bat Dan/Poi P/L Symbols	LA018	Tire Chains
15	136832	Decal V-Belt Sch	LSB42 MK42	40" Snow Thrower Mulch Kit W/Blades

#### **WHEELS & TIRES**



#### DESCRIPTION

ĺ

đ

NO.	NO.	
1	59192	Cap Valve Tire
2	65139	Stem Valve
3	106222X	Tire F Ts 15 X 6 0 - 6 Service
4	59904	Tube Front (Service Item Only)
5	106732X473	Rim Asm 6" (front Yellow Service)
6	278H	Fitting Grease (Front Wheel Only)
7	9040H	Bearing Flange (Front Wheel Only)
8	106108X473	Rim Asm 8" (rear Yellow Service)
9	106268X	Tire R Ts 18x9 5-8 C Service
1Õ	7152J	Tube Rear (Service Item Only)
11	104757X	Cap Axle Blk 1 50 X 1 00
	144334	Sealant, Tire (10 oz. Tube)
		u inches

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm.

KEY

PART