
TRACTOR - - MODEL NUMBER AY1236C

ELECTRICAL



TRACTOR - - MODEL NUMBER AY1236C


ELECTRICAL

KEY NO.		DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11	73640400 108423X 144924 69180 108236X 109553X 146374 17021008 140401 141226 140400	Nut, Hex, Keps 1/4-20 Assembly, Cable Battery Nut, lock #10-24 UNC Bracket, Switch Switch, Interlock, 4 Terminal Keeper, Actuator Screw, Hex Head, Self-Tapping #10-24 x 1/2 Key, Molded Cover, Ignition Key Nut, Ignition
12 15 17 18 19 20 21 22	144921 121305X 108824X 128353 146064 73350400 10090400 71110408	Switch, Ignition Switch, Ignition Switch, Plunger Fuse Assembly, Cable Harness, Ignition Nut, Hex, Jam 1/4-20 Washer, Lock 1/4 Bolt, Hex, Fin. 1/4-20 UNC x 1/2 Grade 5
25 26 27 28 30 31 32 33 36 39 55	131563 145673 74760412 19091016 10040400 73220400 4152J 136850 110712X 11150400 141735 17490508	Cover, Terminal Solenoid Bolt, Hex Head 1/4-20 UNC x 3/4 Washer 9/32 x 5/8 x 16 Gauge Washer, Lock 1/4 Nut, Hex, Fin. 1/4-20 UNC Bulb, Light Harness Asm. Light Switch, light, blk Washer, Lock, Internal Tooth 1/4 Bracket Switch Clutch Screw Thdrol 5/16 - 18 x 1/2 Harness Engine

NOTE: All component dimensions given in U.S. inches . 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AY1236C


HOOD



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8	124657X 73640400 19091416 74780412 139888 122549X 122548X 17521312	Spring, Extension Nut, Hex, Keps 1/4-20 UNC Washer 9/32 x 7/8 x 16 Ga. Bolt, Hex, Fin 1/4-20 x 3/4 Grade 5 Bolt, Shoulder Bracket, Hood, R.H. Bracket, Hood, L.H. Screw, Sltd. Hex Hd. W/Pl. Washer	9 10 11 12 13 14 18 NOT	73800400 123693X 132918X550 122035X 127029X 4171R 19111116 E: All compon	Nut, Lock W/Insert 1/4-20 Brace, Hood Hood Lens Grill Clip, line, fuel 11/32 Washer 11/32 x 11/16 x 16 Ga. ent dimensions given in U.S. inches


TRACTOR - - MODEL NUMBER AY1236C

FENDER / CHASSIS



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	156417	Case, Battery	11	124346X	Nut, Self-Threading 3/16
2	19132012	Washer 13/32 x 1-1/4 x 12 Gauge	12	145190	Chassis, Assembly, Weldment
3	17490612	Screw, Hex Washer Head, Thd.	13	109238X	Tube, Battery Drain
		Roll. 3/8-16 x 3/4	15	73640400	Nut, Hex, Keps 1/4-20
4	124181X	Spring, Compression, Seat	16	141736	Switch, Actuator
5	127115X550	Plate, Battery	17	140782	Drawbar
6	109596X	Clamp, Hose	18	126470X	Clip, Insulated
7	124144X	Pad, Footrest	19	140955X550	Fender/Footrest
8	17490512	Screw, Hex Washer Head, Thd.	20	19091413	Washer 9/32 x 7/8 x 13 Gauge
		Roll. 5/16-18 x 3/4	25 .	17190516	ScrHx Wsh Thd Rol 5/16 - 18 x 1T
·9 10	126997X 139783	Console, Shift Control Bar, Shift Lock	NOT	E: All compon 1 inch = 25.	ent dimensions given in U.S. inches

TRACTOR - - MODEL NUMBER AY1236C




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
12345689	72050411 127426X 155925 73800500 153236 145006 74760616 140551	Bolt, Carriage 1/4-20 x 1-3/8 Seat Pan, Seat Nut, Lock Hex W/Ins. 5/16-18 Bolt, Shld. 5/16-18 Clip, Push-In Bolt, Hex, Fin 3/8-16 UNC x 3/4 Bracket, Pivot, Seat	12 13 14 15 16 17 18	73800600 74780814 10040800 19171912 127018X 121246X 123976X 121248X	Nut, Lock Hex W/Wsh 3/8-16 Bolt, Fin Hex 1/2 - 13 x 7/8 Gr. 5 Washer Lock Hvy HLCL Spr. 1/2 Washer 17/32 x 13/16 x 12 Gauge Bolt, Shoulder Bracket, Switch, Mounting Locknut, Hex, Large, Flange Bushing, Snap
10 11	126471X 19133210	Clip, Insulated Washer 13/32 x 2 x 10 Gauge	20 21	121250X 134300	Spring, Compression Spacer, Split, Large .28 ld. x .96

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AY1236C

DASH




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	141523	Cap, Fuel	12	3720R	Spring
2	138392	Assembly, Dash & Fuel Tank	13	126450X	Clip, Height Adjustment
3	123487X	Clamp, Hose	14	126115X	Knob, Height Stop
4	8544R	Line, Fuel	15	122023X	Adjustment, Quadrant Height
5	8548R	Line, Fuel	16	124346X	Nut, Self-Threading 3/16-18
6	73640400	Nut, Hex, Keps 1/4-20	17	72110404	Bolt, Carriage 1/4-20 x 1/2 Grade 5
7	2751R	Clip, Fuel Line	18	130745	Support Assembly, Dash
8	19091216	Washer 9/32 x 3/4 x 16 Gauge	19	134744	Brace, Cross
9	74760428	Bolt, Hex, Fin. 1/4-20 x 1-3/4	20	17060408	Screw, Tap 1/4-20 x 1/2
10	19091413	Washer 11/32 x 11/16 x 16 Gauge	21	134014	Plug, Dome
11	121249X	Spacer, Split		2 14	

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.


TRACTOR - - MODEL NUMBER AY1236C

STEERING WHEEL



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9	133742 10040600 19133808 133741 121897X 152927 155104 147391 124210X 123438X	Insert, Steering Wheel Washer Lock, Hvy Hlcl 3/8 Washer 13/32 x 2-3/8 x 8 Ga. Wheel, Steering Sleeve, Steering Screw, TT #10-32 X 5 x 3/8 Flange Bushing, Steering Shaft, Steering Clip, Steering Bushing, Lower, Steering	11 12 13 14 15 16 17 NOT	12000045 19211616 100711L 153720 74780520 73800500 74780606 E: All compose 1 inch = 25	Ring, Retaining Washer 21/32 x 1 x 16 Ga. Adaptor, Steering Wheel Extension Shaft Steering Bolt Fin Hex 5/16-18 UNC x 1-1/4 Nut Lock Hx W/Insert 5/16-18 UNC Bolt, Fin hex 3/8-16 UNC x 1 nent dimensions given in U.S. inches. 5.4 mm.


TRACTOR - - MODEL NUMBER AY1236C SECTOR GEAR / AXLE SUPPORT



KEY NO.	PART NO.	DESCRIPTION	KEY PA	
1	132566	Link, Drag	10 76020	0412 Pin, Cotter 1/8 x 3/4
2	74780828	Bolt, Hex, Fin 1/2-13 x 1-3/4	11 19131	
3	73680500	Nut, Crownlock 5/16-18	12 12684	
4	73680600	Nut, Crownlock 3/8-16 UNC	13 74760	
5	121926X	Gear, Sector	14 19111	
6	121927X	Bushing	15 72110	
7	73030800	Nut, Heavy, Hex, Top Lock 1/2-13 UNC	16 13709	
8 9	126472X 73680800	Clip, Wire Nut, Crownlock 1/2-13	NOTE: All o	component dimensions given in U.S. inches

TRACTOR - - MODEL NUMBER AY1236C


FRONT AXLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8	121232X 12000029 121748X 3366R 142033 6266H 137062 121749X	Cap, Spindle Ring, Klip Washer 25/32 x 1-5/8 x 16 Gauge Bearing Axle, Front Bearing, Thrust Spindle Assembly, R.H. Washer 25/32 x 1-1/4 x 16 Gauge	11 12 13 14 15 16 17	126847X 130465 137061 74011056 73901000 110438X 6855M 19272016	Bushing Rod, Tie Spindle Assembly, L.H. Bolt, Hex 5/8-11 x 3-1/2 Nut, Lock Flange 5/8-11 Spacer Fitting, Grease Washer 27/32 x 1-1/4 x 16 Ga.
9 10	76020412 19131316	Pin, Cotter 1/8 x 3/4 Washer 13/32 x 13/16 x 16 Gauge			nent dimensions given in U.S. inches

TRACTOR - - MODEL NUMBER AY1236C


BRAKE / REAR MOWER LIFT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	71673	Cap, Parking Brake	17 12000034	Ring, Klip
. 2	123436X	Rod, Parking Brake	18 151332	Spring, Brake Rod
3	123437X	Bracket, Parking Brake	19 73350600	Nut, Hex Jam 3/8-16 UNC
4	8156H	Cover, Pedal	20 73800600	Nut Lock Hex W/Insert 3/8-16 UNC
5	122504X	Bracket, Pedal, Clutch LH	21 131460	Rod, Rear Brake
6	76020312	Pin, Cotter 3/32 x 3/4	22 144585	Trunnion, Lift
7	19131016	Washer 13/32 x 5/8 x 16 Gauge	24 19132012	Washer 13/32 x 1-1/4 x 12 Gauge
8	17490508	Screw, Hex, Thd. Roll. 5/16-18 x 1/	25 4921H	Spring, Retainer
		2	26 73930600	Nut, Čenterlock 3/8-16 UNC
9	76020412	Pin, Cotter 1/8 x 3/4	27 127369	Link, Threaded
10	19131316	Washer 13/32 x 13/16 x 16 Gauge	28 140776	Assembly, Rear Mower Lift
-11	123543X	Rod, Front Brake	29 72110506	Bolt, Carriage 5/16-18 UNC x 3/4
12	139933	Assembly, Clutch/Brake Pedal	30 73510500	Nut, Keps 5/16-18 UNC
13	123394X	Rod, Clutch	31 3146R	Retainer, Spring
14	121978X	Bracket, Lift, Shaft	34 73680600	Nut, Crownlock 3/8-16
15	133332	Assembly, Brake, Pivot, Arm	NOTE: All compo	nent dimensions given in U.S. inches
16	19251816	Washer 25/32 x 1-1/8 x 16 Gauge	1 inch = 2	5.4 mm.

TRACTOR - - MODEL NUMBER AY1236C

ENGINE / THROTTLE




KEY	PART		KEY	PART	the state of the s
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
1	17060408	Screw, Hex, Thread Cutting 1/4-20 x 1/2	11 12	137437	Bolt, Order from Engine Mfg. Muffler
2	133025	Control, Throttle	13	101326L	Deflector, Muffler
3		Engine, B&S, Model #289707	14	17030808	Screw, Spiderlock
4	71070512	Screw, Hex Hd	15	137180	Kit, Spark Arrester (Optional)
5	10040500	Washer, Lock, Heavy Helical Spring	16	127951	Stop, Choke
	and the second	5/16	17	17490624	Screw, Hex Washer Head, Thd.
6	272293	Gasket, Exhaust		` .	Roll. 3/8-16 x 1-1/2
7	11050600	Washer Lock Ext Tooth 3/8	18	73510600	Nut Keps Hex 3/8-16
8	121094X	Bolt, Shoulder 5/16 UNC	19	2751R	Clip line fuel 13/32
9 10	19101216 10040400	Washer 5/16 x 3/4 x 16 Gauge Washer, Lock, Hvy Hlcl Spring 1/4	39	128861	Nut Flange 1/4-20

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AY1236C


GROUND DRIVE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	73680500	Nut, Lock Hex W/lns 5/16-18	14	73930600	Nut, Centerlock 3/8-16 UNC
2	74760512	Bolt, Hex 5/16-18 UNC x 3/4	15	73680600	Nut, Crownlock 3/8-16
3	141342	Keeper, Mower Drive Belt, Engine,	16	126471X	Clip, Insulated
•		B.H.	17	150932	Spacer, Retainer
4	138029	Pulley, Engine	18	131459	Spring, Extension
5	10040700	Washer, Lock, Heavy Helical Spring	19	73510500	Nut, Keps 5/16-18 UNC
,	100-10100	7/16	20	139919	Keeper, T/A Ground Drive Belt
6	71170744	Bolt, Hex. 7/16-20 x 2-3/4 Grade 5	21	19111016	Washer 11/32 x 5/8 x 16 Gauge
7	126520X	Traction, V-Belt Drive	22	123404X	Keeper, Ground Drive Belt, Frame
. 8	123405X	Keeper, T/A Ground Drive Belt	23	140916	Keeper, Mower Drive Belt, L.H.
9	72140612	Bolt, Carriage 3/8-16 UNC x 1-1/2	24	17720408	Screw, Thdcut 1/4-20 x 1/2
10	123396X	Keeper, Ground Drive Belt, Idler	25	150935	Bushing
11	150926	Arm, Ground Drive Clutch			
12	123674X	Idler. Flat	NOT	E. All compo	nent dimensions given in U.S. inches
13	19131316	Washer 13/32 x 13/16 x 16 Gauge	NOT	1 inch = 2	5 / mm
13	19131310	washer 10/02 x 10/10 x 10 dauge		1 IIICH = Z	

TRACTOR - - MODEL NUMBER AY1236C


TRANSAXLE



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	123385X	Pulley	20	19091210	Washer 9/32 x 3/4 x 10 Gauge
2	12000028	Ring, Retainer	21	126292X	Arm, Shift
3		Transaxle (See Breakdown)	22	105701X	Washer, Shift Plate
	17. 4	Peerless 930-009A	23	106933X	Knob, Deluxe
4	2228M	Key, Woodruff #9	24	128215	Rod, Shift
5	73680500	Nut, Lock Hex 5/16-18	25	76020416	Pin, Cotter 1/8 x 1
6	72140506	Bolt, Carriage 5/16-18 UNC x 3/4	26	73810500	Nut, Hex, Nylon 5/16-24 UNF
7	123378X	Strap, Torque	28	128085	Spring, Extension
8	17490512	Screw 5/16-18 x 3/4	29	128084	Support, Handle, Shift, R.H.
9	146682	Spring, Brake	31	137057	Spacer, Split
10	121749X	Washer 25/32 x 1-1/4 x 16 Gauge	32	19111116	Washer 11/13/ x 11/16 x 16 Ga.
11	123583X	Key, Square	35	12000001	E-Ring
15	19171616	Washer 17/32 x 16 Ga.	36	17720408	Screw, Thdcut. 1/4-20 x 1/2
16	124600X	Support, Handle Shift	38	74490544	Bolt, Hex, Flgnd 5/16-18
17	126293X	Link, Shift		2.54	
18	74550412	Bolt, Hex, Fin 1/4-28 UNF x 3/4 Gr. 8	NOT	E: All compor	nent dimensions given in U.S. inches
19	10040400	Washer, Lock 1/4		1 inch = 25	.4,mm.
12.0					

TRACTOR - - MODEL NUMBER AY1236C

MOWER LIFT LEVER




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	126470X	Clip, Insulated	16	4921H	Retainer, Spring
2	122018X	Bracket, Mower Clutch	17	127359	Link, Front Lift
3	71110408	Bolt, Hex, Fin 1/4-20 UNC x 1/2	18	142028	Trunnion, Threaded 3/8-16
•		Grade 5	19	73680400	Nut. Crownlock 1/4-20
4	73680600	Nut, Crownlock 3/8-16	20	74760644	Bolt, Hex, Fin. 3/8-16 UNC x 2-3/4
5	145187	Assembly, Clutch Lever	23	76020416	Pin, Cotter 1/8 x 1
6	106451X	Bolt, Shoulder	24	19171612	Washer 17/32 x 1 x 16 Gauge
7	135371	Assembly, Mower Clutch Arm	25	121933X	Tube, Spacer
8	74760636	Bolt, Hex 3/8-16 UNC x 2-1/4	26	141470	Rod, Mower Lift
9	121930X	Assembly, Bellcrank, Lift	27	106932X	Knob, Rd
10	76020412	Pin, Cotter 1/8 x 3/4	28	76020312	Pin, Cotter 3/32 x 3/4
11	19131316	Washer 13/32 x 13/16 x 16 Gauge	29	131655	Link, Mower Clutch
12	131861	Sleeve, Handle	30	73350600	Nut, Hex Jam 3/8-16
13	139352	Assembly, Lift Handle	31	19132012	Washer 13/32 x 1-1/4 x 12 Ga.
14	123496X	Spring, Compression			
15	10121212	Washer 13/32 v 3/4 v 12 Gauge	NOT	E: All compo	nent dimensions given in U.S. inches

1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AY1236C

MOWER DECK




TRACTOR - - MODEL NUMBER AY1236C

MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	140064	Spring, Mower Clutch	30	136631	Bracket, Deflector
2	122052X	Spacer, Retainer	31	17490508	Screw, Hex Washer Head, Thd.
2 3	73680600	Nut, Crownlock 3/8-16			Roll. 5/16-18 x 1/2
4	130840	Assembly, Brake	32	122051X	Arm, Support Idler, Mower
5	131251	Guide, Belt Idler	33	131560	Shield, Deflector
6	121316X	ldler, Flat	36	121980X	Rod, Hinge
7	72110616	Bolt, Carriage 3/8-16 x 2 Grade 5	37	123713X	Spring, Torsion Deflector
8	19131410	Washer 13/32 x 7/8 x 10 Gauge	38	105304X	Cap, Sleeve
9	127744	Assembly, Mower Idler Arm	39	19111016	Washer 11/32 x 5/8 x 16 Gauge
10	72140610	Bolt, Carriage 3/8-16 x 1-1/4	40	110452X	Nut, Push
11	130841	Rod, Brake	41	131264	V-Belt Washer 11/32 x 5/8 x 16 Gauge
12 13	127356	Bracket, Rear Lift, R.H.	42 43	19171616 3146R	Clip, Hairpin
14	72140506 73680500	Bolt, Carriage 5/16-18 UNC x 5/8 Nut, Crownlock 5/16-18	43 44	140608	Keeper, L.H.
15	127357	Bracket, Rear Lift, L.H.	45	110485X	Bearing
16	153298	Keeper, R.H.	46	128774	Housing, Mandrel, Vented
17	128508	Stabilizer, Mower Link	47	129895	Bearing
18	128511	Pin, Drive	48	137645	Shaft, Mandrel (Includes Key
19	127380	Bracket, Stabilizer Link		.0.0.0	Number 47)
20	138496	Blade, Mwr 36 High Lift	49	133943	Washer, Hardened
21	140296	Washer, Hard Blade Mower Vented	62	153390	Washer Felt
	10030600	Washer, Lock, Heavy 3/8	·	130794	Mandrel Assembly (Includes Key
	850857	Bolt 3/8-24 x 1-1/4 Grade 8			Numbers 21-23, 26, 29 and 45-48)
	140329	Stripper		156866	Deck, Serv 36 HP
	138776	Screw, Thdrol. Hex Hd.			er en
	156600	Housing, Mower	· ·	_	ing the second of the second of the second
	153531	Pulley, Mandrel	NOT		nent dimensions given in U.S. inches
29	137266	Nut, Flangelock 9/16		1 inch = 25	o.4 mm.

TRACTOR - - MODEL NUMBER AY1236C

PEERLESS TRANSAXLE - MODEL NUMBER 930-009A




TRACTOR - - MODEL NUMBER AY1236C

PEERLESS TRANSAXLE - MODEL NUMBER 930-009A

	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
1	772108A	Cover, Transaxle	42A	792085A	Screw 1/4-20 x 2-1/4
2	780086	Bearing, Needle	43	792075	Locknut 5/16-24
3	770102A	Case, Transaxle	44	790025	Holder, Brake Pad
4	776260_	Shaft, Counter	45	786066	Spacer
5	776219B	Shaft and Pinion Assembly, Output	46	786086	Bracket, Brake Lever
6	778139	Gear, Output	47	774690	Axle 11-5/16" long
7	778136	Gear, Spur, 15 Teeth	48	774691	Axle 16-1/2" long
8	792136A	Key, Shift	49 50	778191 778124A	Gear, Spur, 37 Teeth (1∗) Gear, Spur, 30 Teeth (2∞)
8A 9	792047 784352	Key, Woodruff Collar, Shifter	51	778123A	Gear, Spur, 25 Teeth (3 ⁻)
10	784355 784355	Rod and Fork Assembly, Shift	52	778123A 778122A	Gear, Spur, 22 Teeth (4°)
11	778229	Gear, Bevel, 42 Teeth		778273	Gear, Spur, 19 Teeth, Steel (5*)
12	778113A	Bevel Pinion, Input	56	778230	Gear, Spur, 12 Teeth (1.)
13	778221	Gear, Bevel	57	778126A	Gear, Spur, 20 Teeth (214)
14	778068	Gear, Bevel Pinion	58	778127A	Gear, Spur, 25 Teeth (3∞)
15	778260	Gear, Ring	59	778128A	Gear, Spur, 28 Teeth (4.)
17	786139	Pin, Drive	60	778163	Gear, Spur, 31 Teeth (5-)
18	786102	Spacer, Neutral		786071	Spacer
20	792077	Ball, Steel 5/16" diameter		786072	Spacer
21	792078	Set Screw 3/8-16 x 3/8		780109	Washer, Thrust
22	792079	Spring		776135 776315A	Shaft, Input
23 25	788061 792073	Ring, Seal Screw, Flanged Hex Head, Thread		786116A	Shaft, Brake, 4 Keyed Plug
20	192013	Forming 1/4-20 x 1-1/4		780051	Washer, Thrust
26	792125	Ring, Retainer		786118	Spacer
	7.02.120	(4 Required, Package of 2)		788069	Seal, Square Cut
27	792035	Ring, Retainer		792165	Plug, Threaded 9/16-18
28	788040	Ring, Retainer		788091	"O" Ring
29	780072	Washer, Thrust		780090	Washer, Thrust
30	780108	Washer, Thrust	77	788078A	Ring, Retaining, Inverted
31	780001	Washer	70	7004.44	(Package of 2)
32	792001	"O" Ring		792144	Spring, Brake
33 34	788095 7801054	Seal, Square Cut	81	786081	Chain, Roller (Number 41 Chain, 24 Links)
35	780105A 780118A	Bushing, Flanged Bushing, Flanged	82	786082	Sprocket, 9 Teeth (Reverse)
	790003	Disk, Brake		786123	Sprocket, 18 Teeth (Reverse)
37	790007	Plate, Brake Pad		788067B	Grease, Bentonite, 32 Ounce Bottle
	799021	Pad, Brake		510334	Gasket Eliminator (Loctite #515)
	786026	Pin, Dowel		794528A	Replacement Transaxle
	792076A	Washer, Flat			
41	790079	Lever, Brake	NOTE		ent dimensions given in U.S. inches
42	792073	Screw, Flanged Hex Head, Thread		1 inch = 25 .	4 mm
		Forming 1/4-20 x 1-1/4	D'		ad from Tax, mach Braditate Co
	1		rans	must be order	ed from Tecumseh Products Co.

TRACTOR - - MODEL NUMBER AY1236C


DECALS



	KEY NO.	PART NO.	DESCRIPTION
-	1	145545	Decal, Inst. Oper. Sym
	2 3	126860X	Decal, Lightbox
	- 3	153230	Decal, Hood, R.H.
	4	153231	Dcal, Hood L.H.
	5	136830	Decal, V-Belt Sch.
	7	145498	Decal, Read Owner's Manual Sym
	8	145494	Decal, Cutfinger Sym
	8 9	152197	Decal, Fender
	10	141517	Decal, Deck, Mower

KEY NO.	PART NO.	DESCRIPTION
12	145005	Decal, Caution, Battery
13	152198	Decal, Insert, Steering
14	125690X	Decal 100 Dba
15	271967	Decal, Engine
18	145437	Decal, Europe, Stand, CE
	138311	Decal, Handle, Lift
	157065	Manual, Operator's, (Euro)
	158579	Manual, Repair Parts
Avail	able accessorie	es are not included with your tractor:
	C36	Rear Bagger
	MK36	Mulcher Kit

TIRES & WHEELS



KEY NO.		DESCRIPTION
1	59192	Cap, Valve
2	65139	Stem, Valve
2	278H	Fitting, Grease (Front Only)
4	137422	Tire, Front
	132703	Tire, Rear
5	59904	Tube, Tire, Front
	, we	(Optional, Service Item Only)
	8134H	Tube, Tire, Rear
·		(Optional, Service Item Only)
6	137237X427	Rim Assembly, Front
	140325X427	Rim Assembly, Rear
7	104757X	Cap, Axle
8	9040H	Bearing, Flange (Front Only)
9	121748X	Washer, Axle Cap
	144334	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U. S. inches 1 inch = 25.4 mm