

TRACTOR - - MODEL NUMBER AYP7178A99

ELECTRICAL

ELECTRICAL

TRACTOR - - MODEL NUMBER AYP7178A99


2010 - A			11.1		
VEV	in a a	100	•		· * `
KEY	- H P	١H			
NO.	· NC). T	C	•	-
		· · ·			

DESCRIPTION

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AYP7178A99

CHASSIS AND ENCLOSURES





TRACTOR - - MODEL NUMBER AYP7178A99 CHASSIS AND ENCLOSURES

KEY PART NO. NO.	DESCRIPTION
1 165583 2 140356	Chassis Assembly
2 140356 3 17490612	Drawbar
4 19131216	Screw Thdrol. 3/8-16 x 3/4 Ty-Tt
5 155272	Washer 13/32 x 3/4 x 16 Ga.
9 161917X012	Bumper Hood/Dash Dash
10 72140608	Bolt Carriage 3/8-16 x 3/4
11 155927	Panel Asm. Dash Lh Private label
12 145660	Clip Tinnerman Grile P/L
13 155936	Panel Dash Rh Lt Private label
14 17490608	Screw Thdrol. 3/8-16 x 1/2 Ty-Tt
17 159639X418	Hood Pnt Steel Private Label
18 126938X	Bumper Hood
20 156437	Plate Mtg Battery/Fuel Tank
23 124028X 25 19131312	Bushing Snap Nyl. Blk Fuel Line
25 19131312 26 73800600	Washer 13/32 x 13/16 x 12 Ga.
28 157428	Nut Lock Hex w/Insert 3/8-16 UNC
29 146654X599	Grill Private Lable Euro Lens Grille Private label Euro
30 151287X418	Fender/Footrest
31 139976	Bracket Fender Support
37 17490508	Screw Thdrol. 5/16-18 x 1/2 Tyt
38 139886	Bracket Asm. Pvt. Lh Mwr. Rear
39 139887	Bracket Asm, Pvt. Rh Mwr. Bear
51 73800400	Nut Lock Hex W/Ins. 1/4-20
52 19091416	Washer 9/32 x 7/8 x 16 Ga
53 144697 54 161464	Lh Grille Bracket
54 161464 55 144696	Screw Hex 8-18 x 7/8
57 74780412	Bracket, Grill Rh
58 150127	Bolt Fin Hex 1/4-20 x .75 Air Duct Private Label
60 72140606	Bolt, Rdhd Sgnk 3/8-16 UNC x 3/4
64 154798	Dash Lower STLT
74 73680600	Nut Crownlock 3/8-16 unc
114 158112	Keeper Belt Rear Lh Sti
115 17490620	Screw Thdrol 3/8-16 x 1 1/4
116 19131614	Washer 13/32 x 1 x 14 Ga
140 158418	Bracket Suspension Front
142 165867	Plate Reinforcement STLT
143 154966 144 154207	Bracket Swaybar Chassis
144 154207 145 156524	Bracket Pnt Footrest STLT
5479J	Rod Pivot Chassis/Hood
	Plug Button Blk

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

全国的 加速 中国新闻






TRACTOR - - MODEL NUMBER AYP7178A99

DRIVE

KE NO		DESCRIPTION		KE) NO.		DESCRIPTION
. 1		Transaxle (See Breakdown)		59	140312	Keeper, Belt, Center Span
		Pmst 206-545C		őŤ	17490612	Screw, Thd., Roll. 3/8-16 x 3/4
2	146682	Spring, Return, Brake		62	8883R	Cover, Pedal
3	123666X	Pulley, Transaxle		63	140186	Pulley, Engine
4	12000028	Ring, Retainer		64	71170764	Bolt, Hex Head, Fin.
23456	121520X	Strap, Torque	•			7/16-20 x 4 Grade 5
8	17490512	Screw, Thd., Roll. 5/16-18 x 3/4		65	10040700	Washer
10	165866 76020416	Rod Shifter Fender STLT		66	154778	Keeper, Belt, Engine, Fool-Proc
11	105701X	Pin, Cotter		70	134683	Guide, Mower Drive Belt, R.H.
13	74550412	Washer, Shift Plate			19132012	Washer 13/32 x 1-1/4 x 12 Gal
14	10040400	Bolt 1/4-28 UNF W/Patch Grade 8	1. F	74	137057	Spacer, Axle
18	74780616	Washer Lock Hvy Helical Bolt Fin Hex 3/8-16 UNC x 1. Gr 5		75	121749X	Washer 25/32 x 1-1/4 x 16 Gai
19	73800600	Nut		76	12000001	E-Ring
21	106933X	Knob		77	123583X	Key, Square 2.0 x .1845/.1865
22	130804	Rod, Brake		78	121748X	Washer 25/32 x 1-5/8 x 16 Gai
24	73350600	Nut		79	2228M	Key Woodruff #9 3/16 x 3/4
- 25	106888X	Spring, Brake Rod		80 81 ·	145090	Arm, Shift
26	19131316	Washer		82	165592 165711	Shift asm Cross Tapered Pmst
27	76020412	Pin		83	19171216	Spring, Torsion
28	145204	Rod, Parking Brake		84	166231	Washer 17/32 x 3/4 x 16 Gaug
29	124236X	Cap, Parking Brake, Red		85	150360	Link Transaxle Pmst/Dana 20"
30	130807	Bracket, Transaxle		89	158391X428	Nut, Nylock
31	127275X	Keeper, Belt, L.H.		90	124346X	Console, Shift, STLT
32	74760512	Bolt		96	4497H	Nut, Self-Threading, Washer H Retainer Spring 1"
34	155071	Shaft Assembly, Foot Pedal			19091210	Washer 0/22 x 2/4 x 10 O
35	120183X	Bearing, Nylon		113	127285X	Washer 9/32 x 3/4 x 10 Gauge Strap Torque 90 Degrees
36	19211616	Washer		116	72110610	Bolt Rdhd Sqneck 3/8-16 x 1.2
37	1572H	Roll Pin		145	74490540	Bolt Hex Fig Hd. 5/16-18 x Gr
38	131494	Pulley, Idler, Flat		150	165850	Bushing Bellcrank Grd. D.
39 40	74760644	Bolt		151	19133210	Washer 13/32 x 2 x 10 Ga.
40	4470J 165838	Spacer, Split .395 x .59	- · · ·	156	166002	Washer Srited 5/16 ID x 1.125
42	19131312	Keeper, Beit, Idler Flat	1.11	158	165589	Bracket Shift Mount
47	127783	Washer 13/32 x 13/16 x 12 Gauge		159	165494	Hub Tapered FlangeShift Lt
48	154407	Pulley, Idler, V-Groove, Plastic	•	160	19292016	Washer 29/32 x 1-1/4 x Ga
49	123205X	Bellcrank Clutch Grnd Drv Stl Retainer, Belt		161	72140406	Bolt Rdhd Sank 1/4-20 x 3/4 G
50	74760624	Bolt	1.1.1	162	73680400	Nut Crownlock 1/4-20 Unc
51	73680600	Nut Crown Lock 3/8-16 UNC		163	74780416	Bolt He xFin 1/4-20 Unc x 1 G
52	73680500	Nut Crown Lock 5/16-18 UNC	11.1	164	19091010	Washer 5/8 x .281 x 10 Ga
53	105710X	Link, Clutch	÷ .	165	165623	Bracket Pivot Lever
55	105709X	Spring, Clutch Return		100	166880	Screw 5/16-18 x 5/8
56	74760620	Bolt Fin Hex 3/8-16 x 1-1/4		108	165492	Bolt Shoulder 5/16-18 x .561
57	130801	V-Belt, Ground Drive			105580	Plate Fastening Cross Shf. Stl
58	127274X	Keeper, Beit, R.H.		NUTE	:: All compone	Int dimensions given in U.S. inc
)					1 inch = 25.4	1 mm
			10 - C			

TRACTOR - - MODEL NUMBER AYP7178A99

STEERING ASSEMBLY



TRACTOR - - MODEL NUMBER AYP7178A99

STEERING ASSEMBLY


KE		
NO.	NO.	DESCRIPTION
1	140044	Wheel Steering Ayp/kelch Blk
2	154427	Axle Asm Stmp Dropped Sti
3	156483	Spindle Asm LH
4	157473	Spindle Asm RH
5	6266H	Bearing Race Thrust Harden
6	121748X	Washer 25/32 X 1-5/8 X 16 Ga
. 7 8	19272016	Washer 27/32 X 1-1/4 X 16 Ga
9	12000029	Ring Klip #t5304-75
10	3366R 156438	Bearing Col Strg Blk
11	10040600	Link Drag Extended Stamped
13	154779	Washer Lock Hvy Hici Spr 3/8
15	73901000	Spacer Bearing Axle Front Nut Lock Flange 5/8-11 Unc
17	156546	Shaft Asm Strg
18	57079	Washer Thrust 515x 750x 033
19	160395	Support Shaft
22	165857	Screw Hex Wsh Hd Torx
23	165851	Shaft Asm Pittman
25	154406	Bracket Steering
26	126847X	Bushing Link Drag Blk LR
27	136874	Gear Sector 22 Teeth
28	19131416	Washer 13/32 X 7/8 X 16 Ga
29	17490612	Screw Thdrol 3/8-16x3/4 Tv-tt
30	76020412	Pin Cotter 1/8 X 3/4 Cad
32	130465	Rod Tie Wire Form 19 75 Mech
36	155099	Bushing Steering
37	152927	Screw
38 39	140045	Cap Wheel Steer Ayp
40	19133808 7810H	Washer 13/32 x 2-3/8 x 8 Ga
40	100711L	Nut Lock Center 3/8-24 Unf
42	145054	Adapter Wheel Strg .640/.635
43	121749X	Boot Shaft Steering
44	153720	Washer 25/32 X 1 1/4 X 16 Ga
46	121232X	Shaft Extension Steering Non Adjust. Cap Spindle Fr Top Blk
47	6855M	Fitting Grease
51	73800500	Nut Lock Hex W/Ins. 5/16-18 Unc P
54	74780520	Bolt Fin Hex 5/16-18 Unc P
62	167902	Kit, Steering Assembly
63	74780616	Bolt Fin Hex 3/8-16unc x 1
65	154780	Spacer Axie
66	154404	Bearing Arm Pittman
67	74781044	Bolt Fin Hex 5/8-11 Unc x 2-3/4
68	154429	Brace Axle
79	19132012	Washer 13/32 x 1 1/4 x 12 Ga
80	74950612	Bolt Hex Nylon 3/8-16 x 3/4

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


TRACTOR - - MODEL NUMBER AYP7178A99


 λc

SEAT ASSEMBLY



KEY PART NO. NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 140117 2 140551 3 74760616 4 19131610 5 145006 6 73800600 7 124181X 8 17490616 9 19131614 10 155925 12 121246X 13 121248X	Seat Bracket Pivot Seat 8 720 Bolt Fin Hex 3/8-16 Unc x 1 Washer Flat 13/32 x 1 x 10 Ga Clip Push In Hinged Nut Crownlock 3/8-16 Unc Spring Seat Cprsn 2 250 Bik Zi Screw Thdrol 3/8-16 X 1 Ty-tt Washer 13/32 X 1 X 14 Ga Pan Seat Bracket Mounting Switch Bushing Snap Bik Nyl 50 Id	15 16 17 21 22 23 24 25 26	72050412 134300 121250X 123976X 153236 73800500 74780814 19171912 127018X 10040800 E: All compo 1 inch = 2	Bolt Carriage 1/4-20x1-1/2 Spacer Split 28x 96 Yel Zinc Spring Cprsn 1 27 Blk Pnt Nut Lock 1/4 Lge Flg Gr 5 Zinc Bolt Shoulder 5/16-18 Unc Blkz Nut Lock Hex w/Ins 5/16-18 Unc Bolt Fin Hex 1/2-13 X 7/8 Gr 5 Washer 17/32 X 1-3/16 X 12 Ga Bolt Shoulder 5/16-18 X 62 Washer Lock Hvy Hlcl Spr 1/2






KEY NO.	PART NO.	DESCRIPTION
6 7 8 9 10 11	106732X427 278H 9040H 106108X427 122082X 7152J 104757X	Cap Valve Tire Stem Valve Tire F Ts 15 X 6 0 - 6 Service Tube Front (Service Item Only Rim Asm 6" front White Servic Fitting Grease (Front Wheel O Bearing Flange (Front Wheel O Bearing Flange (Front Wheel C Rim Asm 8" rear White Service Tire R Ts 20 X 10-8 C Service Tube Rear (Service Item Only Cap Axle Blk 1 50 X 1 00 Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inc 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AYP7178A99





TRACTOR - - MODEL NUMBER AYP7178A99

er er ken s


ENGINE

KEY		Ì.	PART
NO.			NO.

DESCRIPTION

1 140310	Control Th/ch RH Blk Pdl 15 10
2 17720410	Screw Hex Thd Cut 1/4-20x5/8 T
3	Engine (See Breakdown) B&S Model No. 311777, Type No. 0144-E1
4 137352	Muffler LT B&S
13 272293	Gasket Eng 1 313 Id Tin Plated
14 13280324	Nipple Pipe 3/8 Npt X 3"
15 13200300	Elbow Std 90 Degree 3/8-18 Npt
16 11050600	Washer Lock Ext Tooth 3/8
23 159880	Shield Brn/Dbr Guard
29 137180	Kit Spark Arrestor (Flat Scrn)
31 161911	Lank Fuel Front 1 25
32 140527	Cap Asm Fuel Top Vent N/Lany
33 123487X	Clamp Hose Blk
35 17490512	Screw Thdol. 5/16-18 x 3/4
37 137040 38	Line Fuel 20"
40 124028X	Plug Oil Drain (Order From Engine Manufacturer)
44 17490412	Dushing Shap NVI Bik Fuel Line
46 19091416	Screw Hexwsh Thdrol 1/4-20x3/4
62 10040500	Washer 9/32 X 7/8 X 16 Ga
72 71070512	Washer Lock Hvy Hlcl Spr 5/16 Screw Hex Hd Cap 5/16-18 x 3/4
78 17490620	Screw Thdrol 3/8-16x1-1/4 TYTT
81 128861	Nut Flange 1/4-20 Starter Nut
	Horrisange HH-20 Oldrier INUL

NOTE: All component dimensions given in U. S. inches 1 inch = 25.4 mm



LIFT


TRACTOR - - MODEL NUMBER AYP7178A99

KEY NO.	PART NO.	DESCRIPTION
$\begin{array}{c} 2\\ 3\\ 4\\ 5\\ 6\\ 7\\ 8\\ 11\\ 12\\ 13\\ 15\\ 16\\ 17\\ 18\\ 19\\ 20\\ 23\\ 24\\ 25\\ 26\\ 7\\ 28\\ 7\\ 28\\ 7\\ 29\\ 11\\ 32\\ 7\\ 28\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 36\\ 11\\ 32\\ 7\\ 11\\ 32\\ 11\\ 11\\ 11\\ 11\\ 12\\ 11\\ 11\\ 12\\ 11\\ 11$	159460 149471 105767X 12000002 19211621 120183X 125631X 12265X 139865 139866 4939M 127218 73350800 139868 163552 10807X 19131016 2876H 76020308 126971X 73350600 38057 50233 40302 3540600 55097 23935X 7490512 9112410 55098 45212 10452X	Wire Asm Inner W/Plunger Shaft Asm Lft RH Pin Groove E-ring Truarc #5133-62 Washer Pltd 21/32 X 1 X 21 Ga Bearing Nylon Grip Handle Fluted Button Plunger Red Link Lift LH Link Lift RH Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Lock W/wsh 1/2-13unc Arm Suspension Rear Retainer Spring Nut Special Washer 13/32 X 5/8 X 16 Ga Spring 2-1/8" Pin Cotter 3/32 X 1/2 Rod Adj Lift Zinc 7.49 Wrk Lg Nut Hex Jam 3/8-16 Unc Knob Inf 3/8-16 Unc Blk W/sym Trunnion Dp Stop Dbi Thds PLT Bearing Pvt. Lift Spherical Nut Crownlock 3/8-24 Pointer Height Indicator Plug Hole Blk 1.485 / 1.515 Dia. Screw Thdrol 5/16-18 x 3/4 Washer 11/32 x 1-1/2 x 10 Ga. Indicator Height STLT Nut Hex Flange Lock Nut Push Phos & Oil
 • •		

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AYP7178A99

MOWER DECK



e agéra.

TRACTOR - - MODEL NUMBER AYP7178A99


an dan ing mangangang sa s

MOWER DECK

KE		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	164961	Mower Housing	68 144200	V-Belt Mower
22	72140506	Bolt Rdhd Sqnk 5/16-18unc X 3/4	71 142427	Rod Clutch Primary 38/42
34	138017	Bracket Asm Fr Sway Bar 38/42	72 131870	Spring Return
5	138440 4939M	Bracket Asm Deck 42" sway Bar Botalper Spring	73 127847	Arm Clutch Secondary
ă	130832		<u>74</u> 121748X	Washer 25/32 X 1-5/8 X 16 Ga
6	850857	Arm Suspension Rear Bolt 3/8-24 X 1 1/4	75 12000029	Ring Klip #t5304-75
ģ	10030600	Washer Lock Hvy 3/8	76 128903 77 127845	Bolt Shoulder 3/8-16 Unc 1 44
10	140296	Washer Hard Blade Mower Vented	77 127845 78 160570	Keeper Spring 4 000
11	134149	Blade Mulching 42"	79 127498	Lever Asm Clutch Primary P/L
12	129895	Bearing Ball	80 153701	Bushing 747 Od X 794 Lg Bras: Spring Clutch Mower 2 750 Zinc
13	137645	Shaft Asm W/lower Bearing	81 73350600	Nut Hex Jam 3/8-16 Unc
14 15	128774	Housing Mandrel Vented	82 142028	Trunnion Adj
16	110485X 140329	Bearing Ball Mandrel	83 120958X	Washer Sintered
17	72110610	Stripper Mower Vented	84 156084	Keeper Belt Idler
18	72140505	Bolt Rdhd Sqnk 3/8-16 X 1-1/4 Bolt Rdhd Sqnk 5/16-18 X 5/8	85 72140620	Bolt Carriage 3/8-16 x 2-1/2
19	132827	Bolt Shoulder	90 74760616	Bolt Fin Hex 3/8-16 x 1
20	159770	Reffle Vortex 42	91 132274 93 19171416	Bracket Asm. Nose Roller Lh
21	73680500	Nut Crownlock 5/16-18 UNC	94 132264	Washer 17/32 x 7/8 x 16 Ga
22	134753		95 132273	Roller Nose 38/42
23	131267	Bracket Deflector Mower 42"	92 73800600	Bracket Asm Noseroller Rh Nut Lock Hex w/Ins 3/8-16 Unc
24 25	105304X 123713X	Cap Sleeve 80x 112 Blk Mower	101 136420	Cover Mulching 42" Black
25	110452X	Spring Torsion Deflector 2.52	102 71161010	Screw
27	130968		103 19061216	Washer #10
27 28	19111016	Shield Deflector Mower 42" Blk Washer 11/32 X 5/8 X 16 Ga	104 10071000	Washer Lock #10
29	131491	Rod Hinge 42" 6 75 Wig	105 160793 106 2029J	Latch Asm Bagger
30	157722	Screw Thdrol Washer Head	111 155197	Nut Weld
31	129963	Washer Spacer Mower Vented	112 155198	Bracket Gauge Wheel LH 42" c
32 33	153535	Pulley Mandrel 42	113 17490512	Bracket Gauge Wheel RH 42" (Screw Thdrol 5/16-18 X 3/4 Tyt
34	137266 72110614	Nut 9/16 Top Lock Fing	114 73510500	Nut Keps 5/16-18 Unc
35	133835	Bolt Rdhd 3/8-16uncx1-3/4 Gr5 Fastner Christmas Tree	115 72110504	Bolt Carr 5/16-unc X 1/2
36	131494	Pulley Idler Flat 3 060	116 137644	Bolt Shoulder
37	19131316	Washer 13/32 x 13/16 x 16 Ga	117 133957	Wheel Gage
40	73680600	Nut Crownlock 3/8-16 UNC	118 73930600	Nut Crownlock 3/8-16 Unc
41	133551	Rod Pivot W/nibs	119 19121414 121 143723	Washer 12/32 x 14/16 x 12 Ga
43	140083	Rod Clutch Secondary W/nibs	128 153390	Bracket Extruded Gauge Whee Washer, Felt
44	140088	Guard Mandrel LH Black	129 19131312	Washer 13/32 x 13/16 x 12 Ga
45 46	4497H	Spring Retainer 1 Zinc/cad	130 74780616	Bolt Fin Hex 3/8-16 UNC x 1 C
48	137729 133944	Screw Hex Thd Cut	131 72140608	Bolt, RdHd Sqnk 3/8-16 UNC
49	155066	Washer Hardened Smaller	132 19132203	Washer 13/32 x 1-3/8 x 3 Ga
50	131340	Roller Asm Cam Follower 42" dec Bolt Shidr 10-24 Zinc Gr 5 42"	141 6266H	Washer Thrust 75 x 1 230
51	69180	Nut Lock #10-24 Unc	130794	Mandrel Asm Service (Include
52	139888	Bolt Shoulder 5/16-18 Unc Blkz	164963	Nos. 8-10, 12-15, 31 and 33)
	131845	Arm Asm Pad Brake	104303	Mower Deck Complete (Std. D
	133943	Washer Hardened	승규 방송 것이 공격을 관계로 가를	Order seperately Mulcher Plate
	155046	Arm Idler 42" mower LT/YT		Gauge Wheel components and mulch components, Key Nos.
1	122052X 140086	Spacer Retainer Pm Mower		106 and 111-121.)
	141043	Spring Torsion Brakes 42" Guard TUV Idler		na ang pang na mang na ang pang na ang pang na ang pang na ang pang p
	162132	Knob Rd	NOTE, AN	
į			1 inch = 25	ent dimensions given in U.S. inc
1			C≥ → 11911 +	

STRIPP PRATE

TRACTOR - - MODEL NUMBER AYP7178A99 PEERLESS TRANSAXLE - MODEL NUMBER 206-545C




TRACTOR - - MODEL NUMBER AYP7178A99 PEERLESS TRANSAXLE - MODEL NUMBER 206-545C


	· · · ·	그는 것이 아이는 것은 것을 몰랐다. 가는 것이		
	Y PART		KEY PART	는 가지도 관심하는 것은 가지도 않는 것이 있는 것이 있다. 이 가지도 않는 것은 것이 있는 것이 있는 것이 있는 것이 있는 것이 있다.
NU). NO.	DESCRIPTION	NO. NO.	DESCRIPTION
1	772147	Transaxle Cover	41A 790079	Brake Lever
2 3	780086A	Needle Bearing 5/8"	42 792073A	Screw 1/4 - 20 x 1-1 /4"
3	770128	Transaxle Case	42A 792085A	Screw 1/4 - 20 x 2 1/4"
4 5	776395	Countersnatt	43 792075	Locknut 5 / 16 - 24
о 6	776409 778364	Output Shaft Spur Gear (38 teeth)	44 790025	Brake Pad Holder
6Å	778369	Spur Gear (38 teeth)	45 786066	Spacer .2625 x 1.0
7	778330	Spur Gear (15 teeth)	46 786086	Brake Lever Bracket
8	792180	Spur Gear (11 teeth) Shift Key	47 774690	Axle (11-15 / 16" Long)
ŘÅ.	792047	Woodruff Key #9	48 774691	Axle (16 - 1 / 2" long)
9	784352	Shift Collar	49 778356	Spur Gear (29 teeth)
10	784378	Shift Rod & Fork	50 778338	Spur Gear (27 teeth)
11	778334	Bevel Gear (30 teeth)	51 778354	Spur Gear (23 teeth)
12	778309	Input Bevel Pinion (13 teeth)	52 778352	Spur Gear (19 teeth)
13	778368	Bevel Gear (13 teeth) (Include, 14)	53 778350 54 778346	Spur Gear (16 teeth)
14	778368	Bevel Pinion (13 teeth) (Include, 13)	54 778346 56 778355	Spur Gear (15 teeth)
15	778370	Ring Gear (43 teeth)	57 778337	Spur Gear (11 teeth)
17	786188	Drive Pin	58 778353	Spur Gear (13 teeth)
18	786102	Spacer 1.130 X .695	59 778351	Spur Gear (17 teeth)
20	792077A	1 Ball 5/16" dia	60 778349	Spur Gear (21 teeth)
21	792078	Set Screw 3/8 - 16 x 3/8"	61 778345	Spur Gear (24 teeth) Spur Gear (25 teeth)
22	792079	Spring .310 OD x .625 L	65 780189	Flat Washer .563 ID x .062W
25	792073A	Screw 1/4 - 20 x 1-1/4"	66 776422	Input Shaft
25A 26	792177	Screw 1/4-20 x 1-3/8"	67 776396	Shifter & Brake Shaft
27	792125 792035	Retaining Ring (pkg of 2)	69 792170	Retaining Ring
28	788040	Retaining Ring	70 786187	Spacer .890
29	780072	Retaining Ring	71 788069	Square Cut Ring
	780160	Thrust Washer .627 ID x .031W	71B 788092	"O" Rina
29B	780051	Thrust Washer .762 ID x .031W Thrust Washer .762 ID x .031W	76 780090	Flat Washer 1,128 ID x 058W
29Č	780199	Anti-Rotation Washer .632	77 788078A	Inverted Retaining Ring
30	780108	Cup Washer 1.127 ID x .032W	79 792144	Spring 430 OD x 5000 1
31	780001	Flat Washer 750 ID x 056W (Use	82 778333	Bevel & Spur Gear (30 & 13 te
		As Needed)	83 778338	Spur Gear (27 teeth)
31A	780195	Flat Washer .750 ID x .062W	85 792154	Oll Fill Plug
32	788083	Oil Seal 5/8"	87 788089A 150 788093A	Oil Seal 9 / 16"
34	780194	Bushina 563		Liquid Gasket RTV Silicone
35	780193	Flanged Bushing 57.8" In	157 788088A 180 730229A	Oil Seal 3 /4"
35A	780197	Flanged Bushing 751	900 794712	Gear Oil 80W90
36	790075	Brake Disk	000 /04/12	Replacement MST - 206-545C
37	790007	Brake Pad Plate	•	HallSaxle
38	799021	Brake Pad (pkg of 2)		a de la companya de Esta de la companya d
39	786026	Dowel Pin	NOTE: All	
40	792076A	Flat Washer .312 ID x .059W		nent dimensions given in U.S.
		ele estructure parties province and	mcnes 1 i	hch = 25.4 mm

會計劃計 建固定的

TRACTOR - - MODEL NUMBER AYP7178A99 BRIGGS & STRATTON ENGINE - MODEL NUMBER 311777, TYPE NUMBER 0144-E1




TRACTOR - - MODEL NUMBER AYP7178A99 BRIGGS & STRATTON ENGINE - MODEL NUMBER 311777, TYPE NUMBER 0144-E1



TRACTOR - - MODEL NUMBER AYP7178A99

BRIGGS & STRATTON ENGINE - MODEL NUMBER 311777, TYPE NUMBER 0144-E1



TRACTOR - - MODEL NUMBER AYP7178A99

BRIGGS & STRATTON ENGINE - MODEL NUMBER 311777, TYPE NUMBER 0144-E1

KI	EY PART D. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
	1 690156	Cylinder Assembly	105 231855	
	2 399265	Bushing/Seal Kit (Magneto Side)		Float Needle Valve
. }	3 391086	Sea⊨ (Magneto Side) issues a association	106 231854 108 224540	Seat-Inlet
	4 693582	Sump-Engine		Valve-Choke (Choke-A-Matic)
	690188	Cylinder Head	117 232118 117 232119	🖤 Jet, Main (Standard)
	692410	$\star \Delta$ Cylinder Head Gasket	121 690191	Jet, Main (High Altitude)
l l		Breather Assembly	125 690194	Carburetor Overhaul Kit
iČ		* Gasket-Breather	127	
11		Screw (Breather Assembly)	130 224539	Plug-Welch (Sold in Kit Only) Valve-Throttle
12		Breather Tube	131 494379	Throttle Shaft Kit
12	271997	* Crankcase Gasket (.015" Thick, Std.) -	133 494381	Float-Carburetor
12	271006	★ Crankcase Gasket (.005" Thick) ★ Crankcase Gasket (.009" Thick)	137 281165	Gasket-Float Bowl
13	690360	Screw (Cylinder Head, 3-9/16")	141A 495931	Choke Shaft Kit (Choke-A-Matic)
- 15	94239	Plug-Oil Drain	142 232117	WNOZZIE-Carburetor
15/		Plug-Oil Pressure Switch	146 94196	Key-Timing
16		Gränkshaft	167 281051	Nut (Air Cleaner)
20		★ Oil Seal (PTO Side)	176 281106 177 270920	* O-Ring Seal (Air Cleaner Base)
22	692125	Screw (Crankcase Cover)	177 270920 186 493496	* Seal-O-Hing (Dipslick)
23 24	693556	je s Flywheel states and filles at the second	187 492790	Connector-Hose
24 26	222698 692271	Flywheel Key	188 94929	Line-Fuel (Cut to Required Length
25 25	692272	Piston Assembly (Std.)	192 492160	Screw (Control Bracket)
25	692273	Piston Assembly (.010 "O.S.)	202 262767	Rocker Arm Adjuster Link-Mechanical Governor
25	692274	Piston Assembly (.020" O.S.) Piston Assembly (.030" O.S.)	209 260695	Spring, Governor
26	690162	Bing Set, Piston (Std.)	216 262766	Link-Choke
26	690164	Ring Set (.010 "O.S.)	222 694042	Bracket-Control
26	690166	Ring Set (.020 "O.S.)	227 493935	Governor Control Lever
26	690168	Ring Set (.030 "O.S.)	232 262785	Spring-Link
27	263129	Piston Pin Lock	238 262836 240 394358	Cap-Valve
28 28	498319	Piston Pin (Std.)	265 221535	Filter-Fuel
29	498320 692419	Piston Pin (.005" O.S.)	267 94906	Clamp-Casing
29	499940	Connecting Rod (Std.)		Screw (Casing Clamp) Sealing Washer
32	692852	Connecting Rod (.020 U.S.) Screw (Connecting Rod)	287 94903	Screw (Dipstick Tube)
33	495856	Exhaust Valve	294 810104	Adjuster-Rocker Arm
34	495857	Intake Valve	304 225017	Housing-Blower (Black Inner)
35		Valve Spring (Intake)	305 690960	Screw (Inner Blower Housing)
36	691279	Valve Spring (Exhaust)	306 690499	Snield, Cylinder
37	224502	Guard-Flywheel	307 94930 309 693551	Screw (Cylinder Shield)
40 43	224641 490815	Valve Retainer	309 693551	Motor-Starter(For Steel Ring Gear
45	262411	Governor-Oil Slinger	310 94003	Only) Screw (Starter Motor)
46	693450	Valve Tappet Camshaft	311 497608	Brush Set
48	692707	Shoriblock	318 602127	(1) Constraints of the second state of the
50	690193	Intake Manifold		ered (mounting bidoket)
51	693138 🖌 🖈	Δ Intake Gasket	RPM Settings:	Low Speed: 1900-2100
51A	273650	Intake Gasket		High Speed: 3000-3200
53	690227	Stud (Carburetor)	اليكني. محمد الأكر مالية المحمد المحمد المحمد الم	化氨基苯基苯基苯基苯基苯基苯基 化分子 医鼻子关系 化苯乙基
54	691148	Screw (Intake Manifold)	 Included in Gr Included in Gr 	asket Set, Ref Number 358.
73 74	494439 94821	Screen-Rotating		IDURIOF KIT Hat Number 101
75	225136	Screw (Rotating Screen)	△ Included in Ca	rburetor Gasket Set, Ref Number 97
78	94896	Washer (Flywheel) Screw (Flywheel Guard)		alue Overhaul Kit, Ref Number 1033.
93	690602	Bushing-Throttle Short	NOTE: All compone	nt dimensions given in U.S. inches
94	498030	SI KII-IQIE Mixture	1 inch = 25.4	mm
95	94098	Screw (Throttle Valve)		
98	495800	Kit-Idle Speed	· · ·	
104	231789	Pin-Float Hinge		
	· · · ·			


TRACTOR - - MODEL NUMBER AYP7178A99 BRIGGS & STRATTON ENGINE - MODEL NUMBER 311777, TYPE NUMBER 0144-E1

KEY NO.	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
333	495859	Armature, Magneto		92278	Nut (Starter Cable)
	94731	Screw (Magneto Armature)	797A	693167	Washer (Starter Cable)
337	491055		801	497626	Cap-Drive
358 :	690189	Spark Plug Gasket Set Flywheel Puller Wrench-Spark Plug Washer (Governor Crank) Screw (Air Cleaner Base)	802	497607	Cap-End
363	19203	Flywneel Puller	813	693757 690635	Housing Starter
383	89838	Wrench-Spark Plug	830	691095	Stud (Rocker Arm)
404	94927	Washer (Governor Cranky Corow (Air Cleaner Base)	847		Dipstick/Tube Assembly
423	692129	Filter, A/C Element	851		Terminal-Cable
445	496894 493903		868	690968 *4	2 Seal- Valve
407	392595	Alternator Alternator Bracket-Mounting (Front) Bracket-Mounting (Rear) Bracket-Mounting Regulator	871	690969	Bushing-Guide
493	690493	Bracket-Mounting (Front)		693686	Base, Air Cleaner
493A	690494	Bracket-Mounting (Rear)		94863	Screw (Rocker Cover)
493B	691177	Bracket-Mounting	921		Housing, Blower (Red Outer)
501	491546	Regulator	934		Screw (Fan Retainer) O Ring Seal (Oil Pump Cover)
503	806000		943		Solenoid-Fuel
505	231978	Nut (Governor Control Lever) Drive, Starter (Use With Steel Ring	947 965	497672 499613	Oil Pump Cover
510	693699	Drive, Staner (Use with Steer hing	965 967		Filter-Pre Cleaner
		Gear Only)	907	692502	Cover, Air Cleaner
513	398003	Clutch-Drive		94863	Screw (Outer Blower Housing)
523	495230	Dipstick ★ Dipstick Tube Seal Dipstick Tube	969/	A 690365	Screw (Outer Blower Housing)
524	281370	Dipstick Tube		495933	Bowl-Float
525	691398 690326	Screw (Regulator)	977	690192	Gasket Set-Carburetor
544	497603	Armature-Starter	987	281166	Seal-Throttle Shaft
552				5 281400	Fan-Flywheel
562	94907	Bolt (Governer Control Lever)	100	6 690452	Retainer-Fan
601		Bushing-Gov. Lever Bolt (Governer Control Lever) Clamp-Hose	101	7 690770	Oil Pump Screen
614	93306	Pin-Cotter Basis in the second state of the se	101	9 690180	Label Kit ∆ Gasket-Rocker Cover
616	495157	Crank-Governor	102	2 272475 * 3 692492	Cover-Rocker
634	690802	Governor Spring&Seal Assembly: (Choke-A- Matic)	102	4 499054	Pump-Oil
		Matic)	102	6 494432	Pod-Push (Intake)
635	280872	Boot-Sparkplug Nut (Carburetor)	102	6 494432 6A495136 7 492932	Rod-Push (Exhaust)
654	94010	Nut (Calburelor)	102	7 492932	Filter Oil
667.	94010 805402	Spacer	102	9 224554	Rocker Arm
000 601	491323	* Governor Shaft Seal	103	3 690190	Valve Overhaul Kit
602	262715	Spring-Detent	103	4 690822	Guide-Push Rod
	94951	Screw (Starter Motor)	103	6 692468	Label Kit-Emission
718	230192	Pin-Locating	104	4 94673	Screw (Flywheel)
		Cover, Starter Drive	105	1 263080	Ring-Retainer Retainer-Brush
729		Clip, Wire	109	0 49/000	Cap-Limiter
732		Screw (Starter Drive Cover)	108	0 03621	Screw (Alternator)
733		Screw (Cranksnalt Extension)	111	9 93021 - 311777-0036-	F1 Benlacement Engine
741	262932	Nut (Carburetor) Nut (Air Cleaner Brace) Spacer Governor Shaft Seal Spring-Detent Screw (Starter Motor) Pin-Locating Cover, Starter Drive Clip, Wire Screw (Starter Drive Cover) Screw (Crankshaft Extension) Gear-Timing Screw (Oil Pump Cover) Link-Counterweight			E1 Replacement Engine
	691033	Link-Counterweight		RPM Settings	Low Speed: 1900-2100
757	213998	Counterweight	· .	an an an an ar ann an	High Speed: 3000-3200
	499994 230787	Pin Counterweight	· . ·		
759	691096	Screw (Counterweight)	: j *	Included in Ga	asket Set, Ref Number 358.
783		Gear-Pinion (For Steel Ring Gear Unly)	đ	Included in Ca	arburetor Kit, Ref Number 121.
789	497708	Harness, Wiring		Included in Ca	arburetor Gasket Set, Ref Number 977.
109		- 网络卡姆特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特特	Δ	Included in Va	alue Overhaul Kit, Ref Number 1033.
		· 사람은 이 사람이 있는 것은 것을 알려요. 동안은 가슴을 가 나라 중 사람이 있는 것을 가 가지 않는 것을 수 있는 것을 가 있다. 것은 것을 가 있는 것을 가 있는 것을 가 있는 것을 가 있다. 같은 것은 것은 것은 것은 것은 것은 것을 알려요. 것은 것은 것은 것은 것은 것을 것을 수 있는 것을 것을 수 있는 것을 것을 수 있는 것을 것을 수 있다. 것은 것은 것은 것을 가 있는 것을 가 있	· ·		

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

52

고 문을 다.



HOW AND WHERE TO ORDER PARTS

You can identify your product correctly by looking at its model number label which is located under the seat. 1. A. Name the product that needs a part, for example: tractor.

B. State the product's model number and factory number. These numbers appear on a label on the product.
 List the description and part number of the part you want. This manual shows drawings, descriptions, and part numbers.

3. You may order from a participating Western Auto store. If you cannot do that, please order direct from:

Telephone: 1-800-633-8434

Western Auto National Parts Center 2107 Grand Avenue Kansas City, MO 64108

166760 Rev. 1 2,15,99 RD/TR PRINTED IN U.S.A.