RUN

START


B + L

B + L + S

NONE


NONE

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 **SCHEMATIC**



NOTE: IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE REPLACED TO PROPERLY SECURE YOUR WIRING.

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ELECTRICAL




TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ELECTRICAL

KE NO		DESCRIPTION
40 41 42 43 44 45	532147430 532004152 532124780 532146147 532108824 532124773 532121305 532140301 532124211 532141226 532122147 532156442 871110408 532131563	Battery 12 VOLT 25 AMP Bolt Hex Hd 1/4-20unc X 3/4 Washer 9/32 X 5/8 X 16 Ga Washer Lock Hvy Helical 1/4 Nut Fin Hex 1/4-20 Unc Case Battery Switch Interlock Push-In Washer Lock 1/4 Nut Jam Hex 1/4-20 Unc Harness Asm Light W/4152J Bulb Light #1156 Cable Battery 6 Ga 11"red Cable Battery 6 Ga W/16 Ga Wire 44" Fuse 30 AMP Auto Green Cable Ground 6 Ga 12"black Switch Plunger Nc Gray Switch Ignition 4 Pos Nut Ignition Cover Sw Key Blk 1 25 Text SLT Key Ign Molded Generic Harness Ign. Bolt Hex Hd. Fin 1/4-20 x 1/2 Gr. 5 Cover Terminal Red Solenoid Nut Keps Hex 1/4-20 Unc Rectangular 6amp Ammeter Protection Wire Loop Harness Engine
		113111

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ENCLOSURES




TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ENCLOSURES

KE NO		DESCRIPTION
1 2 3 4 5 6 8 9 10 112 13 14 15 16 17 18 23	532160393 532140356 817490612 819131216 532155272 532155923 532155138 532164494 872140608 532155927 532145660 532155936 817490608 874180512 873510500 532150760 532156437	Chassis Wldmt. Drawbar Stretch 94 Screw Thdrol. 3/8-16 x 3/4 Ty-Tt Washer 13/32 x 3/4 x 16 Ga. bumper Hood/Dash Saddle Lt Shift Fender Clip Retainer Slide-On Dash Bolt RdHd Sqnk. 3/8-16 x 1 Panel Asm. Dash Lh Clip Tinnerman Grille P/L Panel Dash Rh Screw Thdrol. 3/8-16 x 1/2 Ty-Tt Screw Mech Trhd. 5/16 Nut Keps Mach 1 Hood Pnt W/Side Louvers Bumper Hood Plate Mtg Battery/Fuel Tank
24 25 26 28 29	532124028 874780616 819131312 873800600 532150671 532145199	Bushing Snap Nyl. Blk Fuel Line Bolt Fin Hex 3/8-16 Unc x 1 Gr. 5 Washer 13/32 x 13/16 x 12 Ga. Nut Lock Hex w/Ins 3/8-16 Unc Grill w/Clips Lens Grille
30 31 33 34 35	532163558 532136619 532149139 532149140 872110606	Fender Pnt Ms-505 Bracket Fender Footrest Pnt. Lh Footrest Pnt. Rh Bolt RdHd Sht. Sqnk. 3/8-16 x 3/4
37 38 39 51 52 53	817490508 532139886 532139887 873800400 819091416 532145201	Screw Thdrol 5/16-18 x 1/2 Bracket Asm. Pvt. Lh Mwr. Rear Bracket Asm. Pvt. Rh Mwr. Rear Nut Lock Hex W/lns. 1/4-20 Washer 9/32 x 7/8 x 16 Ga.
53 54 55 57 140 145	532145201 532161464 532145202 874780412 532158418 532156524 532005479	Bracket Grille Pickoff LH Screw Hex Wshd 8-18 x 7/8 Bracket Grille Pickoff RH Bolt Fin Hex 1/4-20 x 3/4 Bracket, Suspension Front Rod Pivot Chassis/Hood Plug Button Blk .359 Dia. Choke

NOTE: All component dimensions given in U. S. inches 1 inch = 25.4 mm


TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 DRIVE



TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 DRIVE

KE NC		DESCRIPTION	KEY NO.		DESCRIPTION
1	532140607	Transaxle Assembly	69	532142432	Screw
2		Spring, Return, Brake	70	532134683	Guide Belt Mower Drive RH
3		Pulley, Transaxle	71	532141417	Strap Torque Lh Hydro
8		Rod Shift Fender LT	72	819132012	Washer 13/32 X 1-1/4 X 12 Ga.
10		Pin Cotter 1/8 x 1 CAD		532141418	
16	873800500	Nut Lock Hex W/Ins. 5/16-18	73 74	532121199	Strap Torque Rh Hydro Spacer, Split
10	07000000	Unc P	75 75	532121749	
18	874780616	Bolt Fin Hex 3/8-16 Unc x 1	73	332121749	Washer 25/32 x 1-1/4 x 16 Gauge
10	074700010	Gr.5	76	912000001	
19	873800600	Nut Lock Hex W/Wsh 3/8-16	76 77	812000001	E-Ring
19	07300000	Unc	77 70	532123583	Key, Square
21	E22120564		78	532121748	Washer 25/32 x 1-5/8 x 16
22	532130564	Knob Deluxe 1/2-13	0.4	E00404004	Gauge
	532145627	Rod, Brake Hydro	81	532161081	Shaft Asm. Cross Hydro
24	873350600	Locknut		532123782	Spring Torsion T/A
25	532106888	Spring, Brake Rod		819171216	Washer 17/32 x 3/4 x 16 Ga.
26	819131316	Washer	84	532141423	∃od, Tie SPH Ball 500 Hydro
27	876020412	Pin Cotter 1/8 x 3/4	86	532157480	Bushing
28	532145204	Rod, Parking Brake		819212016	Washer 21/32 x 1-1/4 x 16 Ga.
29	532071673	Cap, Parking Brake		812000008	Ring Klip #5304-62
30	532130807	Bracket, Transaxle	89	532151147	Console, Shift
32	874760512	Bolt Hex Hd 5/16-18 Unc x 3/4		532142564	Line Fuel Hydro 4"
34	532155071	Shaft, Foot Pedal		532140462	Fan, Hydro 7"
35	532120183	Bearing, Nylon		532144643	Control Asm. Bypass Hydro
36	819211616	Washer		532124788	Retainer Spring 1" Zinc/Cad
37	532124963	Pin, Roll	97	532144201	Keeper Belt Rh Hydro
38	532123674	Pulley, Idler, Flat	98	873510600	Nut Keps Hex 3/8-16 Unc
39	874760644	Bolt	100	819111216	Washer 11/32 x 3/4 x 16 Ga.
40	532124965	Spacer Split	103	873940800	Nut Hex Jam Toplock 1/2-20 Unf
41	532154777	Keeper, Belt Idler		532141421	Arm, Control Hydro
42	819131312	Washer 13/32 x 13/16 x 12		871070516	Screw Cap Hex 5/16 x 18 x 1
		Gauge	106	874780520	Bolt Fin Hex 5/16-18 Unc x
47	532127783	Pulley, Idler, V-Groove			1-1/4
48	532154407	Bellcrank Clutch Grnd Drv STL	108	817541026	Screw Hex WH>HD
49	532123205	Retainer, Belt	109	532145098	Adapter Fan Hydro
50	874760624	Bolt	116	872110610	Bolt RDHD SQ Neck 3/8-16 X
51	873680600	Nut			1.25
52	873680500	Nut Crown Lock 5/16-18	144	819111016	Washer 11/32 x 5/8 x 16 Ga.
53	532105710	Link, Clutch		874490540	Bolt Hex Flghd 5/16-18 Gr. 5
55	532105709	Spring, Return, Clutch	146	874490524	Bolt Hex Flghd 5/16-18 x 1-1/4
56	874760620	Bolt		874490536	Bolt Hex Flghd 5/16-18 x 2-1/4
57	532161850	V-Belt, Ground Drive	148	532159103	Spacer
59	532140312	Keeper, Center Span		532122052	Spacer Retainer PM Mower
61	817490612	Screw Thdrol. 3/8-16 x 3/4 Ty.		532150935	Bushing Nylon Collered
		TT	151	819133210	Washer 13/32 x 2 x 10 Ga.
62	532124872	Cover, Pedal			= 11 11 211
63	532161399	Pulley, Engine	NOTE	· All componer	it dimonoione given in LLC inches
64	871170764	Bolt Hex 7/16-20 X 4 Gr. 5	1401	1 inch = 25.4	it dimensions given in U.S. inches
65	810040700	Washer		1 111011 = 23.4	111111.
66	532161488	Keeper Belt Engine			

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 STEERING ASSEMBLY




TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 STEERING ASSEMBLY

KE NC		DESCRIPTION
		Wheel Steering Axle Asm Spindle Asm LH Spindle Asm RH Bearing Race Thrust Harden Washer 25/32 X 1-5/8 X 16 Ga Washer 27/32 X 1-1/4 X 16 Ga Ring Klip #t5304-75 Bearing Col Strg Blk Link Drag Washer Lock Hvy Hlcl Spr 3/8 Bearing Nut Lock Flange 5/8-11 Unc Shaft Asm Strg Private Label Washer Thrust 515x 750x 033 Support Shaft Washer Shim 1/4 X 5/8 X 062 Screw Hex Sckt 1/4-20 x 5/8 Shaft Asm Pittman Bracket Steering Bushing Link Drag Blk LR Gear Sector 22 Teeth Washer 13/32 X 7/8 X 16 Ga Screw Thdrol 3/8-16x3/4 Ty-tt Pin Cotter 1/8 X 3/4 Cad Rod Tie Wire Form 19 75 Mech Bushing Strg Screw TT #32.5 x 5 x 3/8 Flange Cap Wheel Steer Washer 13/32 x 2-3/8 x 8 Ga. Nut Lock Center 3/8-24 Unf Adaptor Wheel Strg Boot Shaft Steering Washer 25/32 X 1 1/4 X 16 Ga Shaft Extension Steering Cap Spindle Fr Top Blk Fitting Grease Nut Lock Hex W/Ins 5/16-18 UNC Bolt Fin Hex 3/8-16 UNC x 1-1/4 Steering Assembly Bolt Fin Hex 3/8-16 UNC x 1 Gr. 5 Spacer Axle Bearing Arm Pittman
67 68	874781044 532154429	Bolt Fin Hex 5/8-11 UNC X 2-3/4 Brace Axle


NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 SEAT ASSEMBLY




KEY NO.	i ART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532127440	Seat V560 Blk/blk Std	13	532121248	Bushing Snap Blk Nyl 50 Id
2	532140551	Bracket Pivot Seat 8 720	14	872050412	Bolt Rdhd Sht Nk 1/4-20x1-1/2
3	874760616	Bolt Hex 3/8-16unc x 1	15	532121249	Spacer Split 28x 88 Zinc
4	819131610	Washer 13/32 X 1 X 10 Ga	16	532123740	Spring Cprsn 1 310 Blk Pnt
5	532145006	Clip Push-In Hinged	17	532123976	Nut Lock 1/4 Lge Flg Gr 5 Zinc
6	873800600	Nut Lock Hex w/lns. 3/8-16 Unc	18	532124238	Cap Spring Seat
7	532124181	Spring Seat Cprsn 2 250 Blk Zi	21	532153236	Bolt Shoulder 5/16-18 Unc-2A
8	817490616	Screw Thdrol 3/8-16 X 1 Ty-tt	22	873680500	Nut Crown Lock 5/16-18
9	819131614	Washer 13/32 X 1 X 14 Gá	24	819171912	Washer 17/32 X 1-3/16 X 12 Ga
10	532155925	Pan Seat	25	532127018	Bolt Shoulder 5/16-18 X 62
11 12	532120068 532121246	Knob Seat 1/2-13 UNC Bracket Mounting Switch	NOT	E: All components 1 inch = 25	ent dimensions given in U.S. inches

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 DECALS



		17			
KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532273216	Decal, Engine	16	532159736	Decal, Chassis Hot Muffler
2	532140837	Decal, Brake Parking Sandle	17	532159737	Decal, Brake/Clutch Symbol LT
3	532158036	Decal, Hood, L. H.		532162598	Decal, Drawbar Load Limit
4	532158035	Decal, Hood, R.H.		532142341	Decal, Drawbar CNTRL MVT HYD LT
5	532160396	Decal, V-Belt Sch.		532138311	Decal, Handle Lift Height Adjust.
6	532152262	Decal, Grille Jonsered LT			(Lift Handle)
7	532145494	Decal, Mower Cutfinger Symbol		532157199	Pad, Footrest SQ Generic
8	532141761	Decal, Logo, Fender		532145247	Fastener Pop-In Footrest (8 per)
9	532126187	Decal, 100 DBA		532164074	Manual, Operator's (Euro)
10	532145498	Decal, Read Owners Manual		532164075	Manual, Operator's (Scan)
11	532145005	Decal, Bat Dan/Poi P/L Sym		532164076	Manual, Parts
12	532145437	Decal, Europe Stand. CE Syms			
13	532162927	Decal, Hood insert B&S White	Avail	able accessorie	es not included with tractor:
14	532150652	Decal, Fender Automatic Jonsered		CE42	42" Bagger
15	532152252	Decal, Logo Steering Wheel Cap		MK420	Kit Mulcher W/Blades


WHEELS & TIRES



KEY NO.	PART NO.	DESCRIPTION
110.	110.	DECOMIT HOIS
1	532059192	Cap Valve Tire
2	532065139	Stem Valve
3	532106222	Tire F Ts 15 X 6 0 - 6 Service
4	532059904	Tube Front (Service Item Only)
5	532138336	Rim Asm 6"front Silver Service
6	532124957	Fitting Grease (Front Wheel Only)
7	532124959	Bearing Flange (Front Wheel Only)
8	532138337	Rim Asm 8"rear Silver Service
9	532106268	Tire R Ts 18x9 5-8 C Service
10	532124926	Tube Rear (Service Item Only)
11	532104757	Cap Axle Blk 1 50 X 1 00
	532144334	Sealant, Tire (10 oz. tube)
		,

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ENGINE




TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 ENGINE

KE NO		DESCRIPTION
1	532141359	Control Th/ch LH Blk
2 3	817720410	Screw Hex Thd Cut 1/4-20x5/8 T
3		Engine B&S 14.5 HP,
4	532137352	Model No. 28N707 Muffler LT B&S 14HP Ic/ohv
13		Gasket Eng 1 313 ld Tin Plated
14		Nipple Pipe 3/8 Npt X 3"
	813200300	Elbow Std 90 Degree 3/8-18 Npt
16		Washer Lock Ext Tooth 3/8
23	532159880	Shield Browning/Debris Guard
29		Kit Spark Arrestor
31	532161911	Tank Fuel Front 2 00
32	532140527	Cap Asm Fuel Top Vented N/Lang
33	532123487	Clamp Hose Black
35		Screw Thdrol 5/16-18 x 3/4
37 38	532137040	Line Fuel 20" Front Fuel Tank
30		Plug Oil Drain (Order From Engine Manufacturer)
40	532124028	Bushing Snap Nyl. Blk Fuel Line
44	817490412	Screw Hex Wash Thdrol 1/4-20 x 3/4
46	819091416	Washer 9/32 x 7/8 x 16 Ga.
62	810040500	Washer Lock Hvy Hlcl Spr 5/16
66		Stop Throttle
72		Screw Hexhd Cap 5/16-18x3/4
78	817490620	Screw Thdrol 3/8-16x1-1/4 TYTT
81	532128861	Nut Flange 1/4-20 Starter Nut

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 MOWER LIFT




TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 MOWER LIFT

NO KE		DESCRIPTION
15	532124670 532127218 873350800 532130171 873680800 532139868 532163552 532110807 819131016 532124874 876020308 532126971 873350600 532138057 532150233 873540600 532140302 532155097 532123935 817490512 819112410 532123934	Wire Asm Inner/Sprg W/plunger Shaft Asm Lift Pin Groove E Ring #5133-62 Washer 21/32 X 1 X 21 Ga. Bearing Nylon Blk 629 Id Grip Handle Bicycle Matte Blk Button Plunger Black Link Lift LH Mower Link Lift RH Mower Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Crownlock 1/2-13 UNC Arm Suspension Rear Retainer Spring Nut Special Washer 13/32 x 5/8 x 16 Ga. Spring 2-1/8" Pin Cotter 3/32 x 1/2 Rod Adj Lift Nut Hex Jam 3/8-16 UNC Knob Inf 3/8-16 UNC Trunnion Inf. Height Nut Crownlock 3/8-24 Bearing Put Lift Spherical Pointer Pnt Height Ind Plug Hole Screw Thdrol 5/16-18 x 3/4 Washer 11/32 x 1-1/2 x 10 Ga. Scale Ind Height Blk Nut, Hex Flange Lock Nut Push Phos & Oil

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 MOWER DECK



TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 MOWER DECK

KEY PART NO. NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1 532144393 2 872140506 3 532138017 4 532138440 5 532124670 6 532130832 8 532850857 9 810030600 10 532140296 11 532138498 12 532129895 13 532137645 14 532128774 15 532110485 16 532140329 17 872110610 18 872140505 19 532132827 20 532134753 23 532131267 24 532105304 25 532134753 23 532131267 24 532105304 25 532134753 26 532110452 27 532130968 28 819111016 29 532131491 30 532157722 31 532129963 32 532137266 34 872110614 35 532133948 40 873680600 41 532133551 43 532140083 44 532140088 45 532133729 48 532133944 49 532155066 50 532131340 51 532069180 52 532139888 53 532131845	Housing Asm Mower 42"94 T-Path Bolt Rdhd Sqnk 5/16-18unc X3/4 Bracket Asm Fr Sway Bar 38/42 Bracket Asm Deck 42"sway Bar Retainer Spring Arm Suspension Rear Bolt 3/8-24x1 25 Gr8 Patched Washer Lock Hvy 3/8 Unplated Washer Hard Blade Mower Vented Blade Mower High Lift" Bearing Ball #6204 (Mandrel) Shaft Asm W/lower Bearing Housing Mandrel Vented(machd) Bearing Ball Mandrel Stripper Round Mower Bolt Rdhd Sqnk 3/8-16 X 2-1/4 Bolt Carr 5/16-18 X 5/8 Bolt Shoulder Baffle Vortex 42 Nut Crown Lock 5/16-18 Stiffener Bracket 42"deck Bracket Deflector Mower 42" Cap Sleeve 80x 112 Blk Mower Spring Torsion Deflector 2 52 Nut Push Phos & Oil Shield Deflector Washer 11/32 X 5/8 X 16 Ga Rod Hinge 42"6 75 Wlg Screw Thdrol Wshd Washer Spacer Mower Vented Pulley Mandrel Nut 9/16top Lock Fing Cntr Bolt RDHD 3/8-16 UNC x 2-3/4 Gr.5 Fastner Christmas Tree Pulley Idler Flat 3 060 Washer 13/32 X 13/16 X 16 Ga Nut Lock 3/8-16 Unc Rod Pivot W/nibs Rod Clutch Secondary W/nibs Guard Mandrel LH Black Spring Retainer 1" Zinc/cad Screw Thdrol 1/4-20x5/8 Washer Hardened Samller Roller Asm Cam Follower 42" dec Bolt Shldr 10-24 Zinc Gr 5 42" Nut Lock #10-24 Unc Bolt Shoulder 5/16-18 Unc Blkz Arm Asm Pad Brake	55 532155046 56 532122052 58 532140086 59 532141043 67 532106932 68 532144200 71 532142427 72 532131870 73 532127847 74 532121748 75 812000029 76 532128903 77 532127845 78 532160570 79 532127498 80 532153701 81 873350600 82 532142028 83 532120958 84 532156084 85 872140618 90 874760616 91 532132274 92 873800600 93 819171416 94 532132274 92 873807000 93 819171416 94 532132273 111 532155198 113 817490512 114 873510500 115 872110504 116 532146850 117 532146850 118 873930600 119 819121414 121 532143723 128 532153390 132 819132203 141 532124931 532130794	Arm Idler 42"mower LT/YT Spacer Retainer Pm Mower Spring Torsion Brakes Guard, Belt Knob Rd 3/8-16 Plstc Thds Blk V-Belt Mower Rod Clutch Primary 38/42 Spring Return Arm Clutch Secondary Washer 25/32 X 1-5/8 X 16 Ga Ring Klip #t5304-75 Bolt shoulder Keeper Spring 4 000 Lever Asm Clutch Primary Bushing 747 OD X 794 Lg Brass Spring Clutch Mower Nut Hex Jam 3/8-16 Trunnion Adj94 Washer Sintered Keeper Belt Idler Bolt Rdhd Sq 3/8-16 UNC x 2-1/4 Bolt Fin Hex 3/8-16unc X 1 Bracket Asm Noseroller LH Nut Lock Hex w/ins. 3/8-16 UNC Washer 17/32 X 7/8 X 16 Ga Roller Nose 38 & 42 Bracket Asm Noseroller RH Bracket Gauge Wheel Lh Bracket Gauge Wheel Rh Screw Thdrol 5/16-18 x 3/4 Nut Keps 5/16-18 UNC Bolt Carriage 5/16-18 UNC Washer 3/8 x 7/8 x 14 Ga. Bracket Extruded Gauge Wheel Washer 13/32 X 1-3/8 X 3 Ga. Washer 7.5 x 1.230 Deck Serv 42" Elec Vent (Standard Deck - Order Nose Roller, Gauge Wheel and Muicher Plate components separately Key Nos. 90-95, 101-106 and 111-121) Mandrel Assembly (Includes Key Numbers 8-10, 12-15, 31 and 33) hent dimensions given in U.S. inches
54 532133943	Washer Hardened	1 inch = 25	

TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 HYDRO - GEAR 310-0500



TRACTOR - MODEL NO. LTH155 (JLTH15542C), PRODUCT NO. 954 20 00-04 HYDRO - GEAR 310-0500

	Y PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
1	532142986	Housing, Lower	40	532150778	Locknut, Hex 5/16-24 UNJC
2	532142987	Assembly, Upper Housing	41	532142958	Brake Rotor/Stator Kit
2	532142932	Seal, Lip	43	532142884	Washer 7/16 x 7/8 x .060
4	532142928	Ring, Wire Retaining	44	532142990	Differential Assembly
5	532142933	Ring, Retaining	52	532142991	Washer 3/4 x 1.5 x .13
5 6	532142934	Bearing, Shaft Ball	53	532142961	Seal .75 x 1.25 x .250
7	532142935	Bearing, Cradle	56	532142963	Shaft, Input
8	532150771	Bearing, Thrust 30 x 52 x 13	58	532142964	Bolt 1/4-20 x 1.38
9	532142937	Swashplate, Variable	59	532142965	Pin .5 OD x .43 ID x .750
13	532142938	Block, Cylinder Assembly	62	532142966	Arm, Control
14	532142939	Arm, Trunnion	63	532142967	Puck, Dampener
15	532142940	Seal, Lip	64	532142920	Set Screw
17	532142941	Guide, Slot	68	532142969	Spring
18	532150772	Shaft, Motor	69	532144610	Stud 5/16-24
19	532150773	Bearing, Thrust 42 x 68 x 16		532142977	Spring, Block
23	532142944	Block, Cylinder Assembly		532142978	Washer, Block Thrust
24	532142945	Seal, Lip 10 x 25 x 7	98	532142993	Sleeve Bearing
25	532142946	Actuator, Bypass		532142976	Seal, Wiper
26	532150774	Center Section Assembly Kit		532142917	Cap, Vent Assembly
27	532142948	Seal, Lip 26 x 42 x 8		532142918	Fitting, O-Ring Assembly
28	532142949	Ring, Retaining		532142980	Spacer
29	532142950	Washer 26 x 35 x 1		532144607	Nut, Castle 5/16-24
30	532150787	Nut, Jam		532144608	Pin, Cotter
34		Oil Filter Element		532150775	Spring, Compression
35	532142952	Arm, Bypass	140	532150776	Nut, Hex 5/16-24
36	532142953	Ring, Retaining			
37		Arm, Actuating	NOT	=. All common o	nt dimensione misses in 11 O inches
- 38 .,9	532142955 532150777	Pin, Actuating Bolt 5/16-24 x 1-3/4	NOTE		nt dimensions given in U.S. inches
73	332 130777	DUIL 5/10-24 X 1-5/4		1 inch = 25.4	+ {{}}