



REPAIR PARTS

14 HP TRACTOR 42" - - MODEL NUMBER MD1442A

ELECTRICAL



KEY NO.	PART NO.	DESCRIPTION
1	123198X	Nut, Wing 1/4-20
2	19091016	Washer 9/32 x 5/8 x 16 Ga.
3	102476X	Guard, Terminal
4	72240460	Bolt, Carriage 1/4-20 x 7-1/2
5	121265X	Battery
6	7603J	Tray, Battery
7	136657	Harness, Ignition
8	127441X	Harness, Socket, Light
9	7662J	Bulb, Light
10	7604J	Tube, Tray, Battery
11	7192J	Tie, Cable
12	109553X	Switch, Clutch, Attachment, Interlock
13	108423X	Cable, Battery
14	4406R	Switch, Ignition
15	124211X	Nut, Ignition
16	122147X	Key
17	109081X	Solenoid
18	110712X	Switch, Light
21	4799J	Cable Battery
22	131563	Cover, Terminal

KEY NO.	PART NO.	DESCRIPTION
23	4207J	Cable, Battery
25	109596X	Clamp, Hose
26	10040400	Washer, Lock Heavy Helical 1/4
27	73350400	Nut, Hex Jam 1/4-20
28	74780408	Bolt, Hex 1/4-20 x 1/2 Cat. 5
29	73510400	Nut, Keps, Hex H 1/4-20
30	74760412	Bolt, Hex 1/4-20 x 3/4
31	73220400	Nut, Hex 1/4-20
32	11050400	Washer, Lock External Tooth 1/4
33	108824X	Fuse
41	10090400	Washer, Lock 1/4
42	104445X	Switch, Interlock, Clutch Pedal
45	123620X	Bezel, Ignition
46	121305X	Switch, Plunger
47	17021008	Screw, Hex Tapping #10-24 x 1/2
48	121264X	Caps, Battery (Set)
49	108236X	Bracket, Switch, Interlock
50	130890X	Bracket, Switch

NOTE: All component dimensions given in U.S. inches.
1 inch - - 2,54 cm.

ENCLOSURES


KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	10040400	Washer, Lock 1/4	49	123481X	Bolt, Shoulder 1/4-20
2	11050600	Washer, Lock Ext. Tooth 3/8	50	73680400	Nut, Crownlock 1/4-20
3	132637X496	Panel, Side, L.H.	51	74760620	Bolt, Hex 3/8-16 x 1-1/4
4	134829X012	Plate, Dash	53	17490608	Screw, Hex Washer Head, Thread Forming 3/8-16 x 1/2 Type TT
5	124252X	Dashboard	56	74780512	Bolt, Hex 5/16-18 x 3/4 Grade 5
6	132177	Dash, Lower	57	73510500	Nut, Keps 5/16-18
7	73510400	Nut, Hex Keps 3/8-16 UNC	58	109873X	Assembly, Bracket, Fender
8	106965X	Plate, Support, Battery	59	74180512	Screw, Truss Head 5/16-18 x 3/4
9	124130X	Support, Dash	60	17490412	Screw, Hex Washer, Head 1/4-20 x 3/4
10	5479J	Plug, Button	65	72110606	Bolt, Carriage 3/8-16 x 3/4
12	106784X	Assembly, Strap, Hinge, Rear	66	133671	Pad, Footrest
13	104618X	Assembly, Strap, Hinge, Front	67	74191008	Screw, Cross Recess Pan Head Machine #10-24 x 1/2
14	132635X496	Hood	68	10071000	Washer, Lock #10
15	124392X417	Assembly, Bezel	69	2029J	Nut, Weld
16	106395X	Lens	70	109808X	Latch, Hood
18	131718	Assembly, Grill	71	74981020	Screw, Machine Cross Recess #10-24 x 1-1/4
19	105419X496	Strap, Grill	72	7206J	Spacer, Split 10 x 3/4
22	132636X496	Panel, Side, R.H.	73	73731000	Nut, Keps 10-24
23	132069	Panel, Dash, R.H.	77	19070818	Washer 7/32 x 1/2 x 18 Ga.
24	105464X496	Footrest, R.H.	79	2751R	Clip, Line, Fuel
25	135034	Chassis	84	19111116	Washer 11/32 x 11/16 x 16 Ga.
26	130805	Drawbar	87	19131210	Washer 13/32 x 3/4 x 10 Ga.
27	132178	Panel, Dash, L.H.	95	123198X	Nut, Wing 14-20
28	105465X496	Footrest, R.H.	104	19091016	Washer, 9/32 x 3/8 x 16 Ga.
30	127543X013	Saddle	105	132644	Tab, Grill
31	19091216	Washer 9/32 x 3/4 x 16 Ga.	106	4921H	Retainer, Spring
37	126599X496	Fender	107	134774	Bracket, Asm. Pivot L.H., Mower, Rear
40	73220400	Nut, Hex 1/4-20	108	72140606	Bracket, Asm. Pivot R.H., Mower, Rear
41	74760612	Bolt, Hex 3/8-16 x 3/4	109	72110606	Bolt, Carriage 3/8-16 x 3/4
42	19131312	Washer 13/32 x 13/16 x 3/4	110	73800600	Nut, Lock, Hex w/wsh 3/8 - 16
43	73680600	Nut, Crownlock 3/8-16			
45	17211010	Screw, Hex Wsh. Hd. Tap. #10-16 x 5/8			
46	104755X	"J" Fastener			
47	17490612	Screw, Hex Washer Head, Thread Rolling 3/8-16 x 2/4 Type TT			
48	17490512	Screw, Hex Washer Head, Thread Rolling 5/16-18 x 3/4 Type TT			

NOTE: All component dimensions given in U. S. Inches.
1 inch = 25.4 mm

REPAIR PARTS

14 HP 42" TRACTOR - - MODEL NUMBER MD1442A


SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION
1	127424X	Seat V400 Blk/blk Std
2	126656X	Bracket Pnt Pivot Seat (blk)
3	74760640	Bolt-hex Fin 3/8-16unc x 2-1/2
4	19131210	Washer 13/32 X 3/4 X 10 Ga
5	2751R	Clip Line Fuel 13/32 Mtg Hole
6	73680600	Nut Crownlock 3/8-16 Unc
7	124181X	Spring Seat Cprsn 2 250 Blk Zi
8	17490640	Scr-hex Wsh Thdrol 3/8-16x2-1/
9	19131614	Washer 13/32 x 1 X 14 Ga
10	131451	Pan Pnt Seat (blk)
11	121251X	Strip Foam Gray Or Black
12	121246X	Bracket Pnt Mounting Switch
13	121248X	Bushing Snap Blk Nyl 50 Id
14	72050411	Bolt Rdhd Sht Nk 1/4-20x1-3/8
15	124300X	Spacer Split 28 x 88 Zinc

KEY NO.	PART NO.	DESCRIPTION
16	121250X	Spring Cprsn 1 27 Blk Pnt
17	123976X	Nut Lock 1/4 Lge Flg Gr 5 Zinc
18	74641008	Screw Sltd Pan Hd #10-32 x 1/2
19	73951000	Nut Keps #10-32 Unf
20	4171R	Clip Insulated 11/32 Mtg Hole
21	105529X	Bolt Shoulder 5/16-18 Unc Blkz
22	73680500	Nut Crown Lock 5/16-18
23	74780814	Bolt, Hex 1/2-13 x 7/8
24	19171912	Washer 17/32 x 1-3/16 x 12 Ga
25	127018X	Bolt Shoulder 5/16-18 X 62
26	10040800	Washer, Lock Hvy Hlcl 1/2
27	131772	Spacer Pnt Seat
28	131771	Spacer Split

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm



KEY NO.	PART NO.	DESCRIPTION
1	120898X	Transaxle 6 Sp Dana
2	110422X	Spring Return Brake T/a Zinc
3	123666X	Pulley Transaxle 18" tires
4	12000028	Ring Retainer # 5100-62
5	121520X	Strap Torque 30 Degrees
6	17490512	Screw Thdrol 5/16-18 x 3/4 Tyt
8	127270	Rod Shifter Fender Yt 14 325lg
10	76020416	Pin, Cotter 1/8 x 1 Cad
11	105701X	Washer Plate Shf 388 Sq Hole
12	19151216	Washer 15/32 x 3/4 x 16ga
13	71040412	Bolt Fin Hex 1/4-28unfx3/4 Gr8
14	10040400	Washer Lock Hvy Helical 1/4
17	121520X	Strap Torque 30 Degrees
18	74760612	Bolt, FIN HEX 1/4-28UNFX3/4 Gr8
19	73680600	Nut, Crownlock 3/8-16UNC X 3/4
20	17490512	Screw Thdrol 5/16-18 x 3/4 Tyt
21	106933X	Knob Rd 1/2-13 Plstc Thds Blk
22	130804	Rod Brake Blk Zinc 26 840
23	73800600	Locknut, Hex W/Wsh 3/8-16 UNC
24	73350600	Nut, Hex Jam 3/8-16 UNC
25	106888X	Spring Rod Brake 2 00 Zinc
26	19131316	Washer 13/32 x 13/16 x 16 Ga.
27	76020412	Pin, Cotter 1/8 x 3/4 Cad
28	133261	Rod Brake Parking 14 500
29	71673	Cap Parking Brake Black
30	130807	Bracket Mtg Transaxle
31	127275X	Keeper Belt Lh Yt 14 Ga
32	74760512	Bolt, Hex Hd 5/16-18 x 3/4
33	73680500	Nut, Crownlock 5/16-18
34	122424X	Shaft Asm Pedal Foot 1 930
35	120183X	Bearing Nylon Blk 629 Id
36	19211616	Washer 21/32 X 1 X 16 Ga.
37	1572H	Roll Pin 3/16 x 1
38	123674X	Pulley Idler Flat
39	74760644	Bolt, Fin Hex 3/8-16UNC x 2-3/4
40	4470J	Spacer Split 395 x 59 Bzp
41	109070X	Keeper Belt Retainer
42	19131312	Washer 13/32 x 13/16 x 12 Ga
43	73680600	Nut, Crownlock 3/8-16 UNC
44	105706X	Bearing Nyl 503 x 628 x 1 25
45	110812X	Washer Hardened
46	12000039	Ring Klip #15304-50
47	127783	Pulley Idler V Groove Plastic
48	123789X	Bellcrank Asm
49	123205X	Retainer Belt Style Spring
50	74760624	Bolt, Hex Hd 3/8-16 UNC x 1-1/2
51	73680600	Nut, Crownlock 3/8-16 UNC
53	105710X	Link Clutch 7 66


KEY NO.	PART NO.	DESCRIPTION
54	76020412	Pin, Cotter 1/8 x 3/4 Cad
55	105709X	Spring Return Clutch 6 75
56	76020412	Pin, Cotter 1/8 x 3/4 Cad
57	130801	V-belt Gnd Dr
58	127290	Keeper Belt Rh
59	104777X	Retainer Belt Chassis Lh Zinc
60	19131312	Washer 13/32 x 13/16 x 12 Ga
61	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
62	8883R	Cover Pedal Blk Round
63	134825	Pulley Engine
64	M747810100	Bolt, Hex
65	10040700	Washer, Lock Hvy Hlcl Spr 7/16
66	129921	Keeper Belt Engine Lh Lt
67	74760616	Bolt, Fin Hex 3/8-16 UNC x 1
68	19131312	Washer 13/32 x 13/16 x 12 Ga
69	73680600	Nut, Crownlock 3/8-16 UNC
70	134683	Guide Belt Dr Mower Rh
71	74760616	Bolt, Fin Hex 3/8-16 UNC x 1
72	19132012	Washer 13/32 x 1-1/4 x 12 Ga
73	73680600	Nut, Crownlock 3/8-16 UNC
74	109502X	Spacer Split 80x1 94 Cad/zinc
75	121749X	Washer 25/32 x 1 1/4 x 16 Ga
76	12000001	E Ring
77	123583X	Key Square 2 0 x 1845/ 1865
78	121748X	Washer 25/32 x 1 5/8 x 16ga
80	131488	Arm Shift Transaxle
81	131389	Shaft Asm Shifter
82	123782X	Spring Torsion T/a
83	19171216	Washer 17/32 x 3/4 x 16ga
84	132182	Rod Tie Shf Adj Ball Jt 3.710
85	73530400	Nut Nylock 1/4-28
86	127272X	Bushing Pivot W/ 180 Step Pm
87	126591X	Washer Shim 53 x 1 25 x 0598
88	12000003	E Ring
89	131636	Console Shift 6sp W/ign Lt
91	74760540	Bolt Fin Hex 5/16-18uncx 2-1/2
93	73680500	Nut, Crownlock 5/16-18
94	124346X	Nut, Self-Thd wsh-hd 1/4

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

REPAIR PARTS

14 HP 42" TRACTOR - - MODEL NUMBER MD1442A

STEERING ASSEMBLY





REPAIR PARTS

14 HP 42" TRACTOR - - MODEL NUMBER MD1442A

STEERING ASSEMBLY

KEY NO.	PART NO.	DESCRIPTION
1	133741	Wheel, Steering
2	133988	Axle, Assembly, Front
3	135227	Spindle, Assembly, L.H.
4	135228	Spindle, Assembly, R.H.
5	6266H	Bearing, Thrust
6	121748X	Washer 25/32 x 1-5/8 x 16 Ga.
7	19272016	Washer 27/32 x 1-1/4 x 16 Ga.
8	12000029	Ring, Klip
9	3366R	Bearing
10	130468	Link, Drag
11	10040600	Washer, Lock 3/8
12	73610600	Nut, Hex 3/8-24
13	110438X	Spacer, Bearing, Front Axle
14	74011056	Bolt, Hex 5/8-11 x 3-1/2
15	73601000	Locknut, Flange 5/8-11
16	132624	Pin, Axle 5/8 x 1.55/1.54 LG.
17	128758	Shaft, Steering
18	57079	Washer
19	124035X	Support, Shaft
20	126684X	Washer, Shim 1/4 x 5/8 x .062
21	10040400	Washer, Lock Heavy Helical 1/4
22	71070410	Screw, Socket, Hex 1/4-20 x 5/8
23	127501	Shaft, Pitman
24	109816X	Nyliner, Snap-In
25	124036X	Bracket, Assembly, Steering
26	12000029	Ring, Klip
27	124034X	Gear, Sector
28	6266H	Bearing Race Thrust Harden
29	17490612	Screw, Hex Washer Thread Rolling 3/8-16 x 3/4
30	10040600	Washer, Lock 3/8
31	73610600	Nut, Hex 3/8-24
32	130465	Rod, Tie
33	126847X	Bushing
34	19131416	Washer 13/32 x 7/8 x 16 Ga.
35	76020412	Pin, Cotter 1/8 x 3/4
36	1554J	Bushing, Srg. Blk .742/.747 Id
37	17431008	Screw, Sift #10-16 x 1/2 Ty-B
38	133742	Insert, Steering Wheel
39	100712K	Washer 17/32 x 2-1/4 x .160
40	73940800	Nut, Hex Jam Toplock Jam 1/2-20
41	100711L	Adapter, Wheel, Steering
43	121749X	Washer 25/32 x 1-1/4 x 16 Ga.
44	121748X	Washer 25/32 x 1-5/8 x 16 Ga.
45	12000029	Ring, Klip
46	121232X	Cap, Spindle
47	6855M	Fitting, Grease

NOTE: All component dimensions given in U.S. inches.
1 Inch = 25.4mm




KEY NO.	PART NO.	DESCRIPTION
1	185502	Control, Throttle 132751
2	17720410	Screw, Hex Thread Cut 1/4-20 x 5/8
3	-----	Engine Kohler
4	124196X	Muffler
5	101326L	Deflector, Muffler
6	17030808	Screw, Spider Lock, Hex Head #8 x 1/2 AB
7	127813	Tank, Fuel
8	10040500	Washer, Lock Heavy Helical Spring
9	74760508	Bolt, Hex Head 5/16-18 UNC x 1/2
14	13280336	Pipe Nipple, Standard
15	13200300	90° Elbow 3/8 NPT
16	11050500	Washer, Lock External Tooth
17	M740108025	Bolt Hex
18	123549X	Cap, Fuel
19	123487X	Clamp, Hose
21	121851X	Spark Arrester Kit
24	126564X	Strip, Foam
25	5277J	Line, Fuel
26	128953	Shield, Heating Browning
27	17021008	Screw, Tap Hex 10-24 UNC x 1/2
28	2751R	Clip, Line, Fuel
29	73680600	Nut, Crownlock
30	123803X	Strap, Fuel Tank
31	136360	Strap Asm., Fuel Tank w/clip
32	17490608	Screw, Thdrol 3/8 - 16 x 1/2
33	-----	Plug, Oil Drain (order from Engine Mfg.)

NOTE: All component dimensions given in U.S. inches.
1 inch = 25.4 mm

REPAIR PARTS

14 HP 42" TRACTOR -- MODEL NUMBER MD1442A

42" MOWER



42" MOWER

KEY PART NO. NO.	DESCRIPTION
1 130970	Deck Asm Mower 42"
2 130969	V-belt Mower 42"
3 110485X	Bearing Ball Mandrel
4 128774	Housing Mandrel Vented
5 133172	Shaft Asm Mandrel Vented (Includes key #6)
6 129895	Bearing Ball #6204
7 127843	Blade Mower High Lift Perf 42"
8 129962	Washer Hard Blade Mower Vented
9 10030600	Washer Lock Hvy 3/8
10 850857	Bolt 3/8 - 24 x 1.25 Gr 8 Patched
11 128961	Stripper Mower Vented
12 130968	Shield Deflector 42"
13 131491	Rod Hinge 42"
14 131267	Bracket Deflector Mower 42"
15 110452X	Nut PushPhos & Oil
16 123713X	Spring Torsion Deflector 42"
17 19111016	Washer 11/32 x 5/8 x 16 Ga
18 105304X	Cap Sleeve
19 73680500	Nut Crownlock 5/16 - 18
20 72140506	Bolt Rdhd Sqnk 5/16 - 18 x 3/4
21 4939M	Retainer Spring
22 127218	Link Front
23 73350800	Nut Jam Hex 1/2 - 13 Unc
24 130171	Trunnion
25 73800800	Locknut w/wsh 1/2-13Unc
26 135388	Link Lift Rh
27 135563	Pin Spring Sltd 5/16
28 130833	Arm Asm Suspension Rear(Inc. Key No. 27)
29 134619	Link Lift Lh
33 133844	Arm Idler 42"
34 78158	Bolt 5/16-18 x 1.25 T/T
35 129963	Washer Spacer Mower Vented
36 129881	Pulley Mandrel 42"
37 73050900	Nut 9/16 Top Lock Flng Oil Dip
38 72110614	Bolt Rdhd 3/8-16 Unc x 1-3/4 Gr5
39 133943	Washer Hardened
40 131494	Pulley Idler Flat
41 122052X	Spacer Retainer Pm Mower
42 19131612	Washer 13/32 x 1 x 12 Ga
43 133502	Spacer Arm Idler Upper Hdn 42"
44 133503	Stiffener Arm Idler Upper 42"
45 73680600	Nut Crownlock 3/8 - 16 Unc
46 72110618	Bolt Rdhd Sqnk 3/8 - 16 x 2-1/4
47 133835	Fastener Christmas Tree
48 131340	Bolt Shldr #10 - 24 Gr 5
49 133940	Roller Asm Cam Follower 42" Deck
50 69180	Nut Lock #10 - 24 Unc


KEY PART NO. NO.	DESCRIPTION
51 105529X	Bolt Shoulder 5/16 - 18 Unc
52 131845	Arm Asm Pad Brake
53 133944	Washer Hardened Smaller
54 131335	Spring Extension
55 133551	Rod Pivot W/Nibs
56 76020312	Pin Cotter 3/32 x 3/4
57 133504	Rod Clutch Secondary W/Nibs
58 131857	Guard Mandrel Lh
59 133550	Rod Clutch Primary W/Nibs
60 73350600	Nut Hex Jam 3/8 x 16 Unc
61 133205	Trunnion Adj 3/8 -16 Unc x 1.30
62 4497H	Spring Retainer 1
63 17720410	Screw Hex Thd Cut 1/4 - 20 x 5/8 T
64 127498	Bushing
65 131870	Spring Ext. Return
66 127847	Arm Clutch secondary
67 128903	Bolt Shoulder 3/8 - 16 Unc 1.44
68 12000029	Ring Klip
69 121748X	Washer 25/32 x 1-5/8 x 16 Ga
70 127845	Keeper Spring
71 132044	Cover Handle Round
72 131813	Arm Clutch Primary
73 128759	Spring Clutch Mower
74 12000002	Ring E #5133-62
75 19211416	Washer 21/32 x 7/8 x 16 Ga.
76 132172	Shaft Asm Lift
77 105767X	Pin, Groove
78 120183X	Bearing Nylon Blk
79 132175	Rod Asm Lever
80 122512X	Spring Cprsn
81 122364X	Plunger Lever Lift
82 124526X	Button Plunger Blk
83 109413X	Grip Handle Bicycle
92 134753	Stiffner, Bracket
-- 136322	Deck Service 42" HP Mech.
-- 130794	Mandrel Asm. (Includes Key #'s 3- 6, 8-10 and 37)

NOTE: All component dimensions given in U.S. Inches.
1 inch = 25.4 mm

REPAIR PARTS

14 HP TRACTOR 42" - - MODEL NUMBER MD1442A


DECALS



KEY NO.	PART NO.	DESCRIPTION
3	136615	Decal, Hood Stripe L.H.
4	136614	Decal, Hood Stripe R.H.
5	121349X	Decal, Danger, Deflector
7	133795	Decal, Caution
8	101892X	Decal, Clutch/Brake
10	109820X	Decal, Rotating Blades

KEY NO.	PART NO.	DESCRIPTION
15	109821X	Decal, Instruction, Operating
18	125690X	D 100 DBA
--	132704	Manual, Operator's E/F
--	136620	Manual, Parts E/F


WHEELS & TIRES



KEY NO.	PART NO.	DESCRIPTION
1	59192	Cap Valve Tire
2	65139	Stem, Valve
3	278H	Fitting, Grease (Front Wheel Only)
4	106222X	Tire FTs 15x60-6 Service
4	106268X	Tire 18 x 9.5 - 8 C Service
5	59904	Tube, Front (Optional Service Item Only)
5	7152J	Tube, Rear (Optional Service Item Only)
6	106732X311	Rim Assembly 6" Front
6	106108X311	Rim Assembly 8" Rear
7	104757X	Cap Axle Blk 1 50 X 1 00
8	9040H	Bearing

NOTE: All component dimensions given in U.S. inches.
1 inch - - 2,54 cm.

TRANSAXLE DANA - - MODEL NUMBER 4360-07



REPAIR PARTS

14 HP 42" TRACTOR - - MODEL NUMBER MD1442A

TRANSAXLE DANA - - MODEL NUMBER 4360-07

KEY PART NO. NO.	DESCRIPTION
1 3865	Housing, Upper
2 1919	Screw, Tapping, Large 1/4-20 x .734
3 1151	Ball, Detent
4 3626	Spring, Detent
5 3623	Screw, Set
6 4336	Assembly, Shifter
7 3884	O-Ring
8 3885	* Washer, Plain .505 x .942 x .006
3886	* Washer, Plain .505 x .942 x .010
3887	* Washer, Plain .505 x .942 x .015
3888	* Washer, Plain .505 x .942 x .020
3889	* Washer, Plain .505 x .942 x .026
3121	* Washer, Plain .505 x .942 x .030
3890	* Washer, Plain .505 x .942 x .040
9 1100	Ring, Retaining
10 1099	Ring, Retaining
11 1959	* Washer, Plain .632 x 1.00 x .010
1441	* Washer, Plain .632 x 1.00 x .020
1423	* Washer, Plain .632 x 1.00 x .026
1082	* Washer, Plain .632 x 1.00 x .031
1424	* Washer, Plain .632 x 1.00 x .036
1068	* Washer, Plain .632 x 1.00 x .041
1425	* Washer, Plain .632 x 1.00 x .046
1358	* Washer, Plain .632 x 1.00 x .050
1145	* Washer, Plain .632 x 1.00 x .060
1319	* Washer, Plain .632 x 1.00 x .082
12 3312	O-Ring
13 3876	Washer, Plain .632 x 1.38 x .046
14 1374	Key, Woodruff #9
15 4134	Assembly, Kit, Input Shaft
16 3590	Pinion, Bevel, 14 Teeth
17 3624	Ring, Retaining
18 3625	Chain, 24 Pitches
19 1542	Bearing, Flange
20 3773	Gear, Spur, 14 Teeth
21 3631	Collar, Clutch
22 3828	Key, Clutch
23 1369	Key, Woodruff
24 3863	Shaft, Intermediate
25 1375	Key, Woodruff #61
26 3627	Ring, Retaining
27 3830	Sprocket, 18 Teeth
28 3841	Spacer
29 3786	Gear, Spur, 37 Teeth
30 3785	Gear, Spur, 35 Teeth
31 3867	Gear, Spur, 30 Teeth
32 3783	Gear, Spur, 25 Teeth
33 3869	Gear, Spur, 22 Teeth
34 3741	Gear, Spur, 19 Teeth
35 3628	Washer, Plain .640 x 1.37 x .061
36 1423	Washer, Plain .632 x 1.00 x .026
37 3422	Spacer .630 x 1.00 x .169
38 4286	Assembly, Gear, Combination of 12 Teeth and 35 Teeth
39 3877	Shaft, Idler
40 3901	Spacer .635 x .875 x .755

KEY PART NO. NO.	DESCRIPTION
41 3645	Sprocket, 9 Teeth
42 3853	Gear, Bevel, 42 Teeth
43 3749	* Washer, Plain .758 x 1.12 x .010
3652	* Washer, Plain .758 x 1.12 x .015
3693	* Washer, Plain .758 x 1.12 x .020
3653	* Washer, Plain .758 x 1.12 x .025
3408	* Washer, Plain .758 x 1.25 x .020
3732	* Washer, Plain .758 x 1.25 x .025
3184	* Washer, Plain .758 x 1.25 x .031
3733	* Washer, Plain .758 x 1.25 x .035
3198	* Washer, Plain .758 x 1.25 x .040
3734	* Washer, Plain .758 x 1.25 x .045
3735	* Washer, Plain .758 x 1.25 x .050
3736	* Washer, Plain .758 x 1.25 x .055
3180	* Washer, Plain .758 x 1.25 x .062
44 3882	Shaft, Drive
45 3646	Gear, Spur, 12 Teeth
46 3707	Gear, Spur, 15 Teeth
47 3866	Gear, Spur, 20 Teeth
48 3719	Gear, Spur, 25 Teeth
49 3868	Gear, Spur, 28 Teeth
50 3683	Gear, Spur, 31 Teeth
51 1145	Washer, Plain .632 x 1.00 x .060
52 3191	Seal, Felt
53 3180	Washer, Plain .758 x 1.25 x .062
54 3880	Axle, Left Hand
55 3780	Gear, Miter, 15 Teeth
56 3656	Ring, Retaining
57 3839	Gear, Spur, 32 Teeth
58 3919	Shaft, Cross
59 3781	Gear, Miter, 15 Teeth
60 3881	Axle, Right Hand
61 3864	Housing, Lower
62 3920	Puck, Friction
63 3276	Disc, Brake
64 3758	Spacer
65 3916	Jaw, Brake
66 3843	Pin, Dowel
67 3915	Screw, Tapping, Large 5/16-18 x 2.25
68 3768	Lever, Actuating
69 3760	Washer, Plain .321 x 1.00 x .055
70 3917	Bracket, Anti-Rotation
71 3847	Locknut 5/16-24
72 3724	Screw, Tapping, Large 5/16-18 x 1.44
73 3906	Washer, Plain .343 x .81 x .059
74 3907	Puck, Friction
75 4300	Grease

* Use In Various Combinations To Maintain Proper Clearances.

** Order Key Number 15

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

Parts must be ordered from Dana Corp.