
TRACTOR - - MODEL NUMBER UM1136E

ELECTRICAL



TRACTOR - - MODEL NUMBER UM1136E

ELECTRICAL

KI NG	EY PART D. NO.	DESCRIPTION
1		Nut, Hex, Keps. 1/4-20 UNC
2	108423X	Assembly, Cable
3	146138	Battery
4	69180	Nut, Lock #10-24 UNC
5	108236X	Bracket, Switch
6 7	109553X	Switch, Interlock 4 Terminal
		Keeper, Acuator
8	17021008	Screw, Hex Head, Tapping #10-24 x 1/2
9	140401	#10-24 x 1/2 Key
10		Cover, Ignition Key
	140400	Nut, Ignition
	144921	Switch, Ignition
15	121305X	Switch, Plunger
	108824X	Fuse
	128353	Assembly, Cable
	146064	Harness, Ignition
	73350400	Nut, Hex, Jam 1/4-20
21	10090400	Washer, Lock 1/4
22	71110408	Bolt, Hex, Fin.
.	101500	1/4-20 UNC x 1/2 Grade 5
24	131563	Cover, Terminal
25 26		Solenoid Bolt, Hex Head 1/4-20 UNC x 3/4
20 27	19091016	Washer 9/32 x 5/8 x 16
28	10040400	Washer, Lock, Hvy. Hel. Spring 1/4
30	73220400	Nut, Hex, Fin. 1/4-20
31	4152J	Bulb, Light #1156
	136850	Harness, Asm. Light w/4152J
33	110712X	Switch, Light Blk.Blk.Red
36	11150400	Washer Lock Internal Tooth 1/4
39		Bracket, Switch Clutch
	17490508	Screw, Thdrol. 5/16-18 x 1/2
70	140413	Harness, Engine

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm


HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

7

2.4

TRACTOR - - MODEL NUMBER UM1136E


FENDER / CHASSIS



			i		
KEY NO.	PART NO.		KE	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11	144940 19132012 17490612 124181X 127115X505 109596X 124144X 17490512 126994X 139783 124346X	Case Battery Hng Mech w/Lid Washer 13/32 x 1 1/4 x 12 Ga Screw Thdrol 3/8-16 x 3/4 Spring Seat Plate Asm Battery Clamp Hose Pad Footrest Screw Thdrol 5/16-18 x 3/4 Console Shift Plate Lock Shift Nut Self-Thd Wsh-Hd 1/4	12 13 15 16 17 18 19 20 25 NO	145190 109238X 73640400 141736 140782 126470X 140955X505 19091413 17190516 : All compon 1 inch = 25	Chassis Asm Tube Plastic Nut Hex 1/4-20 Swtich Activator Drawbar Clip Insulated Fender/Footrest Washer 9/32 x 7/8 x 13 Ga Screw Thdrol 5/16-18 x 1 ent dimensions given in U.S. inches.
· · · · ·					

TRACTOR - - MODEL NUMBER UM1136E

HOOD




KEY NO.	NO.	DESCRIPTION	KEY NO,	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10	124657X 73640400 19091416 74780412 139888 122549X 122548X 17521312 73800400 123693X	Spring Nut 1/4-20 Washer 9/32 x 7/8 x 16 Ga. Bolt Fin Hex 1/4-20 x .75 Bolt Shoulder 5/16-18 Bracket Hood RH Bracket Hood LH Screw Sitd Hex Hd w/PI Washer Nut Lock w/insert 1/4 - 20 Brace Hood	18 19	132918X505 122035X 127029X 2751R 19111116 11030400 E: All compoi 1 inch = 25	Lens Clear Bar Grille Clip Line Fuel 13/32 Washer 11/32 x 11/16 x 16 Ga Washer Lock 1/4 Int/Ext Tooth nent dimensions given in U.S. inches

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

TRACTOR - - MODEL NUMBER UM1136E

SEAT




KE NO		DESCRIPTION	KEY NO.	Y PART NO.	DESCRIPTION
1 2	72050411 127428	Bolt, Carriage 1/4-20 x 1-3/8 Seat	13	74780814	Bolt, Hex, Fin. 1/2-13 UNC x 7/8 Grade 5
3	140552	Pan, Seat	14	10040800	Washer, Lock, Heavy Helical Spring
4	73800500	Nut, Hex W/Ins. 5/16-18 UNC	15	19171912	Washer 17/32 x 1-3/16 x 12 Ga.
5	153236	Bolt Shid. 5/16-18	16	127018X	Bolt, Shoulder
6	145006	Clip, Push-In	17	121246X	Bracket, Switch Mounting
8	74760616	Bolt, Hex, Fin. 3/8-16 UNC x 3/4	18	123976X	Nut, Hex, Large, Flangelock
9	140551	Bracket, Pivot, Seat	19	121248X	Bushing, Snap
10	126471X	Clip Insulated	20	121250X	Spring, Cprsn. Plate Sw.
11	19133210	Washer 12/32 x 2 x 10 Gauge	21	134300	Spacer, Split
12	73800600	Nut, Lock Hex w/Wsh 3/8-16	NOT	E: All compo 1 inch = 2	nent dimensions given in U.S. inches.

12

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

TRACTOR - - MODEL NUMBER UM1136E




KE NO		DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	141523	Cap, Fuel	13 126450X	Clip, Height Adjustment
2	138392	Assembly, Dash & Fuel Tank	14 126115X	Knob, Height Stop
3	123487X	Clamp, Hose	15 122023X	Adjustment, Quadrant Height
4	8544R	Line, Fuel	16 124346X	Nut, Self-Threading 3/16-18
5	8548R	Line, Fuel	17 72110404	Bolt, Carriage 1/4-20 x 1/2 Gr. 5
6	73640400	Nut, Hex, Keps 1/4-20	18 130745	Support Assembly, Dash
7	2751R	Clip, Fuel Line	19 134744	Brace, Cross
8	19091216	Washer 9/32 x 3/4 x 16 Ga.	20 17060408	Screw, Self-Tapping 1/4-20 x 1/2
9,	74760428	Bolt, Hex, Fin. 1/4-20 x 1-3/4	21 134014	Plug, Dome
10	19091413	Washer 11/32 x 11/16 x 16 Ga.	1	
11	121249X	Spacer, Split		onent dimensions given in U.S. inches.
12	3720R	Spring	1 inch =	25.4 mm
1.12232			2	· · · · · · · · · · · · · · · · · · ·

11

TRACTOR - - MODEL NUMBER UM1136E

STEERING WHEEL



DESCRIPTION

Insert, Steering Wheel Washer, Lock Hvy Hcl Washer 12/32 x 2-3/8 x 8 Gauge Steering Wheel Sleeve, Steering Screw, Hex #10-16 x 1/2 TY-B Bushing, Steering Shaft, Steering Clip, Steering Bushing, Lower, Steering

Bushing, Lower, Steering

KEY

NO.

1

23456789

10

PART NO.

133742

10040600

19133808 133741

121897X

147391 124210X

123438X

17431008 102803X

 - 	942 		•			-
				an Antonio y C Antonio y C		•.
	đ.			1. 194 1.		۲. ۲. ۲.
. 						
 	12、 11、				9	. <u>uzi</u>
	10、			 	N.	~
	KEY	PART		DESCRIPTION		
	NO. 11 12 13 14 15 16 17	NO. 12000045 19211616 100711L 153720 74780520 73800500 74780616		Ring, Retaining Washer 21/32 Adaptor, Steeri Extension, Sha Bolt, Fin, Hex 5 Nut, Lock Hex 3 Bolt Fin Hex 3	x 1 x 16 Gau ng Wheel ft Steering 5/16-18 UNC W/Ins. 5/16-1	x 1-1/4

8


NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

TRACTOR - - MODEL NUMBER UM1136E


SECTOR GEAR / AXLE SUPPORT

ADIC



TRACTOR - - MODEL NUMBER UM1136E

FRONT AXLE




KEY NO.	PART NO.	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	121232X	Cap, Spindle	11 126847X	Bushing
2	12000029	Ring, Clip	12 130465	Rod, Tie
3	121748X	Washer 25/32 x 1-5/8 x 16 Ga.	13 137061	Spindle Assembly, L.H.
4	3366R	Bearing	14 74011056	Bolt Hex 5/8-11 X 3-1/2
5	142033	Axle, Front	15 73901000	Nut, Lock Flange 5/8-11
6	6266H	Bearing, Thrust	16 110438X	Spacer, Bearing
7	137062	Spindle Assembly, R.H.	17 6855M	Fitting, Grease
8	121749X	Washer 25/32 x 1-1/4 x 16 Ga.	18 19272016	Washer 27/32 X 1-1/4 X 16 Ga.
9	76020412	Pin, Cotter 1/8 x 3/4		
10	19131316	Washer 13/32 x 13/16 x 16 Ga.	NOTE: All compo	nent dimensions given in U.S. inches.

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

TRACTOR - - MODEL NUMBER UM1136E

ENGINE / THROTTLE



KE NO.		DESCRIPTION	KE` NO		DESCRIPTION
1 2 3	17060408 133025	Screw 1/4-20 x 1/2 Control, Throttle Engine, B&S Model No. 282707	11 12 13	137437 101326L 17030808	Bolt (Order from Engine Mfg.) Muffler Deflector Muffler Screw spiderloc Hex Hd. 8 X 1/2
4 5	71070512 10040500	Screw, Hex Cap Head 5/16-18 x 3/4 Washer, Lock 5/16	14 15 16	137180 127951	Arrester, Spark (Optional) Stop, Throttle
6 7	272293 11050600	Gasket, Exhaust Washer, Lock Ext. Tooth 3/8	17	17490624	Screw, Hex Washer Head, Thd., Roll. 3/8-16 x 1-1/2
8	121094X	Bolt, Shoulder 5/16	18	73510600	Nut, Keps Hex 3/8-16 Unc
9	19101216	Washer 5/16 x 3/4 x 16 Ga.	19	2751R	Clip, Line Fuel 13/32 Mfg. Hole
10	10040400	Washer, Lock, Heavy Helical Spring 1/4	39 NO1	128861 FE: All compor	Nut Flange 1/4-20 nent dimensions given in U.S. inches.

1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER UM1136E

GROUND DRIVE

1

4

5

6

7

8

9

150926

123674X

19131316

73930600

Clutch Arm, Ground Drive

Idler. Flat


10

11

12

13

14



NOTE: All component dimensions given in U.S. inches. Washer 13/32 x 13/16 x 16 Ga. 1 inch = 25.4 mm Nut, Centerlock 3/8-16 UNC


25

150935

Bushing, Nylon

TRACTOR - - MODEL NUMBER UM1136E

TRANSAXLE




KE` NO		DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	123385X	Pulley		74550412	Bolt Hex 1/4-28 x 3/4 Cat. 8
2	12000028	Ring, Retainer		10040400	Washer, Lock 1/4
3	142602	Transaxle Dana, 5 Speed, Model		19091210	Washer 9/32 x 3/4 x 10 Ga.
	1	Number 4360-78		123484X	Arm, Shift
4	2228M	Key, Woodruff #9	22	105701X	Washer, Shift Plate
5	73680500	Nut, Crownlock 5/16-18	23	106933X	Knob
6	72140506	Bolt, Carriage 5/16-18 x 3/4	24	128215	Rod, Shift
7	123378X	Strap, Torque	25	76020416	Pin, Cotter 1/8 x 1
8	17490512	Screw, Hex, Thdrl H 5/16-18 x 3/4	26	73810500	Nut, Hex, Nylon 5/16-24
9	146682	Spring, Brake	28 ⁻	128085	Spring, Extension
10	121749X	Washer 25/32 x 1-1/4 x 16 Ga.	29	128084	Support Handle Shift RH
11	123583X	Key, Square	31 1	109502X	Spacer
12	74760644	Bolt Hex 3/8-16 x 2-3/4	33 7	73680600	Nut, Crownlock 3/8-16
15	19171616	Washer 17/32 x 1 x 16 Ga.		12000001	ERing
16	124600X	Support Handle Shift LH		7720408	Screw.Thd.Cut. 1/4-20 X 1/2
17	123632X	Link, Shift	· .		nent dimensions given in U.S. inches.

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

TRACTOR - - MODEL NUMBER UM1136E


BRAKE / REAR MOWER LIFT ASSEMBLY



KE NO	1 A A A A A A A A A A A A A A A A A A A	DESCRIPTION	KEY PART NO. NO.	DESCRIPTION
1	71673	Cap, Plunger	17 12000034	Ring, Klip
2		Rod, Parking Brake	18 151332	Spring, Brake Rod
3	123437X	Bracket, Parking Brake	19 73350600	Nut, Hex, Jam 3/8-16 UNC
4	8156H	Cover, Pedal	20 73800600	Nut, Lock Hex W/Ins 3/8-16 UNC
5	122504X	Bracket, Clutch/Brake Pedal, L.H.	21 131460	Rod, Rear, Brake
6	76020312	Pin, Cotter 3/32 x 3/4	22 144585	Trunnion, Lift
7	19131016	Washer 13/32 x 5/8 x 16 Gauge	24 19132012	Washer 13/32 x 1-1/4 x 12 Ga.
8	17490508	Screw, Hex Head, Thd., Roll.	25 4921H	Spring, Retainer
÷		5/16-18 x 1/2	26 73930600	Nut, Čenterlock 3/8-16 UNC
9	76020412	Pin, Cotter 1/8 x 3/4	27 127369	Link, Threaded
10	19131316	Washer 13/32 x 13/16 x 16 Ga.	28 140776	Assembly, Rear Mower Lift
11	123543X	Rod, Brake Front	29 72110506	Bolt, Carriage 5/16-18 UNC x 3/4
12	139933	Assembly, Clutch/Brake Pedal	30 73510500	Nut, Hex, Keps 5/16-16 UNC
13	123394X	Rod, Clutch	31 3146R	Retainer spring
14	121978X	Bracket, Lift, Shaft	34 73680600	Nut, Crownlock 3/8-16
15	133332	Assembly, Brake, Pivot, Arm	NOTE: All compo	onent dimensions given in U.S. inches.
16	19251816	Washer 25/32 x 1-1/8 x 16 Ga.	1 inch = 2	


TRACTOR - - MODEL NUMBER UM1136E

MOWER LIFT LEVER




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	126470X	Clip, Insulated	16	4921H	Retainer, Spring
2	122018X	Bracket, Mower Clutch	17	127359	Link, Front Lift
3	71110408	Bolt, Hex Head, Fin.	18	142028	Trunnion, Threaded 3/8-16
	1 A 4 A	1/4-20 UNC x 1/2 Grade 5	19	73680400	Nut, Crownlock 1/4-20
4	73680600	Nut, Crownlock 3/8-16	- 20	74760644	Bolt, Hex Head, Fin.
5	145187	Clutch Lever Assembly			3/8-16 UNC x 2-3/4
56	106451X	Bolt, Shoulder	23	76020416	Pin, Cotter 1/8 x 1
7	135371	Assembly, Mower Clutch Arm	24	19171612	Washer 17/32 x 1 x 12 Ga.
8	74760636	Bolt, Hex 3/8-16 UNC x 2-1/4	25	121933X	Tube, Spacer
9	121930X	Bellcrank Assembly	26	141470	Rod, Mower Lift
10	76020412	Pin, Cotter 1/8 x 3/4	27	106932X	Knob
11	19131316	Washer 13/32 x 13/16 x 16 Ga.	28	76020312	Pin, Cotter 3/32 x 3/4
12	131861	Grip, Handle	29	131655	Link, Mower Clutch
13	139352	Assembly, Lift Handle	30	73350600	Nut, Hex Jam 3/8 - 16
	123496X	Spring, Compression	31	19132012	Washer 13/32 X 1-1/4 X 12 Ga.
i di cata di ca	19131212	Washer 13/32 x 3/4 x 12 Ga.	NOT	E: All compo 1 inch = 2	onent dimensions given in U.S. inches.

TRACTOR - - MODEL NUMBER UM1136E



KEN NÔ.	PART NO.		DESCRIPTION	KEN NO.		PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10	148367 141743 141744 132627 127075X 125690X 132628 272748 126860x 145545	· · ·	Decal, Hood Decal, Stripe, Hood, R.H. Decal, Stripe, Hood, L.H. Decal, Grill Decal, Steering Wheel Decal, Steering Wheel Decal, Logo, Fender Decal, Logo, Fender Decal, Engine Decal, Lightbox Decal, Instruction, Warning (French/English/German/Dutch)	11 12 13 14 15 18 	14 13 13 14 15 15 CE	5494 6451 5498 6830 5013 5437 8311 4066 4313 access 36 (36	Decal, Warning, Cut Finger Sym Decal, Battery Decal, Caution (English/French) Decal, V-Belt Sch. Decal, Enviro, Deck Decal, Europe, Stand, CE Decal Handle Lift Manual, Operator's (Euro) Manual, Parts ories not included with tractor: Bagger Mulcher Kit

WHEELS AND TIRES	1			
	WHEE	_S AND	TIRES	




KE` NO.		DESCRIPTION
1	59192	Cap, Valve, Tire
23	65139	Stem, Valve
3	278H	Fitting, Grease
4	137422	Tire, Front
	132703	Tire, Rear
5	59904	Tube, Front Tire
	a tha a calif	(Optional, Service Item Only)
	8134H	Tube, Rear Tire
۰.		(Optional, Service Item Only)
6	137237X473	Rim Assembly, Front
	140325X473	Rim Assembly, Rear
7	104757X	Cap Axle
8	9040H	Bearing, Flange
	121748X	Washer 25/32 x 1-5/8 x 16 Gauge
440	144334	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER UM1136E

MOWER DECK




TRACTOR - - MODEL NUMBER UM1136E

MOWER DECK

	Y PART NO.	DESCRIPTION		EY PART D. NO.	DESCRIPTION
1 2	140064	Spring, Mower Clutch	31	17490508	Screw, Hex Washer Head, Thdrol.,
23	122052X 73680600	Spacer, Retainer	00	toooriv	5/16-18 x 1/2
- 4	130840	Nut, Crownlock 3/8-16	32		Arm, Support, Idler, Mower
5	131251	Brake Assembly	33		Deflector
6	121316X	Guide, Belt, Idler Pulley, Flat, Idler	36		Rod, Hinge
7	72110616		37		Spring, Torsion, Deflector
8	19131410	Bolt, Carriage 3/8-16 x 2-1/4	38		Cap, Sleeve
9	127744	Washer 13/21 x 7/8 x 10 Gauge Arm Assembly, Idler, Mower	39 40		Washer 11/32 x 5/8 x 16 Gauge
10	72140610	Bolt, Carriage 3/8-16 x 1-1/4	40	131264	Push Nut V-Belt
11	130841	Rod, Brake	41	19171616	
12	127356	Bracket, Lift, Rear, R.H.	42	3146R	Washer 11/32 x 5/8 16 Gauge
13	72140506	Bolt, Carriage 5/16-18 x 5/8	43	140608	Retainer, Spring Keeper, L.H.
14	73680500	Nut, Crownlock 5/16-18	45	110485X	Bearing
15	127357	Bracket, Lift, Rear, L.H.	46	128774	Housing, Mandrel, Vented
16	153298	Keeper, R.H.	47	129895	Bearing
17	128508	Link Assembly, Mower Stabilizer	48	137645	Shaft, Mandrel (Includes Key
	128511	Pin, Drive	-0	107040	Number 47)
19	127380	Bracket, Assembly, Front	49	133943	Washer, Hardened
20	138496	Blade	50	71161010	Screw, Truss, Hd. Phil 10-24 x 5/8
21	140296	Washer, Hardened	51	136383	Guard, Deflector Mower 36" TUV
	10030600	Washer, Lock 3/8	52	19070718	Washer 7/32 x 7/16 X 18 Ga.
23	850857	Bolt 3/8-24 x 1-1/4 Grade 8	53	53260867	Nut, Hex #10-24
24	140329	Stripper		130794	Mandrel Assembly (Includes Key
25	138776	Screw Thdrol. Hex Head			No.'s 21-23, 26, 29 and 45-48)
27	129983	Housing Assembly	,	144973	Mower Deck, Complete
28	153531	Pulley, Mandrel			, w
29	137266	Nut, Flangelock 9/16	NOT	TE: All compo	onent dimensions given in U.S. inches.
30	136631	Bracket, Assembly, Deflector		1 inch = 2	25.4 mm
.* .					


TRACTOR - - MODEL NUMBER UM1136E DANA TRANSAXLE - MODEL NUMBER 4360-78



TRACTOR - - MODEL NUMBER UM1136E DANA TRANSAXLE - MODEL NUMBER 4360-78

	EY PART D. NO.	DESCRIPTION		EY PART D. NO.	DESCRIPTION
1	142671	Housing, Upper	4	105928X	Sprocket, 9 Teeth (Reverse)
2	2274J	Screw, Self-Tapping, Large	42		Gear, Bevel, 42 Teeth
	~	1/4-20 x .734	43		* Assembly, Kit, Shim .750 Shaft
3	134400	Ball, Detent	44	120473X	Shaft, Drive
4	105904X	Spring, Detent	45	5 142678	Gear, Spur, 12 Teeth (1-)
5	105905X	Screw, Set	46	5 120407X	Gear, Spur, 20 Teeth (2∞)
6		Kit, Shifter Assembly	47	106589X	Gear, Spur, 25 Teeth (3)
7.		Boot, Shifter	48		Gear, Spur, 28 Teeth (4)
8	120951X	Puck, Friction	49		Gear, Spur, 31 Teeth (5)
9		Seal, Oil	50		Spacer .781 x 1.00 x .375
10		Ring, Retaining	51		Washer, Plain .632 x 1.00 x .060
	134793	* Assembly, Kit, Shim .625 Shaft	52		Washer, Neoprene
12	143051	Bearing, Flange	53		Washer, Plain .758 x 1.25 x .031
13	120415X	Washer, Plain .632 x 1.38 x .046	54		Axle, L.H.
14	142674	Key, Woodruff, #9		110081X	Gear, Miter, 15 Teeth
15	138234	Assembly, Kit, Input Shaft	56		Ring, Retaining
16	110078X	Pinion, Bevel, 14 Teeth		110071X	Gear, Spur, 32 Teeth
17	105909X	Ring, Retaining	58	120952X	Shaft, Cross
18	105910X	Chain, 24 Pitches	59		Gear, Miter, 15 Teeth
19	105911X	Bearing, Flange	60	120475X	Axle, R.H.
20_	142675	Gear, Špur, 14 Teeth	61	142680	Housing, Lower
21	138246	Collar, Clutch	62		Puck, Friction
22	138236	Assembly, Kit, Clutch Keys	63		Disc, Brake
23	134791	Screw, Tapping w/Sealer	64	108989X	Spacer
24	142676	Shaft, Intermediate	65	120953X	Jaw, Brake
25	2244J	Key, Woodruff, #61	66	120954X	Pin, Dowel
26 27	105916X	Ring, Retaining	67	134799	Screw, Self-Tapping, Large
27	120470X 110070X	Sprocket, 18 Teeth (Reverse)	<u> </u>	100044	5/16-18 x 2.25
20 29	142677	Spacer	68	138244	Lever, Actuating
30	120405X	Gear, Spur, 37 Teeth (1*) Gear, Spur, 30 Teeth (2*)	69	108996X	Washer, Plain .321 x 1.00 x .055
31	108980X	Gear, Spur, 25 Teeth (34)	70 71	120956X 73810500	Bracket, Anti-Rotation
	120406X	Gear, Spur, 22 Teeth (4-)	72	106596X	Locknut 5/16-24
33	134796	Gear, Spur, 19 Teeth (5 ^s)	12	1000907	Screw, Self-Tapping, Large 5/16-18 x 1.44
	134797	Spacer 1.133 x 1.50 x .375	72	120416X	Grease
	105925X	Washer, Plain .640 x 1.37 x .061		1204107	Glease
	2232J	Washer, Plain .632 x 1.00 x .026	*	Lise in com	binations to maintain proper clearances
	108978X	Spacer .630 x 1.00 x .169		CGC III COIIII	onations to maintain proper clearances
	110079X	Assembly, Gear, Combination of	**	Order Key N	No. 15
1		12 Teeth and 35 Teeth		2.00, 1091	
	124639X	Shaft, Idler	NOT	E: All compo	onent dimensions given in U.S. inches
	120472X	Spacer .635 x .875 x .755		1 inch = 2	

TRACTOR - - MODEL NUMBER UM1136E



TRACTOR - - MODEL NUMBER UM1136E

BAGGER

KE NO		DESCRIPTION	· · ·	 KEY NO.	PART NO.	DESCRIPTION
2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20 21 22 23 24	69180 127533 140654 128598 18021008 140572 87175 19061216 7206J 60867 10071000 109808X 2029J 74930516 130758 128599 133841 71161010 132796 133235 132983 127720X	Locknut #10-24 Screen, Cover Cover Chute, Upper Screw, Special Indicator, Dump Bag Screw, #10-24 x 1-1/8 Washer 3/16 x 3/4 x 16 Ga. Spacer, Split Nut, Acorn #10-24 Washer, lock Latch, Chute Nut, Weld Bolt, Hex 5/16-18 x 1 Latch Assy., Bagger Chute, Lower Nut, Acorn 5/16-18 Screw #10-24 x 5/8 Spring, Cover L.H. (black) Spacer, Cover Spring, Cover R.H. (gray) Post, Support		26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42	63124 4939M 74760512 130889 17490508 131137 134496 126919X 128600 127534 129585 132431 132256 130895 135495 71141008 73800600 137031 123635X 104419X	Locknut 5/16 x 18 Spring, Retainer Bolt, Hex 5/16-18 x 3/4 Bracket, Mounting Screw, Thread Rolling 5/16-18 x 1/2 Pin, Support Post Cap, Tubing End Bagger, Frame Pin, Hinge Gasket, Cover Container, Top Container, Top Container, Bottom Seal, Cover Latch Handle, Cover Strip, Seal Screw #10-24 x 1/2 Locknut 3/8-16 U-Bolt Weight, Wheel Bag, 3.0 mil. 30 Gallon Trash (not included with bagger) Manual, Bagger Operator's

NG