

**Illustrated Parts List
26" RIDING MOWER
SIDE DISCHARGE
ELECTRIC START**

WEEDEATER[®]
One



**Catalog No.
WE261**

IMPORTANT:
Read and follow all Safety
Rules and Instructions before
operating this equipment.



Patents Pending

433203

SCHEMATIC


RIDING MOWER - -CATALOG NO. WE261

SCH21



IGNITION SWITCH

POSITION	CIRCUIT	"MAKE"
OFF	M+G+A1	
RUN/OVERRIDE	B+A1	
RUN	B+A1	L+A2
START	B + S + A1	




SAFETY START MODULE
VIEWED FROM MATING SIDE

WIRING INSULATED CLIPS
NOTE: IF WIRING INSULATED CLIPS
WERE REMOVED FOR SERVICING OF
UNIT, THEY SHOULD BE RE-INSTALLED
TO PROPERLY SECURE YOUR WIRING.

REMOVABLE
CONNECTIONS

NON-REMOVABLE
CONNECTIONS

RIDING MOWER - -CATALOG NO. WE261
ELECTRICAL




ELECTRICAL**RIDING MOWER - -CATALOG NO. WE261**

KEY NO.	PART NO.	DESCRIPTION
1	423264	BATTERY, 12V, 8AH
2	425416	FOAM, POLYURETHANE
3	193350	SWITCH, IGN, DLTA, P-IN, ROS
4	411934	KEY, MOLDED
5	433330	FUSE, 5A
6	425937	FUSE, 40A
7	160784	SWITCH, PLUNGER, NO, OLIVE
8	431542	RELAY, 40A
9	109553X	SWITCH, INTLK,CL, MWR, GRY
10	176138	SWITCH, INTERLOCK, NONC,GRAY
11	431846	MODULE, STARTING, RECOIL, LRV
12	192749	SWITCH, SEAT, DP, ROS
13	428477	HARNESS, IGN, ELECTSTART, LRV

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

CHASSIS

RIDING MOWER - -CATALOG NO. WE261



LRV-Chassis_1_r1

CHASSIS


RIDING MOWER - -CATALOG NO. WE261

KEY NO.	PART NO.	DESCRIPTION
1	428048	WELDMENT, CHASSIS
2	428247	SUPPORT, AXEL LH
3	428244	SUPPORT, AXEL RH
4	428346	SHIELD, TRANSAXLE FRONT
5	428110	BRACE, AXLE CROSS
6	428109	COVER, FRICTION DRIVE
7	428040	PLATE, ENGINE
8	428576	BRACKET, CHASSIS FRONT
9	428856	BRACKET, STEERING SUPPORT
10	195530	PAN, SEAT
11	174648X431	BRACKET, SWITCH MOUNTING
12	428248	BOOT, DUST
13	428251X665	COVER, FOOT REST
14	428250	STRUCTURE, FOOT REST
15	428249	SUPPORT, FOOT REST
16	428241X665	FENDER, CONTROL
17	428348	GUARD, ENGINE
18	428047	ENGINE (NON-CALIFORNIA)
- -	432389	ENGINE (CALIFORNIA)
19	428986	KEEPER, BELT
20	428046	BRACKET, BATTERY
21	429815	LEVER, SWITCH
22	428826	DECK CLUTCH ASM
23	149846	KNOB
24	416358	SCREW, NO. 10
25	72140424	BOLT, CARRIAGE 1/4-20 X 3
26	73510400	NUT, 1/4-20
27	430087	SPACER, ENGINE
28	428301	DISC, FRICTION ASM
29	430817	BOLT, SCKT HD 3/8-24 X 1 .25
30	430470	BEARING
31	430469	SPACER, NEUTRAL
32	150406	BOLT, 3/8-16 X .280
33	124181X	SPRING, SEAT
34	121250X	SPRING
35	72050412	BOLT, 1/4-20 X 1 1/2
36	127018X	BOLT, SHOULDER
37	19171912	WASHER, 17/32 X 1 3/16
38	166369	KNOB, SEAT
39	134300	SPACER
40	121248X	BUSHING, NYLON SNAP
41	123976X	NUT, LOCK
42	171852	BOLT, 5/16-18 SHOULDER
43	73800500	NUT, 5/16-18
44	428243	SEAT
45	17000512	BOLT, 5/16-18 X 3/4
46	17490508	BOLT, 5/16-18 X 1/2
47	86777	SCREW
48	408981	BEARING FLANGE BALL
49	17060516	SCREW 5/16-18 X1

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

DRIVE

RIDING MOWER - -CATALOG NO. WE261



LRV-Drive_1_r1


RIDING MOWER - -CATALOG NO. WE261

DRIVE

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	428268X613	WHEEL ASM (REAR)	40	10040400	WASHER, LOCK
2	121748X	WASHER, 16 GA.	41	19091210	WASHER FLAT
3	12000001	E-CLIP	42	166002	WASHER, SERRATED
4	123583X	KEY, SQUARE	43	73680400	NUT, CROWN LOCK 114-20
5	427939	WELDMENT, DRIVE AXLE	45	17490436	SCREW 1/4-20 X 2 114
6	428069	CHAIN DRIVE	46	19091016	WASHER
7	427873	SPROCKET, 9 TOOTH SPLINED	47	17490420	SCREW, 1/4-20 X 1 1/2
8	12100009	RING, SNAP	48	430249	PLATE BRAKE ANTI - ROTATE
10	428876	DIFFERENTIAL ASM	49	430245	SPRING, BRAKE RETURN
11	1370H	WASHER, THRUST	50	428021	ARM, BRAKE
12	430645	CHAIN, PRIMARY DRIVE	51	430247	SPACER RETURN
13	430845	BUSHING	52	428078	CALIPER, BRAKE ASM
14	427946	BRACKET, CARRIER	53	77010810	PIN, DOWEL 1/4
15	9159R	BEARING ASM	54	428019	PLATE, BRAKE PAD
16	427926	SHAFT INPUT	55	428017	PUCK BRAKE
17	428106	WHEEL, FRICTION A5M	56	428014	ROTOR, BRAKE
18	424759	ARM, SHIFT	57	428016	CAP, BRAKE CALIPER
19	430870	ROD, BYPASS	58	4497H	PIN, RETAINER
20	427997	BRACE CARRIER REAR	59	17490508	BOLT, 5/16-16 X 112
21	428077	SPRING, CARRIER	60	428460	CABLE, BRAKE
22	428076	SPRING, BRAKE	61	427945	WELDMENT, PEDAL
23	431374	SPRING, BYPASS	62	429678	ROD, PARKING BRAKE
24	427995	BRACE CARRIER BOX	63	77100812	PIN, .25 X .75 CLEVIS
25	429303	LINK, SHIFT	64	76020208	PIN, 1/16 DIA. COTTER
26	429816	ARM, CLUTCH	65	429325	BRACKET, BRAKE SUPPORT
27	429053	WELDMENT SHIFT LEVER	66	429694	COVER PEDAL
28	428302	SUPPORT, SHIFT LEVER	67	429693	COVER, BRAKE PEDAL
29	174840	WASHER, NYLON	68	17490408	SCREW, 1/4-20 X 1/2
30	183900	HUB SHIFT LEVER	69	428070	BRAKE CABLE MOUNT
31	429055	SPACER, NYLON	70	17000512	BOLT, 5/16-18 X 3/4
32	428464	MNTG BRKT. SHIFT ARM	71	104757X613	CAP HUB AXLE
33	428461	BRACKET, SHIFTER FLEX			
34	428462	TUBE SHIFT ARM			
35	196492	GRIP, HANDLE			
36	72110406	BOLT, CARRIAGE - 114-20 X 3/4			
37	73800400	NUT NYLON LOCK 114-20			
38	165492	BOLT, SHOULDER			
39	74780412	BOLT, 1/4-20 X 3/4			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

RIDING MOWER - -CATALOG NO. WE261



STEERING


RIDING MOWER - -CATALOG NO. WE261

KEY NO.	PART NO.	DESCRIPTION
1	428269X613	WHEEL ASM (FRONT)
2	12000001	E-CLIP
3	188967	WASHER, HARDENED
4	121749X	WASHER, 1/4 X 3/4
5	428034	SPINDLE, RH
6	6266H W	ASHER, HARDENED THRUST
7	3366R B	USHING, STEERING COLUMN
8	421076	PIN, 5/64 X 3/4 COTTER
9	19131414	WASHER
10	428057	WELDMENT, LWR STRG SHAFT
11	428035	LINK, STRNG LH
12	428036	LINK, STRNG RH
13	74780524	BOLT, 5/16-18 X 1 1/2
14	19131016	WASHER
15	73800500	NUT, 5/16-18
16	428044	BUSHING, STEERING SNAP
17	428252	SUPPORT, UPPER STEERING
18	195227	BUSHING, UPPER STEERING
19	17000512	BOLT, 5/16-18 X 3/4
20	428045	CLIP, RETAINER SPRING
21	428347	COVER, STEERING COLUMN
22	428213	SHAFT, STEERING
23	186737	ADAPTER, STEERING WHEEL
24	19183812	WASHER, 9/16 X 2 3/8 12 GA.
25	73940800	NUT, JAM LOCK 1/2-20
26	414851X418	WHEEL, STEERING
27	414852X418	CAP, STEERING WHEEL
28	199849	CLIP, RETAINER SPRING
29	428033	SPINDLE, LH
30	104757X613	CAP, HUB, AXLE

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

MOWER DECK

RIDING MOWER - -CATALOG NO. WE261



LRV-Deck_1_r1

MOWER DECK**RIDING MOWER - -CATALOG NO. WE261**

KEY NO.	PART NO.	DESCRIPTION
1	428193	DECK, 26"
2	192870	MANDREL ASM
3	432520	KEEPER, BELT
4	432594	PULLEY, MANDREL
5	428578	BELT
6	428242	COVER, MANDREL
7	429395	LIFT ASM, DECK
8	429195	LINK, DECK LIFT
9	429397	LINK, ADJUSTABLE
10	428146	DEFLECTOR
11	428968	SUPPORT, DEFLECTOR
12	131491	ROD, HINGE
13	197026	SPRING, TORSION
14	418863	ARM, MOWER SUPPORT
15	73900500	NUT, LOCK
16	195161	STUD
17	19191912	WASHER
18	194209	PIN
19	196539	BOLT, SHOULDER
20	194208	PIN
21	19171912	WASHER, 17/32 X 1 3/16
22	429350	LINK, DECK
23	73930600	NUT, LCK 3/8-16
24	429531	SPRING, DECK
25	4497H	PIN
26	187690	SPACER, MANDREL
27	173984	BOLT, MANDREL
28	400234	NUT, LOCK
29	428500	BLADE
30	193003	BOLT, BLADE
31	193197	PULLEY, IDLER
32	141043	GUARD, IDLER
33	193414	KEEPER, BELT IDLER
34	72110612	BOLT, 3/8-16 X 1 1/2
35	199470	ARM, BRAKE
36	137729	SCREW, 1/4-20 X 5/8
37	73900600	NUT, 3/8-16 FLANGE
38	428435	ARM, IDLER
39	17490508	BOLT, 5/16-18 X 1/2
40	19171616	WASHER, 16 GA.
41	105304X	CAP, SLEEVE
42	110452X	NUT, PUSH


NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

DANGER: This cutting machine is capable of amputating hands and feet and throwing objects. Failure to observe the following safety instructions could result in serious injury or death.

- **WARNING:** In order to prevent accidental starting when setting up, transporting, adjusting or making repairs, always disconnect spark plug wire and place wire where it cannot contact spark plug.
- **WARNING:** Do not coast down a hill in neutral, you may lose control of the riding mower.
- **WARNING:** Engine exhaust, some of its constituents, and certain vehicle components contain or emit chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
- **WARNING:** This unit is not intended for towing, or use of wheel weights. Only use attachments designed specifically for this riding mower.
- **WARNING:** Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. **Wash hands after handling.**

I. GENERAL OPERATION

- Read, understand, and follow all instructions on the machine and in the manual before starting.
- Do not put hands or feet near rotating parts or under the machine. Keep clear of the discharge opening at all times.
- Only allow responsible adults, who are familiar with the instructions, to operate the machine.
- Clear the area of objects such as rocks, toys, wire, etc., which could be picked up and thrown by the blade.
- Be sure the area is clear of bystanders before operating. Stop machine if anyone enters the area.
- Never carry passengers.
- Do not mow in reverse unless absolutely necessary. Always look down and behind before and while backing.



KEY PART NO.	NO.	DESCRIPTION
1	430588	DECAL, STEERING WHEEL
2	433596	DECAL, V-BELT SCH 30"
3	425113	DECAL, WARN, DEFLECT/CTFGR
4	430589	DECAL, DECK/DEFLECTOR
*5	424102	DECAL, SPARK ARRESTOR
- -	432479	DECAL, BYPASS

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

12.14.09 CL

WEEDEATER[®]
One

Printed in the U.S.A.