






Ref #	Part Number	Qty	S/P/F	Description
1	618-0116	1	S	Blade Spindle Ass'y.
2	683-0067	1	S	46" Deck Ass'y.
	813-06921	1	S/F	46" Deck Ass'y. Comp. New Part
3	710-3151	1	/P	Hex Bolt 5/8-18 x 4.25" Lg.
4	710-0428	1		Hex Bolt 1/4-28 x 1.25" Lg.
5	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg.
6	710-0152	1	S	Hex Bolt 3/8-24 x 1" Lg.
8	710-0599	1	/P	Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
9	710-0151	1	/P	Hex Bolt 3/8-24 x 2" Lg.
10	710-1260	1	S	Hex Flange Bolt 5/16-24 x .75" Lg.
11	710-1262	1	/P	Hex Patch L-Bolt 7/16-20 x 1" Lg.
12	711-0993	1	S	Belt Guard Pin
13	712-0138	1	S	Hex Nut 1/4-28 Thd.
14	712-0429	1	S	Hex Ins. L-Nut 5/16-18 Thd.
15	712-0241	1	/P	Hex Nut 3/8-24 Thd.
16	712-0287	1	S	Hex Nut 1/4-20 Thd.
17	712-0181	1	S	Hex Top Jam Nut 3/8-16 Thd.
18	712-3068	1	S	Hex Patch L-Nut 5/16-18 Thd.
19	716-3020	1	S	Int. Snap Ring
20	732-0594A	1	S	Ext. Spring .88" O.D. x 6.17"
21	732-0723	1		Ext. Spring .788" O.D. x 15.5"
22	734-0973	1	/P	Deck Wheel
23	736-0290	1	/P	Fl-Wash. .635" I.D. x 1" O.D. x .06"
24	736-0329	1	S/F	L-Wash. 1/4" I.D.
25	736-0331	1	/P	Bell-Wash. 3/8" x 1.125" x .062"
26	736-0105	1	/P	Bell-Wash. 3/8" x .87" x .064"
27	736-0510	1	S	Bell-Washer
28	738-0347	1	S	Shoulder Spacer .625" I.D. x .169"
29	738-0373	1	S	Shld. Bolt .498" x 1.525"
30	741-0524	1	S	Ball Brg. .625" I.D. x 1.574" O.D. x .47"
31	742-0543	1	S	High Lift Blade 14.88" Lg.
32	742-0542	1	S	High Lift Blade 16.28" Lg.
33	748-0234	1	/P	Shoulder Spacer
34	750-0932	1	S	Spacer .635" I.D. x .088" O.D.
36	754-0440	1	S	V-Belt
37	754-0439	1	S	V-Belt
38	756-0638	1		Pulley Double Deck 5" O.D.
39	756-0627	1	S	Flat Idler Pulley 3.5 O.D.
40	783-0046	1	S	Idler Deck Bracket
41	783-0063A	1	/P	Belt Cover L.H. New Part
42	17116	1	S	Deck Brake Brkt. Ass'y.
43	17258A	1	S	Belt Cover Brkt. R.H.
44	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
45	711-0792	1	S	Hinge Pin
46	736-0270	1	/P	Bell-Wash. 1/4" I.D.
47	732-0602	1	S	Torsion Spring
48	703-1693	1	S	Hinge Mtg. Brkt.
49	726-0106	1	S	Push Nut
50	731-1032	1	S	Chute Ass'y. Comp. Incl. Ref. 45, 47, 48, 49, 50
51	750-0960	1	S	Spacer .635" I.D. x 1" O.D.
52	736-0158	1	S	L-Wash. 5/8" I.D.
53	712-0337	1		Hex Nut 5/8-18 Thd.
54	710-0167	1	/P	Carriage Bolt 1/4-20 x .5" Lg.

Ref #	Part Number	Qty	S/P/F	Description
55	712-0271	1	/P	Hex Sems Nut 1/4-20 Thd.
57	736-3088	1		Fl-Wash. .635" I.D.
58	783-0141	1		Center Deck Skirt
59	783-0142	1		R.H. Deck Skirt



Ref #	Part Number	Qty	S/P/F	Description
1	783-0103	1	S	Connecting Rod New Part
2	683-0029A	1	S	Pivot Link Ass'y. - L.H. New Part
3	683-0028A	1	S	Pivot Link Ass'y. - R.H. Uses "E"-Ring
4	17710	1	S	Deck Hanger Link Ass'y.
5	14800A	1	S	Deck Hanger Link Ass'y.
6	14804A	1		Deck Hanger Link Ass'y.
7	748-0331	1	S	Shld. Spacer .318" I.D.
8	736-0264	1	S	Fl-Wash. .344" I.D. x .62" O.D.
9	736-0119	1	S/F	L-Wash. 5/16" I.D.
10	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
12	714-0470	1	S	Cotter Pin 1/8" Dia.
13	736-0256	1	S	Fl-Wash. .635" I.D. x 1.0" O.D.
14	683-0003	1	S	Height Adj. Stop Lever Ass'y. Incl. Ref. 15; Optional
15	08540	1	/P	Knob Optional
16	710-0604	1	S	Hex Wash. TT-Tap Scr. 5/16-18 x .75" Lg.
17	748-0176	1		Flange Brg. .63" I.D. Optional
18	710-1238	1	/P	Hex Wash. Hd. Scr. 5/16-18 x .875" Lg.
19	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
20	17730	1	S	Index Brkt.
21	783-0042	1	S	Upper Frame - R.H.
23	736-0267	1	S	Fl-Wash. .385" I.D. x .87" O.D.
24	736-0160	1	S	Fl-Wash. .531" I.D. x .93" O.D.
25	726-0272	1	/P	Clamp
26	738-0526	1		Running Board Rod
27	710-3007	1	/P	Hex Wash. Hd. Tap Scr.
28	14802A	1	S	Link Deck Lift Ass'y.
29	711-0723A	1	S	Adj. Ferrule 3/8-24 Thd.
30	17712	1	S	Adj. Deck Lift Link
31	712-3066	1	S	Hex Nut 1/2-20 Thd. (Gr. 5)
32	711-0841	1	S	Lift Link Adjuster
33	17637A	1	S	Lift Shaft Ass'y.
34	725-1657	1	S	Safety Switch (Deck)
35	714-0145	1	S	Inter. Cotter Pin 3/8" Dia.
36	732-0637	1	S	Extension Spring
37	17636B	1	S	Stabilizer Bracket
38	738-0670	1	S	Shaft 1/2" Dia. x 10.28" Lg.
39	732-0638	1		Extension Spring
40	720-0233	1	S	Grip (Lift Handle)
41	17675	1	S	Deck Lift Handle Ass'y.
42	738-0669	1		Shaft 3/8" Dia. x 9.34" Lg.
43	747-0598	1		Disengagement Rod
44	17624	1	S	Stabilizer Shaft Ass'y.
45	732-0556	1	S	Extension Spring 7.58" Lg.
46	783-0043	1	/P	Upper Frame - L.H.
47	741-0313	1	S	Flange Brg. .632" I.D.
48	17128	1	S	Spring Retainer Brkt.
49	716-0104	1	S	"E"-Ring
50	736-0425	1	S	Bell-Wash. .325" I.D.




Ref #	Part Number	Qty	S/P/F	Description
4	731-1053B	1	S	Index Bracket
5	710-0924	1	/P	Pan Hd. Mach. Scr. 1/4-20 x .75" Lg.
6	710-0599	1	/P	Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
7	712-0138	1	S	Hex Nut 1/4-28 Thd.
8	736-0329	1	S/F	L-Wash. 1/4" I.D.
10	710-0412	1	/P	Hex Bolt 1/4-28 x .75" Lg.
11	683-0065	1	S	Lower Frame Ass'y.
12	710-1007	1	/P	Hex Tap Scr. 3/8-16 x 1.5" Lg.
13	736-0247	1	/P	Fl-Wash. .406" I.D. x 1.25"
14	725-1426	1	S	Solenoid
15	736-0222	1	S	Ext. L-Wash. 1/4" I.D.
16	17358D	1	S	Belt Guard Brkt. Ass'y.
17	750-0957	1	S	Spacer 1.01" I.D. x 1.4" O.D.
18	756-0983	1	S	Engine Pulley
19	711-0986	1	S	Belt Guard Stud 3.6" Lg.
20	736-0322	1	/P	Fl-Wash. 7/16" I.D. x 1.25" O.D.
21	736-0171	1	S/F	L-Wash. 7/16" I.D.
22	710-0757	1	/P	Hex Bolt 7/16-20 x 1.5" Lg.
23	735-0196	1	S	Foot Pad
24	683-0049	1	S	Brake Lockout Brkt. Ass'y.
25	783-0091A	1		Foot Pedal brkt.
26	732-0728	1		Foot Pedal Return Spring
27	738-0296	1	S	Shld. Bolt .437" Dia. x .268"
28	736-0406	1	S	Fl-Wash. 7/16" I.D. x 1-3/8" O.D.
29	747-0608	1	S	Lock-up Rod
30	17755A	1		Bracket
31	736-0119	1	S/F	L-Wash. 5/16" I.D.
32	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
33	720-0166	1	S	Ball Knob
34	732-0727	1	S	Neutral Return Spring
35	712-0273	1	S	Hex Nut 5/16-24 Thd.
36	736-3078	1	/P	Fl-Wash. .344" I.D. x 1" O.D.
37	783-0092	1		Scissor - Flat
38	736-0362	1	/P	Fl-Wash. .33" I.D. x 1.25" O.D.
39	750-0808	1	/P	Spacer
40	736-0219	1	S	Bell-Wash. .4" I.D. x 1.13" O.D.
41	761-0196	1	S	Friction Washer
42	750-0918	1		Centering Gauge Spacer
43	783-0095	1		Neutral Return Mtg. Brkt.
44	736-0270	1	/P	Bell-Wash. .265" I.D. x .75" O.D.
45	732-0718	1		Comp. Spring 1.19" Lg.
46	736-3008	1	S	Fl-Wash. .312" I.D. x .75" O.D.
47	712-0123	1	/P	Hex Nut 5/16-24 Thd.
48	710-0299	1		Hex Bolt 1/4-28 x 1" Lg. (Gr. 5)
49	710-1012	1	/P	Rib Neck Bolt 5/16-24 x .84" Lg.
50	783-0093	1		Scissor - Offset
51	747-0887	1		Neutral Return Rod
52	738-0879	1	S	Friction Disc Stud
53	748-0368	1		Shld. Spacer
54	783-0096	1		Neutral Return Lever
55	736-3092	1	/P	Fl-Wash. .265" I.D. x 1" O.D.
56	736-0329	1	S/F	L-Wash. 1/4" I.D.
57	712-0287	1	S/F	Hex Nut 1/4-20 Thd.


Ref #	Part Number	Qty	S/P/F	Description
58	714-0104	1	S	Hairpin Clip
59	736-0262	1	/P	FI-Wash. .375" I.D. x .87" O.D.
60	736-0413	1	/P	Spring Wash. .39" I.D.
61	712-0116	1	S	Hex L-Nut 3/8-24 Thd.
62	712-0711	1	/P	Hex Jam Nut 3/8-24 Thd.
63	783-0090A	1		Neutral Return Brkt.
	783-0097	1		Neutral Return Brkt. w/46" Deck
64	711-0832	1	S	Ferrule 3/8-24 Thd.
65	747-0365	1	S	Control Rod
66	723-0351	1	S	Ball Joint 3/8-24 Thd.
67	748-0234	1	/P	Shld. Spacer .5" Dia. x .27" Lg.
68	736-0159	1	S	FI-Wash. .349" I.D. x .879" O.D.
69	710-3007	1	/P	Hex Wash. Hd. Tap Scr. #12 x 3/8" Lg.
70	731-1449	1	S	Fan
71	712-0333	1	S	Hex Nut 1/2-20 Thd.
72	736-0921	1	S/F	L-Wash. 1/2" I.D.
73	712-0241	1	/P	Hex Nut 3/8-24 Thd.
74	736-0169	1	S	L-Wash. 3/8" I.D.
75	756-0975	1		Transmission Pulley
76	732-0729	1	/P	Wire Ring
77	754-0441	1	S	"V"-Belt
78	756-0981	1	S	FI-Idler Pulley 2.75" O.D.
79	720-0238	1		Rod End Grip
80	747-0894	1		Bypass Control Lever
81	783-0085	1	S	Transaxle Support Brkt. - L.H.
82	710-0528	1	/P	Hex . Bolt 5/16-18 x 1.25" Lg.
83	732-0384	1	S	Ext. Spring 6.12
84	683-0051	1	S	Idler Brkt. Ass'y.
	683-0048	1		Idler Brkt. Ass'y. w/46" Deck
85	710-0116	1	/P/F	Hex Bolt 5/16-18 x 2.5" Lg.
86	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
87	748-0234	1	/P	Shld. Spacer .5" Dia. x .27" Lg.
88	783-0086A	1	S	Transaxle Support Brkt. - R.H.
89	747-0886	1		Brake Rod 24.94" Lg.
90	732-0716	1	S	Ext. Spring
91	747-0893	1		Bypass Actuator Rod
92	736-0142	1	S	FI-Wash. .281" I.D. x .5" O.D.
93	783-0098	1		Bypass Adjustment Brkt.
94	736-0222	1	S	External L-Wash. 1/4" I.D.
95	731-1086A	1	/P	Sleeve .758" I.D. x 1" O.D.
96	710-0604	1	S	Hex . Wash. TT-Tap Scr. 5/16-18 x .62" Lg.
97	17994	1	S	Retainer Brkt. - Transaxle
98	710-0176	1	/P	Hex Bolt 5/16-18 x 2.75" Lg. (Gr. 5)
	710-1266	1	/P	Hex Bolt 5/16-18 x 3.5" Lg. Used w/46" Deck
99	732-0250	1	S	Tension Spring
100	710-0888	1	/P	Hex Bolt 5/16-24 x 1" Lg. (Special)
101	710-0224	1	S	Hex Wash. Hd. AB-Tap Scr. #10 x .5" Lg.
103	712-3019	1	S	Hex Nut 7/16-14 Thd. (Gr. 5)
104	736-3015	1	S	FI-Wash. .469" I.D. x .875" O.D.
105	736-0439	1		Bell-Wash. .46" I.D. x 1.13" O.D.
106	710-0505	1	/P	Hex Bolt 7/16-14 x 1" Lg.
107	647-0008A	1	/P	Speed Control Lever Ass'y.
108	17668	1	S	Axle Support Brkt. - R.H.

Drive/Wheels, Rear/Pedal Assembly

Ref #	Part Number	Qty	S/P/F	Description
	17669	1	S	Axle Support Brkt. - L.H. Not Shown
109	732-0433	1		Ext. Spring 2.75" Lg.
110	736-0141	1	S	Spr-Wash. .445" I.D. x .75" O.D.
111	17840	1	S	Transaxle Mtg. Brkt.
112	725-1657	1	S	Safety Switch (Clutch)
?113	17962	1		Switch Plate
?114	710-0351	1	/P	Truss Mach. B-Tap Scr. #10 x .5" Lg.
115	710-0650	1	/P	Hex Wash. TT-Tap Scr. 5/16-18 x .75" Lg.
116	17715B	1		Clutch/Brake Pedal Ass'y.
117	750-0802	1		Spacer .63" I.D.
118	17860	1	S	Pedal Bracket
119	736-0264	1	S	FI-Wash. .344" I.D. x .62" O.D.
120	714-0111	1	S	Cotter Pin 3/32" Dia.
121	714-0470	1	S	Cotter Pin 1/8" Dia.
122	736-0256	1	S	FI-Wash. .64" I.D. x .94" O.D.
123	710-0227	1	/P	Hex Wash. Hd. AB-Tap Scr. #8 x .5" Lg.
124	726-0320	1	S	Insulator Nut Plate
125	725-1643	1		Reverse Safety Switch
126	725-1399	1		Extension Wire
127	710-0344	1	/P	Hex Bolt 3/8-16 x 1.5" Lg.
128	756-0116	1	S	Idler Pulley
130	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
131	720-0218	1	/P	Shift Knob
132	783-0014	1		Hitch Plate Extension
133	783-0099	1	S	Idler Brkt.
134	731-1480	1	/P	Plastic Vent
135	726-0324	1	S	Clamp
136	721-0330	1		"O"-Ring
137	731-1485	1		Hose Fitting
138	751-0588-18	1		Fuel Line 18" Lg.
139	710-0627	1	/P	Hex Bolt 5/16-24 x .75" Lg.
140	736-0242	1	/P	Bell-Wash. .345" I.D. x .88" O.D.
141	734-0255	1	S	Air Valve
142		1		Rim Only
143		1		Wheel Ass'y. Comp.
		1		Tire Only
144	734-1615	1	S	Hub Cap Gray Optional
	734-1614	1	S	Hub Cap Beige Optional
	734-1788	1	S	Hub Cap Yellow Optional
145	727-0425A	1	S	Spring Clip
146	731-1481	1		Vent Cap
147	750-0258	1	/P	Spacer .315" I.D. x .75" O.D.
148	710-3195	1		Hex Bolt 5/16-18 x 4.5" Lg. Used w/46" Deck
	734-1675	1		Wheel Ass'y. Comp. - 20" x 8.0" (Round Shoulder)
	734-1596	1		Tire Only - 20" x 8.0" (Round Shoulder)
	634-0070	1	/P	Rim Only - 20" x 8.0" (Round Shoulder)
	634-0104	1		Wheel Ass'y. Comp. - 20" x 8.0" (Square Shoulder)
	734-1730	1		Tire Only - 20" x 8.0" (Square Shoulder)
	634-0070	1	/P	Rim Only - 20" x 8.0" (Square Shoulder)




Ref #	Part Number	Qty	S/P/F	Description
1	725-1635	1	S	Battery
2	725-1426	1	S	Solenoid
3	725-1625	1		Fuse 7.5 Amps
4	725-0634	1	S	Light Switch
5	725-0925	1	S	Ammeter
6	725-0267	1	S	Ignition Switch
7	725-1657	1	S	Safety Switch
9	629-0203	1		Wire Harness
	629-0205	1		Wire Harness w/Monitor Optional Part
12	725-0759	1	S	Safety Switch (Reverse)
13	725-1649	1	S	Socket Used on Styles 0, 5
	725-1650	1	S	Socket Used on Styles 8, 9
	725-1651	1	S	Socket Used on Styles 1, 3, 7
14	725-0963	1	S	Bulb (Headlight)
15	725-1303	1	S	Safety Switch (Seat)
16	725-0980	1		Ground Wire 7.5" Lg.
17	725-1439	1		Safety Switch (Seat)
18	629-0125	1	S	Harness Adapter
?19	629-0208	1		Harness Adapter
20	629-0132	1		Monitor Harness Optional Part
21	725-1365	1	S	Monitor Bulb Optional Part
	731-1284	1		Harness Conduit Not Shown




Ref #	Part Number	Qty	S/P/F	Description
2	712-0147	1	/P	Speed Nut #10-24 Thd. Used with Single Cylinder Engine Only.
4	721-0208	1	S	Gasket Used with Single Cylinder Engine Only.
5	710-0323	1	/P	Truss Mach. Scr. 5/16-18 x .75" Used with Single Cylinder Engine Only.
6	736-0607	1	/P	External L-Wsh. 5/16" I.D. Used with Single Cylinder Engine Only.
7	725-0980	1		Ground Wire Used with Single Cylinder Engine Only.
8	16936	1		Muffler Heat Shield - Front Used with Single Cylinder Engine Only.
9	683-0042A	1	/P	Muffler Heat Shield - L.H. Used with Single Cylinder Engine Only.
10	710-0224	1	S	Hex Wash. Tap Scr. #10 x .5" Lg. Used with Single Cylinder Engine Only.
11	710-0294	1	F	Hex Bolt 1/4-20 x 3/8" Lg. Used with Single Cylinder Engine Only.
12	738-0636	1	S	Shld. Bolt 7/16" Dia. x 3-5/8" Lg. Used with Single Cylinder Engine Only.
13	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
14	736-0329	1	S	L-Wash. 1/4" I.D.
16	736-3078	1	/P	Fl-Wash. .344" I.D. x 1" O.D.
25	736-0175	1	S/F	Spr. Wash. .265" I.D.
26	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.
27	736-0142	1	S	Fl-Wash. .218" I.D. x .5" O.D.
32	731-0911	1		Rubber Foot Pad - L.H. Optional
	731-0912	1		Rubber Foot Pad - R.H. Optional
33	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
38	710-0258	1	S/F	Hex Bolt 1/4-20 x .62" Lg.
44	751-0465	1	S	Muffler
51	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
52	736-0275	1	S	Fl-Wash. .343" I.D. x .687"
60	731-0955	1	S	Steering Wheel Insert Optional
65	783-0041	1	S	Pivot Bar Brkt.
66	17324B	1		Fender
67	710-0167	1	/P	Carriage Bolt 1/4-20 x .62" Lg.
68	725-3000	1		Reflector Optional
70	746-0776	1	S/F	Throttle Wire 18.5" Lg. New Part
	746-0634	1	/P/F	Throttle Wire 35" Lg.
71	831-0823A	1	/P	Throttle Control Box Ass'y.
72	725-1341B	1	/P	Ignition Key
73	725-1346	1	S	Ignition Switch Nut
74	725-1347	1	/P	Ignition Switch Cap
75	725-1396	1	S	Ignition Switch
76	731-1433	1	S	Hood
77	710-0779A	1	/P	Truss Mach. AB-Tap Scr. #10 x .5" Lg.
78	725-0634	1	S	Light Switch
79	746-3021	1	F	Choke Control

Ref #	Part Number	Qty	S/P/F	Description
	746-0614A	1	/P/F	Choke Control
80	710-0642	1	/P	Hex Wash. Hd. Tap Scr. 1/4 x .75" Lg.
81	710-0599	1	/P	Hex Tap Scr. 1/4-20 x .5" Lg.
82	726-0233	1	/P	Push Nut Fastener
83	736-0176	1	S	FI-Wash. .27" I.D. x .948"
84	725-0925	1	S	Ammeter
85	712-0185	1		Speed Nut 1/4-20 Thd.
86	731-0961A	1	/P	Dash Panel
87	710-0896	1	/P	Hex Wash. Hd. B-Tap Scr. 1/4 x .62" Lg.
88	783-0121	1	S	Hood Reinforcement
89	783-0123	1	S	Hood Hinge
90	17762	1	S	Hood Reinforcement Spacer
92	17223	1	S	Light Bracket
93	712-0158	1	S	Hex L-Nut 5/16-18 Thd.
94	712-0107	1	S	Hex L-Nut 1/4-20 Thd.
95	712-3007	1	/P	Hex Jam Nut 5/16-18 Thd.
96	710-3038	1	/P	Hex Bolt 5/16-18 x 7/8" Lg.
97	710-0351	1	/P	Truss Mach. B-Tap Scr. #10 x .5" Lg.
98	731-1434	1	S	Side Cover - R.H.
	731-1435	1	/P	Side Cover - L.H. Not Shown
99	731-1442	1	S	Grille
100	731-0949	1	S	Lens - L.H.
	731-0948	1	S	Lens - R.H.
101	725-1650	1	S	Twist Lock - Lamp Socket
102	725-0963	1	S	Lamp
103	731-0705	1	S	Headlight Housing
104	17300D	1		Dash Support Brkt.
105	17633A	1	S	Support Brkt.
106	17782	1		Choke Retainer
107	756-0522	1		Engine Pulley 30" Deck Only




Ref #	Part Number	Qty	S/P/F	Description
1	710-0776A	1	/P	Hex AB-Tap Scr. 1/4 x .62"
2	17450	1		Muffler Heat Shield Mtg. Brkt. - R.H. Not Shown
	17449	1		Muffler Heat Shield Mtg. Brkt. - L.H.
3	751-0474	1		Muffler
4	16934	1		Front Heat Shield
5	736-0170	1	S	Spec. L-Wash. 5/16 x .88"
6	712-0267	1	S	Hex Nut 5/16-18 Thd.
7	731-0511-12	1		Trim Strip 12" Lg.
8	737-0164	1	S	Pipe Nipple
9	737-0143	1	S	Oil Drain Cap
10	16804C	1		Rear Baffle Used on Styles 8 and 9
11		1		Engine
12	726-0272	1	/P	Clamp
13	736-3067	1		Fl-Wash. .188" I.D. x .438"
14	710-0779A	1	/P	Truss Mach. AB-Tap Scr. #10 x .5" Lg.
15	783-0161	1		Heat Shield Styles 3 & 5 Only
16	726-0328	1		Rubber Grommet Used w/Ref. 15
17	736-0247	1	/P	Fl-Wash. .406" I.D. x 1-1/4" O.D.
18	710-0502A	1	/P	Hex L-Wash. TT-Tap Scr. 3/8-16 x 1.5" Lg.
19	710-1087	1	S	Hex Bolt 5/16-18 x 5/8" Lg.




Ref #	Part Number	Qty	S/P/F	Description
2	710-1208	1	/P	Hex Wash. Hd. Tap Scr. 5/16-18 x 3.25" Lg.
3	738-0155	1	S	Shld. Bolt .437" Dia. x .162"
4	738-0145	1	S	Shld. Bolt .50" Dia. x .84"
5	736-0141	1	S	Spr-Wash. .445" I.D. x .75
6	783-0039	1	S	Seat Pivot Bracket
7	751-0603	1	S	Fuel Cap
8	751-0553	1		Fuel Tank 12.5 H.P. & Smaller
	751-0555	1	S	Fuel Tank 13 H.P. & Larger
9	726-0209	1	/P	Tie Strap
10	751-0535-15	1	/P	Fuel Line
11	726-0205	1	/P	Hose Clamp
13	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
14	736-0329	1	S	L-Wash. 1/4" I.D.
16	732-0735	1	/P	Compression Spring
21	738-0526	1		Running Board Rod
22	710-0227	1	/P	Hex Wash. Hd. AB-Tap Scr. #8 x .50" Lg.
23	726-0139	1	/P	Speed Nut #10 Z
24	783-0041	1	S	Front Pivot Brkt.
25	710-0623	1	/P	Hex Tap Scr. 3/8-16 x .75"
26	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.
28	710-0134	1	/P/F	Carriage Bolt 1/4-20 x .62"
29	17770A	1	S	Running Board (R.H. & L.H.)
30	761-0168A	1	S	Blade Brake Ass'y.
32	731-0909	1	S	Rubber Foot Pad - L.H. Optional Part.
	731-0910	1	S	Rubber Foot Pad - R.H. Optional Part.
	723-0422	1		Abrasive Foot Pad Optional Part.
33	710-0323	1	/P/F	Truss Mach. Scr. 5/16-18 x .75" Lg.
34	683-0065	1	S	Lower Frame
35	736-0169	1	S/F	L-Wash. 3/8" I.D.
36	726-0278	1		Insulator Boss Plate
37	736-0264	1	S	FI-Wash. .344" I.D. x .625" O.D.
38	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
39	783-0042	1	S	Upper Frame - R.H.
41	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
42	732-0581B	1	S	Extension Spring 5.31" Lg.
43	731-1200	1		Battery Cover
44	725-1635	1	S	12-V Battery
45	783-0043	1	/P	Upper Frame - L.H.
46	783-0133	1	S	Shift Cover
48	726-0279	1		Insulator Plate
49	17951	1	S	Seat Pivot Brkt. Support - L.H.
50	17953	1		Hitch Plate
51	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
52	736-0119	1	S/F	L-Wash. 5/16" I.D.
53	17239A	1	S	Seat Lift Brkt.
54	757-0363	1	S	Seat 8-7/8" High
	757-0364	1	S	Seat 8-7/8" High (Yellow)
	757-0360	1	S	Seat 10-5/8" High
	757-0365	1	S	Seat 10-5/8" High (Yellow)
	757-0350	1	S	Seat 14-1/4" High
	757-0372	1	S	Seat 14-1/4" High (Yellow)
55	17950	1	S	Seat Pivot Brkt. Support - R.H.
56	738-0296	1	S	Shld. Bolt .437" Dia. x .268"

Ref #	Part Number	Qty	S/P/F	Description
57	725-1303	1	S	Spring Switch
59	710-0650	1	/P	Hex Wash. TT-Tap Scr. 5/16-18 x 7/8" Lg.
63	725-1439	1		Safety Switch (Seat)
64	732-0674	1		Battery Tray Clip Single Cylinder
65	17952	1	S	Battery Tray
66	710-0351	1	/P	Truss Mach. B-Tap Scr. #10 x .5" Lg.
67	748-0347	1	S	Spring Spacer
68	710-1221	1		Pan Hd. Cutting Scr. 5/16-18 x .75" Lg.
69	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
70	731-0405	1		Snap Bushing



Ref #	Part Number	Qty	S/P/F	Description
?1	718-0255	1	S	Transmission Comp.
2	HG-9008000-0128	1	/P	Seal - Lip
3	HG-9008000-0126	1	/P	Seal - Lip
4	HG-45074	1		Seal - Lip 10x 25X7
5	HG-50126	1		Arm - Bypass
6	HG-44870	1		Ring - Retaining
7	HG-44094	1	/P	Arm - Actuating
8	HG-44891	1		Pin - Actuating
9	HG-50108	1	S	Nut - Hex Lock 5/16-24 UNJC
10	HG-44130	1	S	Washer 7/16" x 7/8" x .060"
11	HG-50042	1		Breather Ass'y.
12	HG-45007	1		Arm - Control
13	HG-50034	1		Puck - Dampener
14	HG-50018	1		Set Screw
15	HG-50129	1		Strap, Locking



Ref #	Part Number	Qty	S/P/F	Description
1	731-0220	1	S	Steering Wheel Cap
	731-1459	1	S	Steering Wheel Cap (Sq. - MTD)
	731-1460	1		Steering Wheel Cap (Square - No Logo)
2	712-0411	1	S	Hex L-Nut 5/16-24 Thd.
3	736-0242	1	/P	Belleville Wash. .345" I.D.
4	731-0805	1	S	Steering Wheel (3 Spoke) Uses Round Steering Wheel Cap.
	731-1406	1		Steering Wheel (3 Spoke) Uses Square Steering Wheel Cap.
	731-0806A	1	S	Steering Wheel (4 Spoke) Uses Round Steering Wheel Cap.
	631-0027	1	S	Steering Wheel Style 9 w/46" Deck; Uses Round Steering Wheel Cap.New Part
5	731-0559	1	S	Steering Bellow - 4.5" Style 8
	731-0954	1	S	Steering Bellow - 9" Style 0, 1, 3, 4, 5, 6, 9
	731-1542	1		Steering Bellow - 3.25" Style 7
6	737-0280	1	S	Grease Fitting Optional
7	741-0587	1		Flange Bearing .628" I.D. x . 1.36 O.D. Style 8
9	17198A	1	/P	Retainer Plate
10	738-0141	1	S	Shoulder Bolt .437" Dia. x .35 Lg. 5/16-18 Thd.
11	710-0152	1	S	Hex Bolt 3/8-24 x 1.0" Lg. (Gr. 5)
13	750-0535	1	S	Spacer .380" I.D. x .625" O.D. x .227
14	736-0217	1	S	L-Wash. 3/8" I.D. (H.D.)
15	710-0726	1	/P	Hex Wash. Hd. Self-Tap Scr.
16	711-1001	1	S	Steering Drag Link
17	783-0041	1	S	Front Pivot Brkt.
18	738-0527	1	S	Shoulder Bolt .498" Dia. x 2.04 Lg. 3/8-16 Thd.
19	712-0431	1	S/F	Flanged L-Nut 3/8-16 Thd.
20	736-0169	1	S/F	L-Wash. 3/8" I.D.
21	712-0411	1	S	Hex L-Nut 5/16-24 Thd.
22	16481A	1	S	Steering Arm Front Axle
23	710-0772	1	/P	Hex Bolt 5/16-24 x 2.00" (Gr. 5)
24	741-0487A	1	S	Hex Flg. Brg. .632 I.D.
25	683-0002	1	S	Pivot Bar Ass'y.
26		1		Front Axle Ass'y. - L.H.
	17585A	1	S	Front Axle Ass'y.-L.H. - 15" x 6" w/Plastic Bearing (Round Shoulder)
	683-0041	1	S	Front Axle Ass'y.-L.H. (46" Deck) 15" x 6" w/Plastic Bearing (Round Shoulder)
	17585A	1	S	Front Axle Ass'y.-L.H. - 15" x 6" w/Plastic Bearing (Square Shoulder)
	683-0041	1	S	Front Axle Ass'y.-L.H. (46" Deck) 15" x 6" w/Plastic Bearing (Square Shoulder)
	17585A	1	S	Front Axle Ass'y.-L.H. - 15" x 6" w/Ball Bearing (Round Shoulder)
	683 0041	1		Front Axle Ass'y.-L.H. (46" Deck) 15" x 6" w/Ball Bearing (Round Shoulder)
27	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.

Ref #	Part Number	Qty	S/P/F	Description
28	736-0169	1	S/F	L-Wash. 3/8" I.D.
29	723-3018	1	S	Ball Joint 3/8-24 Thd.
30	747-0753	1		Tie Rod (Adjustable)
	747-0861	1	S	Tie Rod (Non-Adjustable)
31	712-0711	1	/P/F	Hex Jam Nut 3/8-24 Thd.
32		1		Front Axle Ass'y. - R.H.
	17584A	1	S	Front Axle Ass'y.-R.H. - 15" x 6" w/Ball Bearing (Round Shoulder)
	683-0040	1	/P	Front Axle Ass'y.-R.H. (46" Deck) 15" x 6" w/Ball Bearing (Round Shoulder)
	17584A	1	S	Front Axle Ass'y.-R.H. - 15" x 6" w/Plastic Bearing (Square Shoulder)
	683-0040	1	/P	Front Axle Ass'y.-R.H. . (46" Deck) 15" x 6" w/Plastic Bearing (Square Shoulder)
	683-0040	1	/P	Front Axle Ass'y.-R.H. (46" Deck) 15" x 6" w/Plastic Bearing (Round Shoulder)
	17584A	1	S	Front Axle Ass'y.-R.H. - 15" x 6" w/Plastic Bearing (Round Shoulder)
33		1		Wheel Ass'y. Comp.
	634-0056	1	S	Wheel Ass'y. Comp. - 15" x 6" w/Plastic Bearing (Round Shoulder)
	634-0105	1	S	Wheel Ass'y. Comp. - 15" x 6" w/Plastic Bearing (Square Shoulder)
	634-0059	1	/P	Wheel Ass'y. Comp. - 15" x 6" w/Ball Bearing (Round Shoulder)
34		1		Front Wheel Rim Only
	634-0024	1	S	Rim Only - 15" x 6" w/Plastic Bearing (Round Shoulder)
	634 0024	1		Rim Only - 15" x 6" w/Plastic Bearing (Square Shoulder)
	634-0051	1	S	Rim Only - 15" x 6" w/Ball Bearing (Round Shoulder)
35		1		Bearing
	741-0487A	1	S	Bearing - 15" x 6" w/Plastic Bearing (Round Shoulder)
	741-0487A	1	S	Bearing - 15" x 6" w/Plastic Bearing (Square Shoulder)
	741-0569	1	S	Bearing - 15" x 6" w/Ball Bearing (Round Shoulder)
36	736-0285	1	/P	Fl-Wash. .635 I.D. x 1.59" O.D.
37	731-0484A	1	S	Front Wheel Hub Cap
	731-1787	1	S	Spoked Hub Cap Yellow Opt.
	734-1613	1	S	Spoked Hub Cap Gray Opt.
	734-1612	1		Spoked Hub Beige Opt.
38	714-0470	1	S/F	Cotter Pin 1/8" Dia. x 1.25"

Wheels, Front/Steering Assembly/Axle, Front

Ref #	Part Number	Qty	S/P/F	Description
39	736-0187	1	/P	FI-Wash. .640" I.D. x 1.24" O.D.
40	726-0214	1	/P	Push Cap 5/8" Dia. Rod
42	712-0446	1	S	Hex Jam Nut 3/8-24 Thd.
43	710-0538	1	/P/F	Hex L-Bolt 5/16-18 x .62"
44	736-0119	1	S/F	L-Wash. 5/16" I.D.
45	736-0343	1	/P	FI-Wash. .38" I.D. x 1.25" O.D.
46	750-0532	1	S	Spacer (Plastic)
47	712-0214	1	S	Hex Cent. L-Nut 3/8-24 Thd.
48	736-0169	1	S/F	L-Wash. 3/8" I.D.
49	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
50	736-0119	1	S/F	L-Wash. 5/16" I.D.
51	717-0622A	1	S	Steering Gear Segment
52	741-0225	1	S	Hex Flg. Brg. .634 I.D.
53	736-0187	1	/P	FI-Wash. (Hardened)
54	738-0743	1	/P	Steering Shaft New Part
	738-0912	1		Steering Shaft Style 9 w/46" Deck
?57	710-0837	1		Oval Hd. Cr. - Sunk Scr. #10 x 5/8" Lg. Style 8
58	736-0271	1	S	Wave-Wash. .32" I.D. x .62" O.D.
59	736-0187	1	/P	FI-Wash. (Hardened)
60	723-3018	1	S	Drag Link Ball Joint 3/8-24 Thd.
61	736-0607	1	/P	Ext. L-Wash. 5/16" I.D.
63	727-0425A	1	S	Spring Clip Used w/Spoked Hub Cap
64	736-0356	1	S	Bell-Wash. .39" I.D. x 1.38" O.D.
65	731-1291	1	S	Pivot Bar End Cap Optional
66	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
69	731-1389	1		Plastic Tube 1.54" Lg.
70	731-0955	1	S	Steering Wheel Insert Optional
71		1		UNKNOWN
72	738-0886	1		Upper Steering Shaft Used w/46" Deck
73	650-0001	1	S	Lower Steering Shaft Used w/46" Deck
74	710-0958	1	/P	Hex Bolt 1/4-20 x 1.25" Lg.
75	712-0324	1	S	Hex L-Nut 1/4-20 Thd.