



Count on it.

Parts Manual


LX426 Lawn Tractor

Model No.


13RL60RG044

13RL60RG244

13AL60RG048




Front and Rear Wheel




REF.	PART NO.	DESCRIPTION
1	734-1730	Multi Trac
2	634-04369	Rim-Wheel, Rear
3	634-0104	Rear Wheel ASM
4	734-1731	Tire-Front
5	634-04081	Rim-Wheel, Front
6	634-04086	Front Wheel ASM
7	731-05674	Cap-Hub
8	934-0255	Valve-Air, Tubeless

Engine Accessories



REF.	PART NO.	DESCRIPTION
1	683-04370	SHLD ASM:MFLR W/WELD
2	710-0227	SCR:AB:#8-18:0.500:HXINDWSH
3	710-0642	SCR:TT:1/4-20:0.750:HXINDWSH
4	710-1314A	SCR:SOC HD:5/16-18:.750
5	710-1315	SCR:TT:3/8-16:1.250:HXINDWSH:S
6	712-0271	NUT:SEMS:1/4-20
7	721-0208	GSKT:EXH: 10 HP B&S #272293
8	721-0331	SEALANT:PIPE:PST 567 LOCTITE (not shown)
9	725-0157	CBL:TIE:3/16 X .05 X 7.4
10	726-0205	CLAMP:HOSE:.490 DIA.
11	728-04000	RIV:POP:.188 DIA X .300 L
12	737-0169	OIL:SAE 30W
13	751-0564B	DFL:MFLR
14	751-10349	HOSE:FUEL:LOW PERMEATION:1/4
15	751-10353	DFL:MFLR:LONG
16	751-10448A	MFLR:SINGLE INLET
17	751-10517	DRN:OIL
18	751-3141	HOSE:EXTEN:OIL DRAIN


Steering and Front Axle



Steering and Front Axle

REF.	PART NO.	DESCRIPTION
1	710-04095	HHCS:3/8-16:1.00:GR5:SPEC
2	710-0514	HHCS:3/8-16:1.00:GR5:STD
3	710-0643	HHCS:5/16-18:1.00:GR5:LOCK
4	711-1408	LINK:DRAG:RH
5	711-1409A	LINK:DRAG:LH
6	712-0214	NUT:HEXLK:3/8-24:GRB:CTRLK
7	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
8	712-0459	NUT:FLGLK:7/16-20:GRB:LOCK
9	712-3004A	NUT:FLGLK:5/16-18:GR5:SD LK
10	717-1550E	GEAR:STRG:11/90 RATIO
11	717-1554	GEAR:PNION:STRG
12	723-0448A	B/JNT:7/16-20:LOCK
13	736-3004	WASH:FLAT:.406 X .875 X .105
14	736-3084	WASH:FLAT:.51 X 1.12 X .06:HT
15	737-3007	GRES:ALVANIA EP 2 (not shown)
16	738-04154	SPCR:SHLDR:.38 X 1.00 X .31
17	738-04263	SHF:STRG:.625 OD X 24.25 LG
18	741-0475	PLASTIC BUSHING .380 ID
19	741-04237	BRG:FLG:HEX 5/8 PM
20	714-0162	PIN:COT:5/32:1.25
21	719-04177A	AXLE:PIVOT:BAR CAST
22	726-0341	CAP:PUSH:3/4
23	736-04228A	WASH:FL:.781 ID X1.590 OD:SPC
24*	737-3007	GRES:ALVANIA EP 2 (not shown)
25	748-04068	SPCR:.71 ID X .125 OD X .56LG
26	638-04005	AXLE ASSY, RH
27	638-04006	AXLE ASSY, LH
28	631-04028	WHL ASM:STRG:3 SPOKE
29	731-05542	CAP
30	738-04128	BOLT:SHLDR:.500 X 2.38:3/8-16

Frame, Battery, and Manual PTO




Frame, Battery, and Manual PTO

REF.	PART NO.	DESCRIPTION
1	17962	PLT:SW
2	647-04036A	LVR ASM:ENGAGE
3	647-04147	KNOB ASM:PTO:CH INSERT
4	710-0224	SCR:AB:#10-16:0.500:HXINDWSH
5	710-0276	SCR:CRG:SPL:5/16-18:1.00
6	710-04608	HHCS:7/16-20:3.25:GR5
7	710-0607	SCR:TT:5/16-18:0.500:HXINDWSH
8	710-0778	SCR:TT:1/4-20:1.500:HXINDWSH
9	710-3011	HHCS:3/8-16:2.25:GR5:STD
10	712-04054	NUT:FLGLK:5/16-18:GRB
11	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
12	712-3004A	NUT:FLGLK:5/16-18:GR5:SD LK
13	714-0115	PIN:COTTER:EXT PRONG:1/8 X 1.0
14	714-0145	PIN:CLICK:.092 X 1.64 LG
15	720-0425	PLUG:CAP: .812 DIA
16	726-0201	NUT:SPD:.3125 ID
17	732-04248	SPR:EXTN:.38 OD X 3.9 LG
18	736-0171	WASH:LOCK: 7/16 : REGULAR DUTY
19	736-0173	WASH:FLAT:.28 X .74 X .063
20	736-0322	WASH:FLAT:.450 X 1.250 X .164: HT
21	737-0288	GRES: ANTI-SIEZE (not shown)
22	741-0708	BRG:FLG:HEX SPLIT .500 ID
23	746-04353A	CBL:ENGAG:DECK
24	747-04855	HNDL:DECK:ENGAGE
25	748-0415B	SPCR:.385 ID X .635 OD X 1.54

REF.	PART NO.	DESCRIPTION
26	750-0566A	SPCR:.260 x .372 x 1.030 LG
27	756-04208A	PUL:ENG:3.56 X 6.12 DIA HYDRO
28	783-05358	BRKT:CBL
29	783-0744A	BRKT:ENGAG:STOP
30	683-04173B	FRM ASM:LWR
31	710-04484	SCR:TT:5/16-18:.750:HXINDWSH
32	710-0607	SCR:TT:5/16-18:0.500:HXINDWSH
33	710-0642	SCR:TT:1/4-20:0.750:HXINDWSH
34	710-3005	HHCS:3/8-16:1.25:GR5:STD
35	712-04064	NUT:FLGLK:1/4-20:GRF:NYLON
36	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
37	732-04035	SPR:COMPRS:1.28 OD X 3.125
38	736-0222	WASH:LOCK:1/4:EXTRN
39*	737-3007	GRES:ALVANIA EP 2
40	738-04058	SPCR:SHLDR:.38 X 1.0 X .70
41	747-04121A	ROD:BATT:HOLD RT-99
42	783-0349	TRAY:BATT:400
43	783-04329A	BRKT:FRM:SEAT
44	783-04809D	FRM:UPR:LT
45	710-04666	HHFLG:1/4-20:.75:GR5
46	712-0271	NUT:SEMS:1/4-20
47	725-1737A	BAT:U1:190 CCA WET
48	725-0599	SCR:TT:1/4-20:0.500:HXINDWSH
49	725-04439	SOL:12V:100 AMP:4 TERM
50	725-04039	SW:INTLK:NO/NC:SCREW MT


Seat, Fender, and Deck Lift



Seat, Fender, and Deck Lift

REF.	PART NO.	DESCRIPTION
1	683-04223	SHF ASM:LIFT
2	712-04063	NUT:FLGLK:5/16-18:GRF:NYLON
3	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
4	714-0104	PIN:COT:.072 DIA. X 1.13 LG
5	714-0111	PIN:COT:3/32:1.0
6	716-0106A	RING:E TYPE:.625 DIA. SHAFT
7	720-0311	GRIP:HNDL:1/2
8	732-0874	SPR:TORSN
9	738-0138A	BOLT:SHLDR:.496 x 2.50:3/8-16
10	738-04128	BOLT:SHLDR:.500 X 2.38:3/8-16
11	738-04130	SCR:SHLDR:.625X.175:3/8-16
12	741-0225	BRG:HEX FLNG
13	746-0968	CBL:LIFT:16.16 LG
14	747-04447	HNDL:LIFT
15	756-1154	PUL:RLR
16	783-04494A	ARM:LIFT:42" RT RH
17	783-04711A	ARM:LIFT:42" RT LH (not shown)
18	710-0451	BOLT:CRG:5/16-18:.750 GR1
19	710-0599	SCR:TT:1/4-20:0.500:HXINDWSH
20	710-04484	SCR:TT:5/16-18:.750:HXINDWSH
21	710-0895	SCR:HL:1/4-15:0.750:HXINDWSH
22	731-1990	CVR:LIFT LEVER
23	731-2104C	CVR:SHF:W/CUP HOLDER
24	736-0607	WASH:LOCK:5/16 EXT TOOTH
25	736-3078	WASH:FLAT:.344 X 1.0 X .063:HT
26	783-04333A	FDR:4 STYLE
27	783-0677B	BRKT:LIFT:ADJ
28	783-1489C	BRKT:MT:SEAT
29	720-04061	KNOB:3/8-16:.875
30	732-1184	SPR:EXTN:.84 DIA x 4.6 LG.
31	736-0242	WASH:BELL:.340 X .872 X .060
32	738-0296	SCR:SHLDR:.437 X .268:5/16-18
33	738-04012A	SCR:SHLDR:.625 X .145:3/8-16
34	783-0209D	BRKT:LIFT:SEAT
35	783-04081B	BRKT:SEAT:PIVOT MAN ADJ
36	726-3046	CLIP:RATCHET:.250 DIA
37	735-0656	PAD:FOOT:RH
38	735-0657	PAD:FOOT:LH
39	757-04044A	SEAT:MED
40	726-0278	PLT:INSULATOR BOSS
41	725-1439	SW:INNER SEAT SPRING
42	726-0279	PLT:INSULATOR
43	725-1303	SW:OUTER SEAT SPRING
44	710-0227	SCR:AB:#8-18:0.500:HXINDWSH


Fuel Tank, Hood, and Dash



Fuel Tank, Hood, and Dash

REF.	PART NO.	DESCRIPTION
1	631-04212	HOOD ASM:R STYLE
2	710-04484	SCR:TT:5/16-18:.750:HXINDWSH
3	710-0642	SCR:TT:1/4-20:0.750:HXINDWSH
4	710-0895	SCR:HL:1/4-15:0.750:HXINDWSH
5	731-05478	GRILL:R STY
6	736-0173	WASH:FLAT:.28 X .74 X .063
7	738-04091A	SCR:SHLDR:.43X.29:TT:5/16-18
8	783-04606B	BRKT:PIVOT:HOOD
9	783-05326	BRKT:PIVOT:BAR LT5
10	783-05373	BRKT: SUPT:HOOD R STYLE
11	783-05417	BRKT:SUPT:PIVOT LH
12	783-05418	BRKT:SUPT:PIVOT RH
13	731-05507A	PLEN:HOOD:R STYLE:LONG
14	710-0599	SCR:TT:1/4-20:0.500:HXINDWSH
15	710-0607	SCR:TT:5/16-18:0.500:HXINDWSH
16	710-1017	SCR:AB:1/4-14:0.625:TRUSTRXI
17	710-1611B	SCR:TT:5/16-18:0.750:PANTRXI
18	731-04215	LVR:DASH:CRUISE 8&9 STYLE
19	731-04217	LVR:DASH:BRAKE:8&9 STYLE
20	731-05491B	DASH:MAN PTO
21	736-0270	WASH:BELL:.265 X.75 X .062
22	747-1196	ROD:LVR:BENT
23	783-04285E	SUPT:DASH:PLATE:RH
24	783-04323E	SUPT:DASH:PLATE:L.H.
25	747-04161	ROD:SUPT:LH TANK
26	751-0603	CAP:FUEL
27	751-10283A	TANK:FUEL:3 GAL TROY-BILT
28	731-05469	LENS:RH
29	731-05471	LENS:LH
30	777X42200	LBL:REFL:RH
31	777X42201	LBL:REFL:LH
32	725-1649	SOC:LAMP
33	725-0963	LAMP:12V
34	731-1999	PLUG:CHOKE
35	746-04364	CB:THROTTLE/CHOKE
36	725-04036C	METER:INDICATOR
37	725-04340A	MODULE SWITCH:IGNITION
38	725-1745A	KEY:IGNITION

Transmission and Belts




Transmission and Belts

REF.	PART NO.	DESCRIPTION
1	17840	BRKT:MTG:TRANSAXLE
2	618-04423A	PUL ASM:VAR SPD:W/BRKT
3	618-04566	TRNAX ASM:SS:DOMESTIC
4	647-04020	LVR ASM:SHFT
5	710-04467	HHCS:3/8-16:2.50:GR5:SPEC
6	710-04484	SCR:TT:5/16-18:.750:HXINDWSH
7	710-04598	HHCS:M8 X 1.25 X 20 MM
8	710-0607	SCR:TT:5/16-18:0.500:HXINDWSH
9	710-0809	SCR:TT:1/4-20:1.250:HXINDWSH
10	710-1007	SCR:TTSEMS:3/8-16:1.500:HXLWSH
11	710-1266	HHCS:5/16-18:3.50:GR5:STD
12	710-1325	SCR:TT:1/4-20:1.625:HXINDWSH
13	710-3144	HHCS:3/8-16:2.00:GR5:STD
14	711-0736	FRL:ADJ:1/4-20 X 1.00
15	712-0181	NUT:JAMLK:3/6-16:GR5
16	712-0241	NUT:HEX:3/8-24:GR5
17	712-04063	NUT:FLGLK:5/16-18:GRF:NYLON
18	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
19	712-0431	NUT:FLGLK:3/8-16:GRF:TOP LK
20	712-0700	NUT:FLG:9/16-18:GR2
21	714-0104	PIN:COT:.072 DIA. X 1.13 LG
22	714-0111	PIN:COT:3/32:1.0
23	714-0209	PIN:COTTER INT- .125 DIA
24	714-0470	PIN:COT:1/8 X 1.25
25	718-0758A	HUB:PUL:5/8 SPLINE
26	720-04028	KNOB:SHFT
27	723-3018	BALL:JOINT
28	731-04602	SLEV:.758 X .821 X 3.3125
29	731-04604	SLEV:.758 X .821 X 2.4375
30	732-04370A	SPR:EXTN:.76 OD X 6.1 LG
31	732-0525	CLIP:SPR:SHIFTER
32	732-0716C	SPR:EXTN:.59 OD X 4.00 LG
33	732-0963	SPR:EXTN:.50 DIA X 6.37 LG
34	732-1013A	KEEPR:BELT
35	736-0169	WASH:LOCK:3/8:REGULAR DUTY
36	736-3010	WASH:FLAT:.407X.812X.135:HT
37	737-0288	GRES:ANTI-SIEZE
38	737-3007	GRES:ALVANIA EP 2
39	738-0372B	SPCR:SHLDR:1.00 X .38 X .38
40	747-04146C	ROD:SHIFT
41	747-04164	ROD:BRAKE:LT TRANS
42	747-1127	ROD:ADJ:IDLR:3/8
43	748-0334	SPCR: T-AXLE .68
44	750-04456	SPCR:.260 X .372 X 1.420 LG
45	750-0566A	SPCR:.260 x .372 x 1.030 LG
46	754-0467	BELT:V TYPE:5L X 90.8 LG POLY
47	754-0468	BELT: V TYPE:5Lx41.5 LG POLY
48	756-04002	PUL:V TYP:7.25 DIA SPUN
49	756-04224	PUL:IDLR:FLAT 2.75 OD

REF.	PART NO.	DESCRIPTION
50	756-04324	PUL:IDLR:V-TYPE 5L X 3.06 DIA
51	783-04283A	BRKT:SHIFT
52	783-04360	BRKT:SHFT:F-N-R
53	783-04442	BRKT:IDLR:CENTER DBL
54	683-04287	BRKT ASM:TRANS:TORQ COATED
55	710-0227	SCR:AB:#8-18:0.500:HXINDWSH
56	710-1260A	SCR:TT:5/16-18:0.750:HXINDWSH
57	710-3005	HHCS:3/8-16:1.25:GR5:STD
58	725-1644	SW:SPR:SHORT
59	726-0320	PLATE: INSULATOR NUT
60	738-04162A	SPCR:SHLDR:.8840 X .190
61	783-05904	BRKT:IDLR:SINGLE SPEED
62	647-0032A	CONT ASM:SPEED
63	647-04100	CONT ASM:BRAKE
64	683-0266	PED ASM:CONT:AUTO DRIVE
65	711-04159B	PIN:3/8-16 X 2.68LG
66	712-3004A	NUT:FLGLK:5/16-18:GR5:SD LK
67	732-0335	SPR:COMPRS:.405 X 1.17
68	732-0955	SPR:EXTN:.50 OD X 1.41 LG
69	732-0963	SPR:EXTN:.50 DIA X 6.37 LG
70	735-0662	PAD:CONT
71	735-3049A	PAD:BRAKE:CONTROL
72	736-0119	WASH:LOCK:5/16:REGULAR DUTY
73	736-0187	WASH:FLAT:.64 X 1.24 X .06:HT
74	736-0262	WASH:FLAT:.385 X .870 X .092
75	738-0155	BOLT:SHLDR:.435 X .160:5/16-18
76	738-0380	BOLT:SHLDR:.500 X .270:3/8-16
77	741-0225	BRG:HEX FLNG
78	741-3065B	BRG:HEX FLG:.628 ID:SPLIT
79	747-04093A	ROD:CONT:BRAKE LOCK
80	747-04096	ROD:CONT:CRUISE:8&9 STL
81	747-04641	PED:BRAKE
82	748-04039C	LATCH:CRUS
83	783-04612	BRKT:SUPT:STRG
84	783-0732A	BRKT:LKOUT:TRNMT
85	736-0242	WASH:BELL:.340 X .872 X .060
86	710-0627	HHCS:5/16-24:.750:GR5:LOCK
87	710-0224	SCR:AB:#10-16:0.500:HXINDWSH
88	17962	PLT:SW
89	725-04039	SW:INTLK:NO/NC:SCREW MT
90	710-0599	SCR:TT:1/4-20:0.500:HXINDWSH
91	783-04722	BRKT:SW:PARK BRAKE
92	725-3167	SW:MT:SNAP NO
93	736-0362	WASH:FLAT:.330 X 1.25 X .06
94	718-04261	CUP:BRG
95	710-0778	SCR:TT:1/4-20:1.500:HXINDWSH
96	741-0124	BRG:BALL
97	683-04296	BRKT:ASM:VARI:COATED
98	656-04015	PUL ASM:VARI SPD:4.75 OD

42-inch Deck




42-inch Deck

REF.	PART NO.	DESCRIPTION
1	618-04456	SPDL ASM:PUL:6.3 DIA
2	683-0254B	BRKT ASM:DECK:HNGR LH LT
3	683-04138B	BRAKE ASM:DECK:42"
4	683-04167	BRAKE ASM:DECK:42"
5	683-04261	DECK ASM:SD:42" AV W/WHL BRKT
6	683-04443	ROD ASM:KEEPR:BELT 42":PAINT
7	710-0216	HHCS:3/8-16:.75:GR5:STD
8	710-0347	HHCS:3/8-16:1.75:GR5:STD
9	710-04484	SCR:TT:5/16-18:.750:HXINDWSH
10	710-0510	HHCS:7/16-20:3.00:GR5:STD
11	710-0528	HHCS:5/16-18:1.25:GR5:STD
12	710-0623	SCR:TT:3/8-16:0.750:HXINDWSH
13	710-0653	SCR:TT:1/4-20:0.375:HXINDWSH
14	710-0778	SCR:TT:1/4-20:1.500:HXINDWSH
15	710-1260A	SCR:TT:5/16-18:0.750:HXINDWSH
16	710-3005	HHCS:3/8-16:1.25:GR5:STD
17	710-3008	HHCS:5/16-18:.75:GR5:STD
18	710-3015	HHCS:1/4-20:.75:GR5:STD
19	710-3144	HHCS:3/8-16:2.00:GR5:STD
20	712-0206	NUT:HEX:1/2-13:GR5
21	712-04063	NUT:FLGLK:5/16-18:GRF:NYLON
22	712-04064	NUT:FLGLK:1/4-20:GRF:NYLON
23	712-04065	NUT:FLGLK:3/8-16:GRF:NYLON
24	712-0417A	NUT:FLG:5/8-18
25	712-0459	NUT:FLGLK:7/16-20:GRB:LOCK
26	712-0641	NUT:HEX:M16-1.5 DIN 936
27	712-3006	NUT:HEX:1/4-20:GR5
28	712-3083	NUT:HEXLK:1/2-13:GRB:NYLON
29	714-0104	PIN:COT:.072 DIA. X 1.13 LG
30	714-0470	PIN:COT:1/8 X 1.25
31	717-04074	GEAR:DECK:ADJ
32	719-04233	BRKT:IDLR:CAST:42" DECK
33	726-0233	NUT:PUSH:.25 ID X .50 OD
34	732-0306A	SPR:COMPRS:.531 OD X 1.75 LG
35	732-04287	SPR:EXTN:.500 DIA X 6.375 LG
36	732-0459C	SPR:EXTN:.94 DIA. X 6.74 LG

* Not Shown

REF.	PART NO.	DESCRIPTION
37	732-0470A	SPR:EXTN:.53 OD X 4.75 LG
38	734-0973	WHL:DECK 5.0 x 1.38
39	735-0271A	BMPR:.62 DIA X .3
40	736-0119	WASH:LOCK:5/16:REGULAR DUTY
41	736-0173	WASH:FLAT:.28 X .74 X .063
42	736-0187	WASH:FLAT:.64 X 1.24 X .06:HT
43	736-0225	WASH:LOCK:5/8:INT TOOTH
44	736-0270	WASH:BELL:.265 X.75 X .062
45	736-0300	WASH:FLAT:.406 X .875 X .059
46	736-0322	WASH:FLAT:.450X1.250X.164:HT
47	738-0373	BOLT:SHLDR:.496 X 1.525:3/8-16
48	738-04146	PLUG:BOLT:M16 X 1.5
49	738-04162A	SPCR:SHLDR:.8840 X .190
50	738-04166	SPCR:SHLDR:.5000 X .1475
51	738-04272	SCR:SHLD:.374 DIA. X 1.16 LG.
52	742-0616A	BLADE:21.23"LG:STAR 3 IN 1
53	747-04269A	ROD:DECK:FRNT ADJ .4480" DIA
54	747-04501	ROD:CONT:BRAKE 42"
55	747-04530	ROD:KEEPR:BELT 42 IDLER
56	747-1116	ROD:HNDL:DECK REL .375 DIA
57	748-04069	CUP:PIVOT:DECK LIFT
58	750-04637B	SPCR:.455 ID X .697 OD X 1.585
59	750-0566A	SPCR:.260 x .372 x 1.030 LG
60	754-04045	BELT:V TYPE:A SEC X 109 ARAMID
61	756-04129	PUL:IDLR:4.25"DIA
62*	771-11725A	TAG:DNGR:RT-99 CHUTE BLNGL
63	783-04327B	CVR:BELT:6.00 DIA
64	783-04740	BRKT:CBL:DECK ENGAGE
65	783-05490	BRKT:SUPT:42 PIVOT
66*	783-1025	STOP:CHUTE
67	731-1032B	CHUTE ASSY
68	738-04241	SHFT:SPDL:5.50 LG
69	741-0919	BRG:BALL:.787 ID X 1.85 OD X .551
70	750-04739	SPCR:.820 X 1.150 X .480 LG
71	750-1000	SPCR:.80 X 1.10 X 1.322 LG
72	756-1227	PUL:DECK:6.3 DIA

Transmission



Transmission

REF.	PART NO.	DESCRIPTION
1	611-0011	SHF ASM:DETENT
2	611-04091	SHF ASM:DRIVE:FWD-REV
3	618-04567	DIFF ASM:SS:DOMESTIC
4	619-04187	HSG ASM:UPR:DOMESTIC
5	661-0001	BRAKE ASM:YOKE:RH
6	710-04731	SHCS:TT:5/16-18:.375 LG
7	710-1206	SCR:TT:1/4-20:2.375:HXINDWSH
8	710-1325	SCR:TT:1/4-20:1.625:HXINDWSH
9	717-0678	PAD:BRK
10	719-04329	HSG:LWR:SS
11	732-0863	COMPRESSION SPRING
12	737-0148	GRES:DARINA:TRANS (not shown)
13	741-0862	BALL:DETNT:.250
14	761-0202	DISC:BRAKE
15	717-04479	GEAR:BEVEL:42T:SPLINE
16	718-04381	COLR:CLU:SINGLE SPEED
17	721-0213	SEAL: .625 X .812 X .094
18	736-0336	WSH:FLAT:5/8X1.00X.030 HD
19	736-0337	WASH:FLAT:.634X1.00X.04:HT
20	736-0349	WASH:FL:.63 X 1.00 X .02
21	736-0494	WASH:FL:.632X1.00X.035
22	736-0495	WASH:THRUST:1.00 X .632 X .0
23	741-0336	BRG:FLG:5/8 X 3/4 X 3/4
24	741-0337	BRG:FLG:5/8 X 3/4 X 15/16
25	721-0338	SEAL: .75 X 1.00 X .125
26	741-0340	BRG:SLEEVE: .75 X 1.00 X .42

