






Ref #	Part Number	Qty	S/P/F	Description
1	710-1206	1	/P	Hex Wash. Hd. Scr. 1/4-20 x 2.37
2	712-0273	1	S	Nylon L-Nut 5/16-24 Thd.
3	717-0678	1	S	Brake Puck
?4	717-0682	1	S	Puck Plate
5	717-0772A	1	S	Brake Arm
6	732-0743	1	S	Torsion Spring
7	736-0371	1	/P	Fl-Wash. .343" I.D. x .88" O.D.
9	741-0343	1	S	Brake Pin
10	761-0207	1	S	Brake Yoke
11	761-0208	1		Brake Anti Rotation Brkt.
12	711-1098	1		Input Shaft
13	710-0896	1	/P	Hex Wash. Hd. AB-Tap Scr. 1/4-14 x .625" Lg
14	741-0335	1	S	Needle Brg. .625" I.D.
15	736-0336	1	S	Fl-Wash. 5/8" I.D. x 1" O.D.
16	736-0335	1	S	Thrust Wash. .635" I.D. x 1.25" O.D
17	732-0614	1		Wire Ring
18	721-0213	1	/P	Seal
19	719-0337	1	S	Upper Housing
20	718-0300	1		Lockout Plate
21	717-1463	1		Bevel Gear
22	716-0231	1	S	Retainer Ring
23	716-0114	1	S	Retainer Ring
24	736-3046	1		Fl-Wash. 1" I.D. x 1.8" O.D.
25	719-0340	1	S	Differential Housing
26	717-1446	1	S	10T Miter Gear
27	717-1443	1	S	Spur Gear 60T
28	712-3054	1	/P	Hex L-Nut 3/8-24 Thd.
29	711-1052	1		Cross Shaft
30	710-0539	1	/P	Hex Bolt 3/8-24 x 1.75" Lg.(Gr. 5)
31	611-0052	1	S	Axle Ass'y.--L.H.
32	611-0051	1	S	Axle Ass'y.--R.H.



Ref #	Part Number	Qty	S/P/F	Description
1	783-0250	1		Hood
2	738-0952	1	S	Shld. Bolt .375" Dia. x .125" Lg.
3	736-0175	1	S	Spr. Wash. .265" I.D. x .562" O.D.
4	710-0258	1	S/F	Hex Bolt 1/4-20 x .62" Lg.
6	712-0271	1	/P	Hex Sems Nut 1/4-20 Thd.
7	749-0813A	1		Grille Support Rod
8	731-1099A	1	S	Headlight Lens w/o Logo
	731-1767	1	S	Headlight Lens w/Logo New Part
9	712-3027	1	S	Flange L-Nut 1/4-20Thd.
10	731-1097D	1	S	Grille
13	725-0963	1	S	Lamp
14	725-1649	1	S	Socket
15	710-0932	1	/P	Carriage Bolt 1/4-20 x 1.0" Lg.
16	710-0776A	1	/P	Hex AB-Tap Scr. 1/4 x .62" Lg.
17	736-0173	1	/P	Fl-Wash. .281" I.D. x .73" O.D.
18	726-0233	1	/P	Bolt Retainer 1/4" I.D.
19	712-0185	1		Speed Nut 1/4-20 Thd.
20	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
21	783-0347A	1	S	Battery Plate
22	731-1678	1		Dash--w/Ammeter & Light Switch Holes
		1		731-1679 Dash--w/o Ammeter & Light Switch Holes
23	725-1717	1	S	Ignition Switch New Part
24	725-0201	1	S	Ignition Key
25	746-0614A	1	/P	Choke Control
27	725-0925	1	S	Ammeter (Optional)
28	720-0218	1	/P	Shift Knob
29	720-0166	1	S	Knob
31	783-0348	1		Shift Cover New Part
32	710-0167	1	/P	Carriage Bolt 1/4-20 x .5" Lg.
34	17426A	1		Fender
37	710-0924	1	/P	Truss Mach. Scr. #1/4-20 x .75" Lg.
38	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.
41	831-0823A	1	/P	Throttle Box Ass'y.
42	710-0779A	1	/P	Truss Mach. AB-Tap Scr. #10 x .5" Lg.
43	746-0634	1	/P	Throttle Control Wire 35" Lg.
	746-0630	1	S	Throttle Control Wire 39" Lg.
45	731-1360	1	S	6-Speed Selector Plate For model (820)
	731-1774	1	S	7-Speed Selector Plate For model (840);New Part
49	732-0626	1		Ext. Spring 5.06" Lg.
50	747-0750A	1	/P	Deck Control Rod New Part
51	726-0106	1	S	Speed Nut 1/4" Rod
52	710-1017	1	/P	Torx Mach. Scr. 1/4 x .62" Lg.
54	720-0232	1	S	PTO Knob
55	17500	1		PTO Lever
56	783-0461	1	S	PTO Bracket New Part
57	738-0155	1	S	Shld. Bolt .437" Dia. x .162"
58	712-3009	1	S	Hex L-Nut 5/16-18 Thd.
59	725-1657A	1	S	Safety Switch
61	777-9206	1		Grille Reflector Label
62	17782	1		Retainer Clip
68	730-3000	1	S	Reflector (Optional)

Ref #	Part Number	Qty	S/P/F	Description
69	710-1066	1	S	Hex Wash. Hd. B-Tap Scr. 10 x .38" Lg.
70	726-0211	1	S	U-Nut 5/16-18 Thd.
71	736-0342	1		Fl-Wash. .28" I.D. x .75" O.D.
73	731-0511-81	1		Trim Strip 81" Lg.




Ref #	Part Number	Qty	S/P/F	Description
1	754-0280	1	S	"V"-Belt
2	741-0495	1	/P	Flange Brg.
3	741-0419	1		Flange Nyliner Brg.
4	741-0405	1	S	Thrust Brg.
5	738-0956	1		Shaft
6	738-0779	1	S	Shld. Bolt 3/8-24 Thd.
7	736-0452	1	S	Bell-Wash. .396" I.D. x 1.14" O.D.
8	736-0414	1	S	Fl-Wash. .56" I.D. x 1.12" O.D.
9	736-0355	1	/P	Fl-Wash. .5" I.D. x 1" O.D.
10	736-0329	1	S	L-Wash. 1/4" I.D.
11	736-0169	1	S	L-Wash. 3/8" I.D.
12	736-0119	1	S	L-Wash. 5/16" I.D.
13	732-0568	1	S	Ext. Spring 2.54" Lg.
14	732-0459	1	S	Ext. Spring 6.96" Lg.
15	717-0800A	1	S	Variable Speed Pulley
16	712-3061	1	S	Hex L-Nut 3/8-24 Thd.
17	712-3057	1	S	Hex Nut 5/16-24 Thd. (Gr. 5)
18	712-3017	1	S	Hex Nut 3/8-16 Thd. (Gr. 5)
19	712-3006	1	/P	Hex Nut 1/4-20 Thd. (Gr. 5)
20	712-0241	1	/P	Hex Nut 3/8-24 Thd.
21	711-1000	1	S	Belt Keeper
22	710-3005	1	/P	Hex Bolt 3/8-16 x 1.25" Lg.
23	710-0157	1	/P	Hex Bolt 5/16-24 x .75" Lg. (Gr. 5)
24	683-0115	1	S	Variable Speed Torque Brkt. Ass'y.
25	683-0114	1	S	Variable Speed Brkt.
26	17485	1		Retainer Cup
27	17180	1		Support Brkt.
28	783-0402A	1	S	Trans. Torque Brkt. Code N
29	756-0981	1	S	Flat Idler
30	754-0446	1	S	"V"-Belt
31	747-0640	1		Brake Rod
32	747-0639A	1	S	Shift Lever Code N
33	741-0491	1		Flange Nyliner Brg.
34	738-0967	1		Shld. Bolt 3/8-16 Thd.
35	736-3068	1	/P	Fl-Wash. .5" I.D. x .875" O.D.
36	736-0427	1	S	Bell-Wash. .567" I.D. x 1.125" O.D.
37	736-0275	1	S	Fl-Wash. 5/16" I.D.
38	736-0242	1	/P	Bell-Wash. .345" I.D. x .88" O.D.
39	732-0642	1	S	Ext. Spring 7.3" Lg.
40	732-0384	1	S	Ext. Spring 6.12" Lg.
41	741-0475	1	S	Plastic Bushing
42	721-0450	1		Boot Shifter
43	718-0272	1		Shifter Snout
44	718-0271	1		Shifter Insert
45	714-0111	1	S	Cotter Pin 1" Lg.
46	712-3035	1	/P	Hex Jam Nut 9/16-18 Thd.
47	712-3010	1	S	Hex Nut 5/16-18 Thd. (Gr. 5)
48	711-1155	1		Ferrule
49	710-0726	1	/P	Hex Wash. AB-Tap Scr. 5/16-18 Thd.
50	710-0642	1	/P	Hex Wash. TT-Tap. Scr. 1/4-20 x .75" Lg.
51	710-0599	1	/P	Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
52	710-0501	1	/P	Hex Bolt 1/4-20 x 2" Lg. (Gr. 5)
53	710-0347	1	/P	Hex Bolt 3/8-16 x 1.75" Lg. (Gr. 5)


Ref #	Part Number	Qty	S/P/F	Description
54	710-0189	1	/P	Hex Bolt 5/16-18 x 3" Lg. (Gr. 5)
55	683-0154	1	S	Idler Brkt. Ass'y.
56	656-0004	1		Trans. Pulley
57	650-0006	1	S	Cross Brkt. Tube Ass'y.
58	16924A	1	/P	Clutch Ass'y. Mtg. Bracket
59	16980A	1	S	Brake Lockout Brkt.
60	17962	1		Switch Plate
61	647-0021	1	S	Pedal Ass'y.
62	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
63	710-0528	1	/P	Hx Bolt 5/16-18 x 1.25" Lg. (Gr. 5)
64	710-0589	1	/P	Hex Hd. Tap Scr. #10-16 x .75" Lg.
65	711-0832	1	S	Ferrule
66	712-3010	1	S	Hex Nut 5/16-18 Thd.
67	714-0111	1	S	Cotter Pin 1" Lg.
68	714-0115	1	S	Cotter Pin 1/8" Dia. x 1" Lg.
69	720-0166	1	S	Ball Knob
70	732-0395	1	S	Ext. Spring 2.51" Lg.
71	735-0196	1	S	Foot Pad
72	736-0117	1	S	Fl-Wash. 3/8" I.D. x .62" O.D.
73	741-0225	1	S	Hex Flange Bearing
74	747-0644	1		Pedal Lock Rod
75	747-0724A	1	/P	Brake Link Rod Code N
76	747-0726	1	S	Speed Control Link
77	748-0234	1	/P	Shld. Spacer
78	750-0214	1		Spacer .34" I.D. x .87" O.D.
79	647-0011	1		Speed Selector Lever Ass'y.
80	711-0723A	1	S	Ferrule
81	712-0429	1	S	Hex L-Nut 5/16-18 Thd.
82	714-0104	1	S	Hairpin Clip
83	732-0429A	1	S	Ext. Spring 3.97" Lg.
84	736-0117	1	S	Fl-Wash. 3/8" I.D. x .62" O.D.
85	736-0141	1	S	Spr. Wash. 7/16" I.D.
86	736-0192	1	S	Fl-Wash. .531" I.D. x .93" O.D.
87	736-0267	1	S	Fl-Wash. 3/8" I.D. x .87" O.D.
88	738-0296	1	S	Shld. Bolt .437" x .286"
89	747-0729	1		Speed Control Link Rod
90	747-0750A	1	/P	Deck Control Rod
91	618-0312	1	S	Transmission Complete
92	13833A	1	/P	Parking Brake Mtg. Brkt.
93	712-0158	1	S	Hex L-Nut 5/16-18 Thd.
94	736-0105	1	/P	Bell-Wash. .38" I.D. x .88" O.D.
95	732-0308	1	S	Extension Spring 6.37" Lg.
96	731-0483	1	S	Conduit 4" Lg.
97	712-0214	1	S	Hex Cent. L-Nut 3/8-24 Thd.
98	14076A	1	S	Idler Brkt. Deck Ass'y.
99	756-0293A	1	S	"V"-Belt Idler
100	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg.
101	748-0278	1	S	Spacer
102	738-0129	1		Shld. Bolt .498" Dia. x 2.05"
103	732-0478	1	S	Extension Spring 6.12" Lg.
104	710-1002	1	/P	Hex Bolt 7/16-20 x 2.75" Lg.

Ref #	Part Number	Qty	S/P/F	Description
	710-1049	1	/P	Hex Bolt 7/16-20 x 3.75" Lg. Models with Electric PTO only.
105	736-0171	1	S	L-Wash. 7/16" I.D.
106	736-0322	1	/P	Fl-Wash. .44" I.D. x 1.25" Lg.
	738-0785	1	S	Shld. Spacer Models with Electric PTO only.
84	736-0117	1	S	Fl-Wash. 3/8" I.D. x .62" O.D.
85	736-0141	1	S	Spr. Wash. 7/16" I.D.
86	736-0192	1	S	Fl-Wash. .531" I.D. x .93" O.D.
87	736-0267	1	S	Fl-Wash. 3/8" I.D. x .87" O.D.
88	738-0296	1	S	Shld. Bolt .437" x .286"
89	747-0729	1		Speed Control Link Rod
90	747-0750A	1	/P	Deck Control Rod
91	618-0312	1	S	Transmission Complete
92	13833A	1	/P	Parking Brake Mtg. Brkt.
93	712-0158	1	S	Hex L-Nut 5/16-18 Thd.
94	736-0105	1	/P	Bell-Wash. .38" I.D. x .88" O.D.
95	732-0308	1	S	Extension Spring 6.37" Lg.
96	731-0483	1	S	Conduit 4" Lg.
97	712-0214	1	S	Hex Cent. L-Nut 3/8-24 Thd.
98	14076A	1	S	Idler Brkt. Deck Ass'y.
99	756-0293A	1	S	"V"-Belt Idler
100	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg.
101	748-0278	1	S	Spacer
102	738-0129	1		Shld. Bolt .498" Dia. x 2.05"
103	732-0478	1	S	Extension Spring 6.12" Lg.
104	710-1002	1	/P	Hex Bolt 7/16-20 x 2.75" Lg.
	710-1049	1	/P	Hex Bolt 7/16-20 x 3.75" Lg. Models with Electric PTO only.
105	736-0171	1	S	L-Wash. 7/16" I.D.
106	736-0322	1	/P	Fl-Wash. .44" I.D. x 1.25" Lg.
	738-0785	1	S	Shld. Spacer Models with Electric PTO only.
107	756-0989	1		Engine Pulley
	756-0990	1		Engine Pulley Models with Electric PTO only.
108	17358D	1	S	Belt Guard
109	750-0956	1		Spacer
110	717-1434	1	S	Electric PTO Models with Electric PTO only.
111	714-0128	1	/P	Sq. Key 1/4" x 1" Lg. Models with Electric PTO only.
112	17418	1	S	Torque Bracket Models with Electric PTO only.
113	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg. Models with Electric PTO only.
114	736-0242	1	/P	Bell-Wash. .345" I.D. x .88" O.D.
115	710-0833	1	/P	Hex Bolt 5/16-18 x 5.25" Lg.
116	720-0232	1	S	Knob
117	720-0218	1	/P	Shift Knob
118	16888A	1	S	Deck Idler Support Brkt.
119	712-0375	1	/P	Hex Cent. L-Nut 3/8-16 Thd.
120	736-0329	1	S	L-Wash. 1/4" I.D.
121	710-0501	1	/P	Hex Bolt 1/4-20 x 2" Lg.
122	710-0726	1	/P	Hex AB-Tap Scr. 5/16 x .75" Lg.
123	13887A	1	/P	Deck Control Pivot Brkt.

Ref #	Part Number	Qty	S/P/F	Description
124	712-3004A	1	/P	Hex L-Nut 5/16-18 Thd.
125	710-3083	1	/P	Hex Bolt 5/16-18 x 1.375" Lg.
?126	736-0355	1	/P	Fl-Wash. .58" I.D. x 1" O.D.



Lift Handle, Lift Pivot Bracket, and Rear Wheel Assembly




Lift Handle, Lift Pivot Bracket, and Rear Wheel Assembly


Ref #	Part Number	Qty	S/P/F	Description
1	720-0233	1	S	Grip
2	97282	1	S	Lift Handle Ass'y.
3	710-0442	1	S/F	Hex Bolt 5/16-18 x 1.5" Lg.
4	748-0274A	1	/P	Lift Shaft Drive
5	741-0225	1	S	Plastic Hex Brg. 5/8" I.D.
6	14231	1	S	Index Brkt. Deck Lift
7	737-0164	1	S/F	Pipe Nipple 3/8-18 Npt.
	737-0286	1	F	Pipe Nipple 3/8-18 x 3.8" Lg.
8	737-0143	1	S/F	Pipe Cap 3/8-18 Npt.
	751-0572	1		Hex Soc. Pipe 1/4-18 x 7/8.
9	750-0956	1		Spacer
11	736-0171	1	S	L-Wash. 7/16" I.D.
12	710-1002	1	/P	Hex Scr. 7/16-20 x 2" Lg. (Gr. 5)
14	983-0101	1	/P	Lift Shaft Ass'y.
15	13895	1		Lift Pivot Brkt. Ass'y.
16	17303	1	S	Adj. Deck Lift Link
17	736-0192	1	S	Fl-Wash. 1/2" I.D. x 1.00" O.D. x .090"
18	714-0101	1	S	Hairpin Cotter
19	741-0295	1	S	Nyliner 5/8" I.D. x .88" Lg.
20	738-0445	1	S	Shld. Bolt 5/8" Dia. x .96" Lg. 3/8-16
21	13790	1	S	Connecting Link
23	736-0322	1	/P	Flat Wash. .44" I.D. x 1.25 "O.D. x .17"
24	756-0989	1		Engine Pulley
25	710-0502A	1	/P/F	Hx Wash Hd. Scr. 3/8-16 x 1.25" Lg.
	710-1007	1	/P/F	Hex TT-Tap Scr. 3/8-16 x 1.5" Lg.
26	710-0726	1	/P	Hex Thd. Rolling Scr. 5/16-18 x .75" Lg.
27	738-0435	1		Running Board Rod
28	726-0272	1	/P	Clamp
29	734-0255	1	S	Air Valve
30	634-0133	1		Wheel Ass'y Comp.
	634-0132	1		Wheel Ass'y Comp.
	734-0322	1		Tire Only
	734-1728	1		Tire Only
31	634-3178	1		Rim Only
	634-3178	1		Rim Only
?32	736-0345	1	S	Flat Washer
33	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
34	711-0817	1	S	Eye Bolt Adj. Link 1/2-13 Thd.
36	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
37	710-0237	1	/P/F	Hex Bolt 5/16-24 x .62" Lg.
38	736-0119	1	S/F	L-Wash. 5/16" I.D.
39	712-0181	1	S	Hex Top L-Nut 3/8-16 Thd.
40	732-0369	1	S	Compression Spring
41	738-0777A	1	/P	Deck Connecting Rod
42	712-0271	1	/P/F	Hex Sems Nut 1/4-20 Thd.
43	14170	1	S	Index Brkt. Reinforcement Plate
46	726-0273	1		Mounting Clamp
47	731-0556	1		Hub Cap
	734-1617A	1		Spoked Hub Cap (Gray) (Opt.); New Part
	734-1616A	1		Spoked Hub Cap (Beige) (Opt.); New Part
	734-1789A	1	/P	Spoked Hub Cap (Yellow) (Opt.); New Part
48	710-0599	1	/P	Hx Wash Hd. TT-Tap Scr. 1/4-20 x .5" L
50	714-0111	1	S	Cotter Pin .09 Dia. x 1.0" Lg.

Lift Handle, Lift Pivot Bracket, and Rear Wheel Assembly

Ref #	Part Number	Qty	S/P/F	Description
51	714-0149B	1	S	Int. Cotter Pin
52	736-0231	1	S	FI Wash. .34" I.D. x 1.12" O.D. x .125"
53	710-0600	1	/P	Hx Wash Hd AB-Tap Scr 5/16-24 x .5" L
54	712-0206	1	S	Hex Nut 1/2-13 Thd.
55	14399	1	S	Deck Link
?56	736-0264	1	S	FI-Wash. .344" I.D.
57	736-0219	1	S	Bell-Wash. .4" I.D. x 1.13" O.D.
60	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
63	736-0329	1	S/F	L-Wash. 1/4" I.D.
65	751-0535-46	1	/P	Fuel Line 46" Lg.
66	726-0205	1	/P	Hose Clamp
67	710-0776A	1	/P	Hex AB-Tap Scr. 1/4 x .62" Lg.
68	17424	1		Fuel Tank Strap
69	751-0566	1		Gas Tank
70	751-0531B	1	/P	Gas Gauge
71	683-0108A	1	S	Seat Plate New Part
72	783-0419	1	S	Hitch Plate
73	738-0482	1		Hitch Rod
74	726-0272	1	/P	Hose Clamp
75	727-0425A	1	S	Spring Clip (Optional)
77	683-0098	1		Pivot Brkt. Ass'y.--R.H.
78	683-0097	1		Pivot Brkt. Ass'y.--L.H.
79	712-3050	1	/P	Lug Nut 7/16-14 Thd.
80	783-0279	1		Engine Mounting Spacer
81	710-0148	1	/P/F	Hex Hd. F-Tap Scr. #8-32 x .38" Lg.
?82	710-0604	1	S	Hex TT-Tap Scr 5/16-18 x .62" Lg.
83	751-0624	1	F	Exhaust Tube--R.H.
84	751-0623	1	F	Exhaust Tube--L.H.
85	751-0616	1	S	Muffler
	751-0617	1	S/F	Muffler
86	751-0608	1	F	Exhaust Pipe
87	712-3086	1	F	Flange Nut M8 x 1.25 Thd.
88	721-0346	1	F	Exhaust Gasket
	721-0377	1	S/F	Exhaust Gasket Used on Briggs and Stratton engines only
89	751-0564	1	S/F	Muffler Deflector
90	710-3015	1	/P/F	Hex Bolt 1/4-20 x .75" Lg.
91	783-0023A	1	S	Heat Shield
92	17958	1		Muffler Mounting Brkt.
93	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
94	710-0604	1	S	Hex TT-Tap Scr. 5/16-18 x .62" Lg.
95	710-0351	1	/P/F	Truss Mach. B-Tap Scr. #10 x .5" Lg.
96	736-3067	1	F	FI-Wash. .188" I.D. x .438" O.D.
97	783-0452	1	S/F	Front Heat Shield
98	736-0119	1	S/F	L-Wash. 5/16" I.D.
99	712-3010	1	S/F	Hex Nut 5/16-18 Thd. (Gr. 5)




Ref #	Part Number	Qty	S/P/F	Description
1	738-0296	1	S	Shld. Bolt .437" Dia. x .162"
3	732-0581B	1	S	Ext. Spring 5.31" Lg.
4	736-0119	1	S/F	L-Wash. 5/16" I.D.
5	712-3010	1	S	Hex Nut 5/16-18 Thd. (Gr. 5)
6	710-0650	1	/P	Hex Wash. Hd. Tap Scr. 5/16 -18 x .7" Lg.
7	736-0159	1	S	FI-Wash. .344" I.D.
8	722-0160	1		Bushing
9	732-0588	1		Compression Spring
11	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.
12	710-0227	1	/P	Hx Wash. Hd. AB-Tap Scr. #8 x .5" Lg.
14	725-1303	1	S	Spring Switch
15	726-0279	1		Insulator Plate
18	683-0108A	1	S	Seat Plate New Part
19	710-0351	1	/P	Truss Mach. B-Tap Scr.
?20	731-0405	1		Snap Bushing
21	725-1713	1		Reverse Safety Switch New Part
22	783-0348A	1		Shift Cover (Style 0.3.5.8.9.); New Part
	783-0430	1		Shift Cover (Style 4.6)
24	712-0271	1	/P	Hex Sems Nut 1/4-20
25	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
26	15846	1	S	Fender Bracket--R.H.
	15847	1		Fender Bracket--L.H. (Style 4. 6. 9)
	17407	1	S	Fender Bracket--L.H. (Style 4, 6, 9)
27	736-0242	1	/P	Bell-Wash. .345" I.D. x .88" O.D.
28	710-0323	1	/P	Truss Mach. Scr. 5/16-18 x .75" Lg.
29	710-1012	1	/P	Rib Neck Bolt 5/16-24 x .75" Lg.
30	738-0435	1		Running Board Rod
31	16922	1		Running Board--R.H.
	16921	1		Running Board--L.H.
32	712-0123	1	/P	Hex Nut 5/16-24 Thd.
33	726-0139	1	/P	Speed Nut #10Z
34	17360C	1	/P	R.H. Side Frame
35	17361C	1	S	LH. Side Frame
36	17359C	1		Lower Frame
37	731-1052	1		Rubber Foot Pad (Optional)
38	757-0345	1	S	Seat 8-7/8" High
	757-0338	1	S	Seat 10-5/8" High
	757-0365	1	S	Seat 10-5/8" High (Yellow)
	757-0350	1	S	Seat 14-1/4" High
	757-0372	1	S	Seat 14-1/4" High (Yellow)
39	783-0039A	1	/P	Seat Pivot Bracket
40	710-0870	1	/P	Hex Tap Scr. 3/8-16 x .62" Lg.
41	831-0823A	1	/P	Throttle Control Box Ass'y.
42	746-0634	1	/P	Throttle Control Wire 35" Lg.
	746-0630	1	S	Throttle Control Wire 39" Lg.
43	17239A	1	S	Seat Lift Bracket
44	725-1439	1		Seat Spring Switch
45	726-0278	1		Insulator Boss Plate
46	726-0320	1	S	Insulator Nut Plate




Ref #	Part Number	Qty	S/P/F	Description
1	17347	1	S	Deck Stabilizer
2	17264	1	S	Diagonal Brace
6	683-0052	1	S	46" Deck Ass'y. Comp.
7	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
8	711-0792	1	S	Hinge Pin
9	712-3006	1	/P	Hex Nut 1/4-20 Thd. (Gr. 5)
10	714-0149B	1	S	Hairpin Clip
12	736-0270	1	/P	Bell-Wash. 1/4" I.D.
13	738-0392	1		Deck Connecting Rod
22	618-0240	1	S	Spindle Ass'y. (R.H. & Center) New Part
23	618-0241	1	S/F	Spindle Ass'y. (L.H.) New Part
29	736-0119	1	S/F	Lock Wash. 5/16" I.D.
31	742-0645	1	S	Blade 14.88" Lg. (Middle) New Part
32	742-0644	1	S	Blade 16.28" Lg. (R.H. & L.H.) New Part
35	17116	1	S/F	Deck Brake Brkt. Ass'y.
36	17213	1	S	Idler Bracket
37	17258A	1	S	Belt Cover Brkt.--R.H.
38	783-0066A	1	/P	Belt Cover--L.H.
39	710-0152	1	S	Hex Bolt 3/8-24 x 1.0" Lg.
40	710-0151	1	/P	Hex Bolt 3/8-24 x 2" Lg.
41	710-0559	1	F	Hex Bolt 1/4-28 x 1.75" Lg.
42	710-0599	1	/P	Hex Wash. Hd. Tap-Scr. 1/4-20 x .5" Lg.
43	710-0624	1	/P/F	Hex Bolt 5/16-24 x 1.5" Lg. (Grade 5)
44	710-0698	1	/P	Hex Bolt 1/4-28 x 1.5" Lg.
46	711-0993	1	S	Belt Guard Pin 1/4" Dia.
47	712-0117	1	S/F	Hex Cent. L-Nut 1/4-28 Thd.
48	712-0123	1	/P	Hex Nut 5/16-24 Thd.
49	712-0138	1	S	Hex Nut 1/4-28 Thd.
50	712-0241	1	/P	Hex Nut 3/8-24 Thd.
51	712-3006	1	/P	Hex Nut 1/4-20 Thd. (Gr. 5)
53	727-0426	1	S/F	Brake Cable Ass'y.
54	732-0594A	1	S	Extension Spring 6.17" Lg.
55	732-0429A	1	S/F	Extension Spring 3.97" Lg.
56	736-0105	1	/P	Bell-Wash. .38" I.D. x .88" O.D.
57	736-0331	1	/P	Bell-Wash. .39" I.D. x 1.13" O.D.
61	736-0329	1	S/F	L-Wash. 1/4" I.D.
62	736-0416	1	F	Fl-Wash. 5/16" I.D. x 3" O.D.
63	738-0347	1	S	Shld. Spacer .625" I.D.
64	748-0234	1	/P/F	Shld. Spacer
65	750-0214	1		Spacer.34" I.D.
66	750-0470	1	F	Spacer .326" I.D.
67	754-0349	1	S	V-Belt
68	754-0350	1	S	V-Belt
69	756-0627	1	S	Fl-Idler Pulley 3.5" O.D.
70	756-0969	1		Pulley 5.0" Dia.
71	756-0977	1	S	Double Pulley 5.0" Dia.
72	711-0701	1	S	Clevis Pin 1/4" Dia. x .53" Lg.
73	712-0798	1	/P	Hex Nut 3/8-16 Thd.
74	714-0104	1	S	Intern. Cotter Pin 5/16" Dia.
75	714-0145	1	S	Intern. Cotter Pin 3/8 Dia.
76	734-0973	1	/P	Deck Wheel 5" Dia.
77	734-3058B	1	S	Deck Wheel w/Insert 5" Dia.
78	736-0169	1	S/F	L-Wash. 3/8" I.D.

Ref #	Part Number	Qty	S/P/F	Description
79	736-0192	1	S	FI-Wash. .531" I.D.
80	738-0533	1	S	Shoulder Bolt .498" Dia. x 1.64" Lg.
81	738-3056	1	S	Shoulder Bolt
83	732-0602	1	S	Torsion Spring
84	703-1693	1	S	Hinge Mtg. Brkt.
85	726-0106	1	S	Push Nut
86	731-1032	1	S	Chute Ass'y. Comp. (Incl. Ref. 8, 83, 84, 85, 86)
87	750-0932A	1	S	Spacer 5/8" I.D. x 7/8" O.D. New Part
88	17982	1	S	Spindle Reinforcement Plate
89	710-0650	1	/P	Hex Wash. Hd. Scr. 5/16-18 x 1" Lg.
90	710-1260	1	S	Hex Wash. Hd. Scr. 5/16-18 x .75" Lg.
91	712-0417A	1	/P	i Hex Flange Nut 5/8-18 Thd.
92	711-0242	1	S	Spacer .38" I.D.
93	710-0289	1	S	Hex Bolt 1/4-20 x .5" Lg.
94	783-0141	1		Skirt--Center
95	783-0142	1		Skirt--Right Hand
96	712-0271	1	/P	Hex Sems Nut 1/4-20 Thd.
97	710-0167	1	/P	Carriage Bolt 1/4-20 x .5" Lg.



Ref #	Part Number	Qty	S/P/F	Description
1	738-0963	1	S	Steering Shaft Ass'y. New Part
2	723-0448	1	S	Ball Joint 7/16-20 Thd.
3	712-0240	1	S	Hex Jam Nut 7/16-20 Thd.
4	741-0656	1	S	Hex Flange Brg.
5	712-0318	1	/P	Hex Jam Nut 5/8-18 Thd.
6	717-0943C	1	/P	Steering Gear Segment New Part
7	736-0317	1	/P	Bell-Wash. 5/8" I.D. x 1.25" O.D.
8	712-0241	1	/P	Hex Nut 3/8-24 Thd.
?9	712-0711	1	/P	Hex Jam Nut 3/8-24 Thd.
10	736-0169	1	S/F	L-Wash. 3/8" I.D.
11	738-0768	1		Steering Gear Segment Shaft
12	736-0187	1	/P	Fl-Wash. .64" I.D. x 1.24" O.D.
13	748-0227A	1	S	Hex Flange Brg. .63" I.D.
14	723-3018	1	S	Ball Joint Ass'y.
15	710-0599	1	/P	Hx Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
16	16888A	1	S	Deck Idler Support Brkt.
17	748-0389	1	S	Cap
18	719-0343	1	S	Pivot Bar Ass'y. (Cast Iron)
?19	736-0119	1	S/F	L-Wash. 5/16" I.D.
20	712-0123	1	/P/F	Hex Nut 5/16-24 Thd.
21	736-0242	1	/P	Bell-Wash. .345" I.D. x .88" O.D.
22	16894	1	S	Bearing Retainer Brkt.
23	710-0157	1	/P	Hex Bolt 5/16-24 x .75" Lg.
24	710-0793	1		Ribbed Neck Bolt 3/8-24 x .8" Lg.
25	710-0604	1	S	Hex Wash. TT-Tap Scr. 5/16-18 x .62" Lg.
26	711-1106A	1	/P	Steering Drag Link New Part
?27	783-0338	1		Pivot Bar Side Plate--R.H.
28	783-0337	1		Pivot Bar Side Plate--L.H.
29	710-1309	1	/P	Pan Hd. Scr. 5/16-18 x .62" Lg.
30	983-0061A	1	S	Steering Arm Ass'y.
31	738-0777A	1	/P	Deck Connecting Rod
32	738-0527	1	S	Shld. Bolt. 498" Dia. x 2.45" Lg.
33	731-0484A	1	S	Cap
34	714-0121	1	S	Cotter Pin 5/32" Dia.
35	736-0316	1	S	Flat Washer
36	741-0660	1	S	Flange Brg. .757" I.D.
37	747-0753	1		Tie Rod (Adjustable)
	747-0861	1	S	Tie Rod (Non-Adjustable)
38	683-0128	1	S	Pivot Bar Ass'y. (Steel)
39	16889A	1	S	Pivot Bar Support Brkt.--Front
40	16890A	1	S	Pivot Bar Support Brkt.--Rear
41	736-0188	1	/P	Fl-Wash. .76" I.D. x 1.49" O.D.
42	638-0007A	1	S	Front Axle Ass'y.--L.H.
43	638-0008A	1	S	Front Axle Ass'y.--R.H.
44	736-0286	1	S	Bowed Washer
45	710-0538	1	/P	Hex L-Scr. 5/16-18 x .62" Lg.
46	710-0331	1	/P	Hex Bolt 3/8-24 x 2.25" Lg.
47	712-0431	1	S/F	Hex L-Nut 3/8-16 Thd.
48	741-0516	1	S	Flange Brg. .75" I.D.
49	736-0316	1	S	Fl-Wash. .71" I.D. x 1.5" O.D.
50	734-1500A	1	/P	Wheel Ass'y. Comp.
	634-0084	1		Wheel Ass'y. Comp.
	734-1727	1	/P	Tire only

Ref #	Part Number	Qty	S/P/F	Description
	734-0275	1	/P	Tire only
51	634-0067	1		Rim Only
53	711-0222A	1	S	Battery Hold Down Rod
54	783-0346A	1	S	Battery Plate New Part
55	710-3015	1	/P	Hex Bolt 1/4-20 x .75" Lg. (Gr. 5)
56	736-0343	1	/P	Fl-Wash. .33" I.D. x 1.25" O.D.
58	725-1707B	1	S	Battery New Part
59	731-1683	1		Battery Cover
60	712-3087	1	/P	Wing Nut Plastic 1/4-20 Thd.
61	731-0954	1	S	Steering Bellow (Style 0. 3. 5. 9)
	731-0559A	1	S	Steering Bellow (Style A)
62	783-0465	1	S	Steering Brace New Part
63	738-0966	1	S	Shld. Bolt .5" Dia. x .925" Lg.
64	631-0027	1	S	Steering Wheel (4 Spoke)
	731-1687	1	S	Steering Wheel (3 Spoke)
65	731-0220	1	S	Steering Cap (Round)
	731-1459A	1	/P	Steering Wheel Cap (Square)
66	710-0643	1	/P	Hex L-Bolt 5/16-18 x 1" Lg.
67	17359C	1		Lower Frame New Part
68	736-0452	1	S	Bell-Wash. .396" I.D. x 1.14" O.D.
70	714-0149B	1	S	Internal Cotter Pin
71	734-0484A	1	S	Hub Cap
	734-1615A	1	/P	Hub Cap (Gray) (Opt.)
	734-1614A	1	S	Hub Cap (Beige) (Opt.)
	734-1788A	1	S	Hub Cap (Yellow) (Opt.)
72	727-0425A	1	S	Spring Clip
73	712-3017	1	S	Hex Nut 3/8-16 Thd.
74	741-0587	1		Flange Bearing (Style A)
76	710-0896	1	/P	Hex Wash. B-Tap Scr. 1/4 x .62" Lg.
77	712-0262	1	/P	Hex Jam L-Nut 3/8-24 Thd.
78	737-0280	1	S	Grease Fitting
79	734-0255	1	S	Air Valve
80	710-0837	1		Oval Hd. Cr.-Sunk Scr. #10 x 5/8" Lg. (Style A)
81	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
94	712-0291	1	S	Hex L-Nut 1/4-20 Thd.
95	737-3000	1	S/F	Grease Fitting
96	726-0341	1	/P	Cap
97	731-1649	1	F	End Cap



Ref #	Part Number	Qty	S/P/F	Description
1	777-3045	1		For model I.D. Label
2	761-0209	1		Disc Brake
3	750-1033	1		Spacer 1.13" I.D. x 1.38" O.D.
6	736-3046	1		Stop Washer
7	736-0337	1	S	Fl-Wash. 5/8" I.D. x 1" O.D.
8	721-0390	1		Gasket
9	721-0389	1		Main Gasket
?11	719-0338	1		Lower Housing
12	717-1442	1		Spur Gear 37T
13	717-1441	1		Spur Gear 27T
14	717-1440	1		Spur Gear 10T
15	717-1439	1	S	Spur Gear 20T
16	717-1438	1	S	Spur Gear 41T
17	717-0678	1	S	Brake Puck
18	716-0131	1	S	Snap Ring
19	713-0448	1	S	Chain Endless
20	713-0447	1	S	Sprocket 16T
21	713-0446	1	S	Sprocket 9T
22	712-0364	1	S	Lug Nut 5/8-18 Thd.
23	711-1072	1		Output Shaft--R.H.
24	711-1051	1	S	Drive Shaft
25	710-1347	1		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x 2.62" Lg.
26	710-0642	1	/P	Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .75" Lg.
27	661-0009	1	S	Brake Ass'y.--R.H.
28	641-0004	1		Bearing Block Ass'y.--R.H.
29	641-0003	1		Bearing Block Ass'y.--Inner
30	641-0002	1	S	Bearing Block Ass'y.--Axle
31	641-0001	1		Bearing Block Ass'y.--L.H.
32	619-0017	1	S	Housing Ass'y.
33	618-0259	1	S	Hub Ass'y.--Wheel
34	618-0228	1	S	Differential Ass'y.
35	618-0227	1	S	Shift Fork Ass'y.
36	618-0226	1		Collar Ass'y.--Hi-Lo
37	618-0225	1		Collar Ass'y.--Reverse