





## Style L

| REF. NO. | PART NO.   | DESCRIPTION                                     | REF. NO. | PART NO.  | DESCRIPTION                                                           |
|----------|------------|-------------------------------------------------|----------|-----------|-----------------------------------------------------------------------|
| 1        | 631-04124  | Panel Assembly, L-Style, Yellow (Inc. Ref. 47)  | 27       | 736-0262  | Washer, Flat, .385 x .870 x .092                                      |
|          | 631-04128  | Panel Assembly, L-Style, Black (Inc. Ref. 47)   | 28       | 738-04122 | Screw, Shoulder, .437 x 1.345, 1/4-20                                 |
| 2        | 631-04133  | Handle Assembly, Clutch Lock, LH (Inc. Ref. 48) | 29       | 738-04125 | Screw, Shoulder, .374 Dia. x 1.05                                     |
| 3        | 631-04134  | Handle Assembly, Clutch Lock, RH (Inc. Ref. 48) | 30       | 746-0778  | Z-Fitting, Cable                                                      |
| 4        | 684-04105  | Handle Assembly, Engagement, LH                 | 31       | 747-04284 | Rod, Shift, .312 x 9.0 Upper                                          |
| 5        | 684-04106  | Handle Assembly, Engagement, RH                 | 32       | 750-04314 | Connector Sleeve, Shift Rod                                           |
| 6        | 710-04326  | Screw, #8-16 x .50                              | 33       | 790-00130 | Lever, Shift                                                          |
| 7        | 710-04354  | Screw, 1/4-20 x .375                            | 34       | 790-00140 | Bracket, Panel                                                        |
| 8        | 710-1026   | Screw, Self-tapping, 1/4-20 x 1.750             | 35       | 710-0449  | Screw, Carriage, 5/16-18, 2.25, Gr5                                   |
| 9        | 710-1233   | Screw, Machine, #10-24 x 1.375                  | 36       | 710-0726  | Screw, 5/16-12, 0.750                                                 |
| 10       | 711-04287  | Rod, Pivot                                      | 37       | 720-0284  | Wing Knob, 5/16-18                                                    |
| 11       | 711-0677   | Ferrule, 5/16-18 x .312                         | 38       | 736-0451  | Washer, Saddle, 320 x .93 x .060                                      |
| 12       | 712-04064  | Nut, Flange Lock, Nylon, 1/4-20                 | 39       | 749-04138 | Handle, Lower, Snow                                                   |
| 13       | 712-04081A | Nut, Shoulder, Hex, 1/4-20,                     | 40       | 749-04141 | Handle, Upper, RH                                                     |
| 14       | 714-0104   | Pin, Cotter, .072 Dia. x 1.13                   | 41       | 749-04142 | Handle, Upper, LH                                                     |
| 15       | 720-0274   | Grip, 1.0 ID x 5.0                              | 42       | 712-04063 | Nut, Flange Lock, Nylon, 5/16-18                                      |
| 16       | 720-04039  | Knob, Black                                     | 43       | 726-0135  | Nut, Speed, .3125 Dia.                                                |
| 17       | 725-04213  | Lamp                                            | 44       | 732-04205 | Spring Lever, Shift                                                   |
| 18       | 725-04214  | Harness, Headlight                              | 45       | 736-3015  | Washer, Flat, .469 x .875 x .105                                      |
| 19       | 725-1649   | Socket, Lamp                                    | 46       | 747-04257 | Shift Rod, Lower                                                      |
| 20       | 726-0470   | Tie, Cable, 19 x 8.39", Tree Mount              | 47       | 731-04864 | Lens                                                                  |
| 21       | 731-04894  | Plate, Lock                                     | 48       | 712-0161  | Nut, Hex Lock, Nylon, #10-24, Gr2                                     |
| 22       | 731-04896  | Cam, Clutch Lock                                | 49       | 684-04116 | Chute Control Assembly, 4-Way (Inc. Cables & Control Head, not shown) |
| 23       | 732-0193   | Spring, Compression, .39 x .60 x .88            | 50       | 790-00131 | Bracket, Joystick                                                     |
| 24       | 732-04219  | Spring, Clutch, Lock                            | 51       | 710-04187 | Screw, 1/4-15 x .50                                                   |
| 25       | 732-04238  | Spring, Torsion, 0.8156 ID x .3038              | 52       | 753-04863 | Kit, 4-Way Knob                                                       |
| 26       | 735-0199A  | Bumper, Rubber, .62 OD x .22                    | 53       | 753-04864 | Kit, Chute Control Housing                                            |
|          |            |                                                 | 54       | 753-04865 | Kit, Chute Control Pivot                                              |
|          |            |                                                 | 55       | 753-04866 | Kit, Lever Tube                                                       |

**NOTE:** Snow thrower features and components vary by model. NOT all parts listed above and pictured on the previous page are standard equipment.

# Style L



# Style L

| REF. NO. | PART NO.  | DESCRIPTION                                                 | REF. NO. | PART NO.  | DESCRIPTION                              |
|----------|-----------|-------------------------------------------------------------|----------|-----------|------------------------------------------|
| 1        | 731-2643  | Removal Tool, Snow                                          | 40       | 784-5594  | Cable Bracket (Cables not included)      |
| 2        | 684-04057 | Impeller Assembly, 12" Dia                                  | 41       | 784-5599  | Tab, Handle                              |
| 3        | 710-0347  | Screw, 3/8-16 x 1.75, Gr5, Std                              | 42       | 618-04171 | Gearbox Assembly, Auger, 24"             |
| 4        | 710-0451  | Bolt, Carriage, 5/16-18 x .750 Gr1                          |          | 618-04172 | Gearbox Assembly, Auger, 26"             |
| 5        | 710-0703  | Screw, Carriage, 1/4-20 x .75, Gr5                          |          | 618-04173 | Gearbox Assembly, Auger, 28"             |
| 6        | 710-0726  | Screw, 5/16-12 x 0.750                                      |          | 618-04165 | Gearbox Assembly, Auger, 30"             |
| 7        | 712-04063 | Nut, Flange Lock, Nylon, 5/16-18, GrF                       | 43       | 684-04069 | Housing Assembly, Auger 24"              |
| 8        | 712-04064 | Nut, Flange Lock, Nylon, 1/4-20, GrF                        |          | 684-04071 | Housing Assembly, Auger 26"              |
| 9        | 712-04065 | Nut, Flange Lock, Nylon, 3/8-16, GrF                        |          | 684-04073 | Housing Assembly, Auger 28"              |
| 10       | 714-0507  | Pin, Cotter, 3/32 x .750                                    |          | 684-04063 | Housing Assembly, Auger 30"              |
| 11       | 725-0157  | Cable, Tie, 3/16 x .05 x 7.4                                | 44       | 684-04107 | Spiral Assembly, LH                      |
| 12       | 726-04012 | Nut, Push-on, .25 Dia                                       | 45       | 684-04108 | Spiral Assembly, RH                      |
| 13       | 731-04705 | Chute, Adapter 5" Dia                                       | 46       | 731-04870 | Spacer, 1.25 OD x .75 ID x 1.00          |
| 14       | 732-0611  | Spring, Extension, .38 OD x 3.6                             | 47       | 736-0188  | Washer, Flat, .76 x 1.49 x .06           |
| 15       | 736-0174  | Washer, Wave, .625 x .885 x .015                            | 48       | 629-0071  | Extension Cord, 3-Prong                  |
| 16       | 736-0463  | Washer, Flat, .25 x .630 x .0515                            | 49       | 721-0179  | Seal, Oil, .750 ID                       |
| 17       | 731-04869 | Keeper, Flange                                              | 50       | 741-0493A | Bushing, Flange, .800 ID x .910 OD       |
| 18       | 738-0143  | Screw, Shoulder, .498 x .340, 3/8-16                        | 51       | 790-00120 | Plate, Shave, 2.25 x 23.66               |
| 19       | 738-0281  | Screw, Shoulder, .625 x .17, 3/8-16                         |          | 790-00121 | Plate, Shave, 2.25 x 25.66               |
| 20       | 738-04124 | Pin, Shear, .25 x 1.50, Gr2                                 |          | 790-00118 | Plate, Shave, 2.25 x 27.66               |
| 21       | 741-0245  | Bearing, Hex Flange x .75 ID                                |          | 790-00119 | Plate, Shave, 2.25 x 29.66               |
| 22       | 741-0309  | Bearing, Ball, .75 ID x 1.85 OD                             | 52       | 790-00087 | Housing, Bearing, 1" Hex                 |
| 23       | 756-0981A | Pulley, Idler, Flat 2.75 OD                                 | 53       | 719-0319  | Housing, Auger, RH Reducer               |
| 24       | 790-00075 | Housing, Bearing, 1.85 ID                                   | 54       | 719-0320  | Housing, Auger, LH Reducer               |
| 25       | 790-00080 | Bracket, Auger Idler w/ Brake                               | 55       | 741-0661A | Bearing, Flange, .75 ID x 1.00 OD x .975 |
| 26       | 631-04132 | Chute Assembly, Lower, 4-way<br>(Inc. Ref 17, Qty. 3)       | 56       | 717-0528A | Gear, Worm 20T                           |
| 27       | 684-04116 | Control Head (Inc. 4-Way Chute Control<br>Ass'y, not shown) | 57       | 736-0351  | Washer, Flat, .760 ID x 1.5 OD           |
| 28       | 710-0262  | Bolt, Carriage, 5/16-18, 1.50, Gr2                          | 58       | 714-0161  | Key, Hi-pro 3/16 x 5/8                   |
| 29       | 710-04071 | Bolt, Carriage, 5/16-18, 1.00                               | 59       | 715-04021 | Pin, Dowel, .25 OD x 1.2                 |
| 30       | 710-0726  | Screw, 5/16-12 x 0.75                                       | 60       | 721-0325  | Plug, 1/4 x .437                         |
| 31       | 710-0895  | Screw, 1/4-15 x 0.75                                        | 61       | 711-04285 | Axle, Auger, 24"                         |
| 32       | 710-0909A | Screw, Self-tapping 5/16-18 x 1.75                          |          | 711-04284 | Axle, Auger, 26"                         |
| 33       | 711-0415  | Pin, Clevis, 3/8 x 1.75                                     |          | 711-04283 | Axle, Auger, 28"                         |
| 34       | 746-0897  | Auger Clutch Cable, 44.75"                                  |          | 711-04282 | Axle, Auger, 30"                         |
| 35a      | 790-00091 | Shoe, Skid (Deluxe)                                         | 62       | 710-0642  | Screw, Self-tapping, 1/4-20, 0.750       |
| 35b      | 784-5580  | Shoe, Skid (Standard)                                       | 63       | 741-0662  | Bearing, Flange, .75 ID x 1.00 OD x .59  |
| 36       | 714-0104  | Pin, Cotter, .072 Dia. x 1.13                               | 64       | 717-04126 | Shaft, Worm .75 OD                       |
| 37       | 731-04427 | Upper Chute, Remote                                         | 65       | 718-04071 | Collar, Thrust                           |
| 38       | 731-1313C | Cable Guide, Chute Tilt                                     | 66       | 721-0327  | Seal, Oil, .75 x 1 x .131                |
| 39       | 749-04155 | Support Tube, Chute                                         | 67       | 736-3084  | Washer, Flat, .51 x 1.12                 |
|          |           |                                                             | 68       | 741-0663  | Bearing, Flange, .75 ID x 1.00 OD x .925 |
|          |           |                                                             | 69       | 731-2635  | Mount, Clean Out Tool                    |


\* One found between spirals on models with 24-inch auger housing.

\* Two found between spirals on models with 26-inch auger housing.

\* Three found between spirals on models with 28-inch auger housing.

**NOTE:** Snow thrower features and components vary by model. NOT all parts listed above and pictured on the previous page are standard equipment.

## Style L



## Style L

| REF. NO. | PART NO.   | DESCRIPTION                           | REF. NO. | PART NO.  | DESCRIPTION                            |
|----------|------------|---------------------------------------|----------|-----------|----------------------------------------|
| 1        | 617-04026  | Gear Assembly, 16/44T                 | 34       | 756-0625  | Roller, Cable                          |
| 2        | 617-04025  | Gear Assembly, 16/44T                 | 35       | 784-5687A | Guide Bracket, Auger Cable             |
| 3        | 656-0012A  | Disc Assembly, Friction Wheel, .375   | 36       | 790-00072 | Frame                                  |
| 4        | 684-04066  | Wheel Assembly, Friction, 4.9 OD      | 37       | 790-00096 | Guide Bracket, Front, Auger Cable      |
| 5        | 684-04045  | Support Bracket Ass'y, Friction Wheel | 38       | 790-00054 | Cover, Frame                           |
| 6        | 684-04139  | Shift Assembly, Rod                   | 39       | 790-00055 | Roller Bracket, Drive Cable            |
| 7        | 710-0627   | Screw, 5/16-24 x .750, Gr5            | 40       | 710-0191  | Screw, 3/8-24 x 1.25, Gr8              |
| 8        | 710-0788   | Screw, 1/4-20 x 1.000                 | 41       | 710-0597  | Screw, 1/4-20 x 1.00, Gr5              |
| 9        | 710-1652   | Screw, 1/4-20 x .625                  | 42       | 710-0654A | Screw, Sems, 3/8-16 x 1.00             |
| 10       | 711-04246A | Hex Shaft, Drive, .75                 | 43       | 710-1245B | Screw, 5/16-24 x .875, Gr8             |
| 11       | 712-0711   | Nut, Jam, 3/8-24, Gr2                 | 44       | 712-04064 | Nut, Flange Lock, Nylon, 1/4-20, GrF   |
| 12       | 714-0161   | Key, Hi-pro 3/16 x 5/8                | 45       | 731-04792 | Cover, Belt                            |
| 13       | 716-0231   | Ring, E Type, .750                    | 46       | 732-0710  | Spring, Extension, .38 OD x 2.68       |
| 14       | 716-0136   | Ring, E-Type, .875                    | 47       | 736-0247  | Washer, Flat, .406 x 1.25 x .157       |
| 15       | 717-04129A | Pinion, 16T                           | 48       | 736-0505  | Washer, Flat, .34 x 1.50 x .150        |
| 16       | 717-04137A | Gear, 44T                             | 49       | 741-0919  | Bearing, Ball, 20 x 47 x 14            |
| 17       | 790-00082  | Idler, Bracket, Drive                 | 50       | 748-0234  | Shoulder Spacer                        |
| 18       | 726-0221   | Nut, Speed, .500                      | 51       | 748-04053 | Pulley, Adapter, .75 Dia.              |
| 19       | 732-0264   | Extension Spring                      | 52       | 750-04230 | Spacer, .777 OD x .260 ID x .550       |
| 20       | 736-0242   | Washer, Bell, .340 x .872 x .060      | 53       | 750-04303 | Spacer, .875 ID x 1.185 OD             |
| 21       | 736-04161  | Washer, Flat, .75 x 1.00 x .060       | 54       | 754-04050 | V-Belt, 1/2"                           |
| 22       | 736-0300   | Washer, Flat, .406 x .875 x .059      | 55       | 754-0456  | V-Belt, 3/8"                           |
| 23       | 736-0105   | Washer, Bell, .375 x .870 x .063      | 56       | 756-04109 | Pulley, Auger, 8.1 x .50               |
| 24       | 736-0287   | Washer, Flat, .793 x 1.24 x .060      | 57       | 756-04113 | Pulley, Half, 2.600 OD                 |
| 25       | See Chart  | Wheel, Complete                       | 58       | 756-04114 | Pulley, Half, 2.2 OD                   |
| 26       | 731-04873  | Spacer, 1.25 OD x .75 ID x 3.00       | 59       | 790-00062 | Washer, Bearing, 2.12 OD x .255 ID     |
| 27       | 738-04095A | Axle, .75 x 22                        | 60       | 790-00010 | Plate, Friction, 12 Pt 4.60 Dia        |
| 28       | 738-0924   | Screw, 1/4-28 x .375                  | 61       | 790-00011 | Plate, Friction, Extrs, 12 Pt 4.60 Dia |
| 29       | 741-0563   | Bearing, Ball, 17 x 40 x 12           | 62       | 710-0896  | Screw, Self-tapping, 1/4-14 x 0.625    |
| 30       | 741-0245   | Bearing, Hex Flange x .75 ID          | 63       | 618-04169 | Bearing Assembly, Friction Wheel       |
| 31       | 746-0897   | Cable, Auger, 44.75                   | 64       | 718-04070 | Hub, Friction Wheel                    |
| 32       | 746-04086  | Cable, Drive, 41.75                   | 65       | 735-0243B | Friction Wheel Rubber, 4.875 OD        |
| 33       | 748-0190   | Spacer, .508 ID x .75 OD x .68        | 66       | 732-0705  | Guide, Cable                           |

| Wheel Assembly Complete | Wheel Size | Rim Only  | Tire Only | Air Valve |
|-------------------------|------------|-----------|-----------|-----------|
| 634-04144               | 13 x 4     | 634-04151 | 734-1732  | 734-0255  |
| 634-04143               | 13 x 5     | 634-04151 | 734-1527  | 734-0255  |
| 634-04142               | 15 x 5     | 634-04151 | 734-1859  | 734-0255  |
| 634-04141               | 16 x 4.8   | 634-04140 | 734-1530  | 734-0255  |

**NOTE:** Snow thrower features and components vary by model. NOT all parts listed above and pictured on the previous page are standard equipment.