# Homelite®

- **PARTS LIST**
- LISTE DE PIÈCES
- TEILELISTE
- ELENCO DEI PEZZI
- LISTA DE PIEZAS

CS40 ... UT10707, A

... UT10708, A

**C\$50 ...** UT10710- A, B

UT10711- A, B

250 ... UT10724- B, C

300 ... UT10687- B, C

UT10700- A, B

UT10725, B, C

252 ... UT10732

UT10732- A

UT10733


UT10733- A

Printed in U.S.A. Imprimé aux. E.·U. Gedruckt in den U.S.A. Stampato negli Stati Uniti Impreso en EE. UU.

> P/N 18952 REV. 1

250 Chain Saw UT-10724-C


### ENGINE INTERNAL



NO.

250 Chain Saw UT-10724-C


# STARTER - IGNITION



					QT	Y.	_
NO.	PART NO.	DESCRIPTION	3963	980	0	ĝ	
1	82546	SCREW-Thread Form (8-18 x 5/6")	4	4	4	4	Γ
2	82544	SCREW-Thread Form (8-16 x 2")	1	1	1		
	82566	SCREW Thread Form (8-16 x 2 1/4)				1	ı
3	F-A-04778-A	STARTER - COMPLETE	í	1	1	1	
4	97899-01	ROPE, STARTER (46")	ſ	1	1	1	l
5	02264	GRIP, STARTER	1	1	1	1	ı
6	A-97908	SPRING & CONTAINER	t	1	1	1	ı
7	97768-B	PULLEY	1	1	1	1	١
5 6 7 8 9	94062	WASHER	1	1	1	1	ı
9	82409	SCREW_Plastite(10-14 x 5/8*)	1 '	1	1 '	1	١
10	81124-A	NUT, JAM	1	1	1	1	١
11	83102	WASHER LOCK (3/8)	1	1	1	í	١
12	A-00994-B	ROTOR & STARTER PAWLS	1	1	1	1	١
13	88052	SCREW, Sems Hex Hd. (10-24 x 7/8"	2	2	2	2	١
14	A-01821-A	IGNITION GROUND WIRE	1	1	1	ş	١
15	95098	SLEEVE, Insulating	1	1	1	1	١
18	A-01546	IGNITION MODULE	1	1	1	1	١
17	A-02597	SPARK PLUG BOOT KIT	1	1	1	1	
18	A-01822	IGNITION WIRE	ا ۱	1	1	1	
19	01802	SWITCH	1	1	1	1	

250 Chain Saw UT-10724-C

## **CARBURETOR - MUFFLER**




	NO.	PART NO.	DESCRIPTION	CSeo		2	٠	C3850
	140.	FARLING.	DESCRIPTION	23	ŝ	딿	象	23
	1	-A-06852	MUFFLER - Complete				1	1
	2	01729	GASKET Muffler				t	1
	3	01733	SCREEN- Spark Arrestor				F	1
	4 5 B 7	01734-B	COVER- Exhaust				1	1
	5	<u>∟</u> 88058	SCREW-Sems (10-24 x 2 1/4)				3	3
	В	-A-06631	MUFFLER - Complete	1	1	1		
	7	01543-B	GASKET-Muffler	1	ĭ	1		
	8	02176	SCREW- Square Hd. (10-32 x 2 1/2)		1	1		
	9	02509	SCREW- Square Hd. (10-32 x 2 1/4)	2	2	2		
	10	01532	SCREEN-Spark Arrestor	1	1	1		
	11	01531-A	COVER- Exhaust	1	1	1		
	12	81208	NUT Locking (10-32)	3	3	3		
	13	84009	WASHER-Fiet (#12)	1	i	1		
	14	T•A-04512	SPACER- Carburetor				1	1
	16	04608	GASKET- Carburator Spacer				1	1
	18	03141	FOAM- Adhesive				1	11
	14	-A-02583	SPACER-Carburston	-	í	1	`	
	15	00202-B	GASKET- Carburator Spacer	1	í	1		
	16	01823	FOAM- Adhasive	1	١	1		
	17	00905-A	SCREW- Carburetor Retainer	2	2	2	2	2
	18	98339	GASKET-Carburetor	1	1	1	1	<u>1</u>
	19	70310-38	TUB(NG-Rubber (8*)	•	12	1		1
	20	02696	RETAINER PLATE	11	1	1	1	1
	21	0117B	RETAINER NUT- Filter	2	2	2	2	2
	22	02718	"O" RING	2	2	2	2	2
	23	A-02582-A	AIR FILTER	1 1	١s	1	1	1
	24	81009	NUT- Hex (8-32)	2	2	2	2	2
	25	A-03835	CARBURETOR (Walbro WT224)	۱ ا	i	1	-	-
		A-03864	GARBURETOR (Zama C1Q-H27)				1	1
		A-04491	CARBURETOR (Welbro WT282)				í	l i l
	26	70310-19	TUBING- Rubber (4 3/4")	-	1	١,	1	1
	27	B2430	SCREW Mach. Hex Hd. (8-82 x 7/8")	2	9	2	2	2
	28	82513	SCREW Thread Form (8-19 x 5/8")	ī	1	1		<del>1</del>
	29	84123	WASHER Flat (#6)	i	1	i		•
	30	00997-D	CABLE Throttle	1	i	1	1	1
١	1	1						

Assembly
Ensembles
Bausaize
Complessi
Conjunios

250 Chain Saw UT-10724-C Page 5 of 9

# ENGINE HOUSING




Assembly Ensembles	_
Bausātze	-  .
Compleasi Conjuntos	_

NQ.	PART NO.	DESCRIPTION	CB-60	B	Ñ	8	8
1	82545	SCREW- Thread Form (8-16 x 1 3/4")	3	3	3	3	3
2	82546	SCREW- Thread Form. (8-16 x 5/8")	4	4	4	4	4
3	00207-1B	HOUSING-Starter Side	1	1	1		
	01715-1A	HOUSING-Starter Side	ا آ		ŀ	١	1
4	8258B	SCREW-Thread Form. (10-14 x 1 1/8")		1	1	1 j	11
5	, #3056	WASHER-Lock	1	1	1	1	1
8	A-03720-B	HOUSING: Drive Side	1	1	í	1	1
7	03132	BOLT- Guide Ber	2	2	2		2
В	L 01805-A	DECAL- Panel	1	1	1	1	1
8	80684	9CREW-Hex Hd. (12-24 x 1")	2	2	2		2
10	95212	STOP- Chain	1	1	í	1	1
11	82537	SCREW- Thread Form (10-14 x 7/8*)	1	1	1	1	1
12	01170	PLATE Guide Bar (Outer )	1	1	1	1	1
13	82513	SCREW- Thread Form. (6-19 x 1/2")	1	1	1	1	1
14	98278	PLATE- Guide Bar (Inner)	ז	1	1	1	1
15	65112-1	PIN- Adjusting	1	1	1	1	۱ ا
16	08138	SCREW- Guide Bar Adjusting	1	1	1	1	۱ ا
17	69698	RING- Snap	1	1	1	1	1
18	01183	BULB- Primer	1	1	í	1	1
19	01527-A	ROD- Choke (UT10687-8)	1	1	1	1	۱ ا
20	01802	SWITCH- Ign.	1	1	ſ	ำ	۱ 1
21	69889	BOOT- Throttle Cable	1	1	1	1	1
22	64862	GROMMET- Chake	1	1	1	1	1
23	01169	PANEL- Control	1	1	ſ	1	1
24	A-04583	CYLINDER COVER	ΙI			1	١í
25	01178-A	SCREEN- Air Infet	ΙI			1	1
26	02608	LABEL Warning	ΙI			١i	1
24	A-02581-C	CYLINDER COVER	1	1	ำ	-	
25	01173-A	SCREEN- Air Inlet	1	1	1		
26	02506	LABEL: Warning	-	1	li		
27	01172	GROMMET: Carburator	1	1	i		Ĺ
28	01178-A	PLUG- Idle Speed	•	1	li		į
29	04373	GROMMET- Carburetor	1	1	1	1	] 1
30	95792	SCREW- Round Hd. (10-24 k .710)	3	3	8	3	3
31	76810	NUT- Square (10-24)	3	3	3	3	3


250 Chain Saw UT-10724-C Page 6 of 9

# HANDLES - 250 - 252 - 300



		,		QTY.	
NO.	PART NO.	DESCRIPTION	8	253	8
1	A-03496	HANDLE BAR	ſ	1	1
2	03945	REAR HANDLE	1	1	1
3	BOBB1	SCREW, HEX Hd (12-24 X 7/8")	ſ	1	1
4	02813	SPRING, EXTENSION	1	1	1 1
5	03583	RETAINER, SPRING	2	2	2
8	84008	WASHER,FLAT (#12)	2	2	2
7	82562	\$CREW, PAN Hd. (10-24 X 7/8")	1	1	1 1
В	B1196	NUT, HÉX	2	2	2
9	A-00226-A	COVER, DRIVE CASE	1	1	1
10	A-03720-B	ENG. H\$Q. DRIVE \$IDE	1	1	1
11	70B10	NUT, SQUARE (# 10-24)	1	1	1
12	D2508	ISOLATOR, VIBRATION	2	2	2
13a	01715-1A	HSG., STARTER SIDE			1
136	00207-1B	HSG., STARTER SIDE	1	1	
14	BO21 D-C	COVER, REAR HANDLE	1	1	1 1
16	82546	SCREW, THREAD FORM (8-16 X 5/8")	-6	5	В
16	58409	RING, RETAINING	1	1	1 1
17	95020	SPRING, COMPRESSION	1	1	1
18	96671	PIN, THROTTLE LOCK	1	1	1
19	01166	SPRING, EXTENSION	1	1	1 1
20	01813	SLEEVE, SPRING	2	2	2
21	81261	NUT, HEX	2	2	2
22	84008	WASHER, FLAT (#12)	2	2	2
23	98620	SCREW, TORX (10-24 X 1/2*)	1	1	1
24	00997-D	CABLE, THROTTLE	1	1	1
25	A-03806-A	TRIGGER, THROTTLE	1	1	1
26	8251\$	SCREW, THREAD FORM (6-19 X 1/2")	ſ	1	1
27	84129	WASHER, FLAT	T	1	1
28	02816	SPRING, THROTTLE	1	1	1
29	70263	PIN, DÓWEL	1	1	1
30	93385-A	LOCK, THROTTLE	1 _	1	1


# CLUTCH & CHAIN BRAKE



				Q	TY.	_	,
NO.	PART NO.	DESCRIPTION	25 25	ŝ	ŝ	300	6 6
1	A-06757	GUARD, HAND		1	1	ï	
2	83203	WASHER, BELLVILLE		1	٦.	1	
3	28457	NUT - (M5)		1	1	1	
4	98422-A	PIN		1	1	1	
5 6 7	98461	\$CREW, \$HQULDER		1	٦.	1	
6	01820	RING, RETAINER		1	۱ ا	1	
7	26308	SPRING, COIL		11	i	1	
8	A-98317-A	BRAKE LATCH ASSY.		1	1	1	
9	A-00888-A	ADJUSTER, BRAKE		1	1	í	
10	00890	SPRING, COMPRESSION		1	۱ ا	1	
11	98456	PIN		1	1	ĭ	
12	59833	WASHER, THRUST (INNER)				1	
13	A-02980	SPLINE & DRUM				1	
14	02898	BEARING, NEEDLE				i	
15	03038	RACE, INNER				í	
18	07941	SPROCKET, R(M (.325 X 71)		1		1	
17	85027	WASHER, THRUST	1	11	1	۲.	1 1
18	81255	NUT, HEX LOCK (3/8"-24]	1	1	1	í	1 1
19	-A-98296-B	BRAKE BAND ASSY		1	í	1	
20	06872	PIN, DOWEL		11	1	។	
21	61198	NUT, HEX	2	[ 2	2	2	2 ]
22	A-00226-A	COVER, DRIVE CASE	1	11	١,	í	1 1
23	82513	SCREW, THREAD FORM (#6)		1	1	ำ	
24	01180	RETAINER, BRAKE BAND		1	٦	1	
25	81266	NUT, HEX LOCK (3.6"-94]	1	1	1	1	1
26	86064	WASHER, THRUST	1	11	1	i	1 1
27	69423	RACE, INNER	1 1	11	1		1 1
28	64333	BEARING, NEEDLE	1	1	1		1 1
29	00986-A	SPROCKET & DRUM	1	1	١,		1
30	65027	WASHER, THRUST	1	1	١,		1
31	A-00995	CLUTCH ASSY	1	1	1	1	1
32	98453	SPRING, CLUTCH	l i	1	1	1	i
33	02561-A	LABEL, KIGKBÁCK	]	1	1	1	
34	02861	DECAL, SAFETY	1 1	1	1	1	1

250 Chain Saw UT-10724-C Page 8 of 9

## **FUEL & OIL TANKS**



Assembly Ensembles Bausäize Complessi Conjuntos	-[-	_
Conjuntas		

NO.

B

#### ACCESSORIES ACCESSOIRES ZUBEHOR ACCESSORI ACCESSORIOS

BUMPER SPIKE KIT
Jeu de orampon d'amorteneur
Stoöstangen-Spikasatz Kit delle punia del paraurii
Juego de punts del parachoques
RUBBEN TUBING (10') 70310-99
Tubes en secutations (3,05 m) Quantitation (4,05 m)
Datte di gamma (3,05 m)
Tube de caucho (3,96 m)
GREASE- Multi-Purpose (Sprockst 18453 bearing-PT guide bar)
Graisce universelle (Paller de pignon-
PT - lame-guida)
Mehraweck-Echmiermittel (Kelfannsdiager - PT -
Fehrungsschiefte)
Gresso, multiuso (Cuscinetto delle ruote dentete - PT - Berrs di guide)
Grasa de uso general (Colinete de la
rueda dentada - PT - barre guia)
### ### ##############################
Starioraeli (78 m Spule)
Cords d'avvismento (bobine da 78 m)
Cuerda de erranque (comste de 76 m)  DIGITAL TACHOMETER
Compte-tours numérique
Digital-Drahzahimesser
Tachometro digitale Tacometro digitale
GUIDE BAR. (Bower Ito) (18") PT-16321-H6
Lame guide, (Extremité motrice)
(40,84cm) Führungsstange, (Antriebeepitze)
(40,84cm)
Lame, (Punts di potenza) (40,64cm) Serra guia, (Punts de potenzia)
(40,646m)
QUIDE BAR (power tip) (18") PT-18321-H6
Lame guide, (Extrémité motrice)
(45,73cm) Führungsstange, (Antriebsspiltre)
(45,72cm)
Lems, (Punta di potenza) (45,720m) Barra gula, (Punta de potencia)
(48,72om)
GUIDE BAR, (power tip) (20") PT-20321-H6
Lame guide, (Extrémité motrice) (\$0,80cm)
Fuhrungestange, (Antriebsspilze)
(\$0,80cm) Lems, (Punta di potenza) (50,80cm)
Barra gula, (Punta de potencia) (50,50cm)
GU(DE BAR, (sprocket 1)p) (18") \$P-16321-H8
Large guide, (Extrêmité à pignon)
(40,646m) Führungsstange, (Kettenradepitze)
(40,64cm)
Lema, (Punta dentata) (40,54cm) Serra guia, (Punta de ruede dentede)
(40.44cm)
GUIDE BAR, (aprocket 4p) (20") \$P-20321-H6
(40,64cm) Lame guide, (Extrémité à pignon)
(60.85 <del>cm</del> )
Futurigustange, (Ketterradapitze) (50,00cm) Lama, (Punta dentala) (50,00cm)
Berra guia, (Punta de rueda deniada) (50,60cm)
\$AFE+T+TIP+ A-70775-B
\$AFE+T+TIP+
SAFEOTOTIPO SAFEOTOTIPO
SAFESTSTIPS

COMPRESSIO	IN TESTER	M1M
	al de compression	
Verdichtungs-		
Tester a comp		
Medidar de co		
1	•	
	r repair tool — —	<u> 17788</u>
	ellon de carburateur	
Yargaser-Repa	eretur <del>werkze</del> ug	
Altrezzo di ripe	erazione del carburatori	ŀ
Herrarajenta d	le reparación del carbun	edor
\$HIM (.0126")		
Cate (0,31mm)		
Distantstuck (	(0.31mm)	
Zepps (0,31m)		
Calce (0,31mn		
	· -	
DIGITALITAC		19414
Compte-loure		
Teopometro d	ighale	
Tecometra dig	أطأ	
CLUTCH ASS	EMBLY TOOL	18060
	age d'embrayage	
	ammenbau-Werkseug	
Maganiania del Bi	ruppo irizione la especia del embracio	
4	le simedo del embragua	
BEALANT SIL	.ICON	
Malériau d'éla	nchéilé ou silicons	<del></del>
Millson-Dichtu		
Gigillo al ellico		
Selisdor de all		
I		A A1001
WRENCH (co	maintabo) — — — — —	4:4144
CM combine		
	niugusel Kombination	
Chlave combin		
Flave complut	) da	
PULLER- Mag	nelo Relor 🚃 🚃 🚃	A-24747-A
Extracleur, ro		
	ug-Megnetrotor	
	Sjove it withoute	
I	ir de magneto	
T-25 TORX DI		
Foret torz T-2	5	
T-25 Torx-Ant	triababit	
Punis Tora Dr	riva T-25	
Broos de emp	ula T-25 Tork	
2HIM (0.016"		
Cale (scari de		
Contract (and	e (0,38 mm Luftepelt)	
арезеры гері	nierometra 0,38 mm)	
	especio de 0,36 mm)	
TESTER (6pm	irk Plug)	GP-20322-5
Appereil de co	ontrôle (Bougle)	· — — ·
Printgerel (Zül		
Teeler (cande		
Probador de t		
		A-01182
CLUTCH SPA	<u> </u>	A-D1185
CIP & SMB19A	ng q ahata ahitan - 1	
Kuppluries-O	myganiuseii	
Chieve della 1		
Lieve para am	IDFague	
CHAIN (32-ME	050-87) (18")	DI-L7267-AK
Chaine (32-14)	050-87) (40,54cm)	
KeHe (32-547)	50-67) (40,64cm)	
Cotors (22-14)	DEC. 871 (40 44 cm)	
Code-+ /30 M	D50-67) (40,84cm) ID50-87) (40,84cm)	
		B1 184-4 (**
CHÁIN (33∙MI	D&O-78) (18") — — —	DI-L7273-AH
Chaine (32-Mi	D50-73} (45.72cm)	
Kette (32-MDS	(0-73) (48,73em) D60-75) (46,72om)	
Catena (32-M)	DSD-75) (46,72om)	
Cadena (32-M	(050-73) (45,72cm)	
	050-79) (20")	DI-L7279-AH
Chains (12-M)	D50-79) (50,80cm)	
Kelle 199-1906	50-79) (50,80cm)	
Calana (34-MD)	nca-76) (en pase)	
Californi (32-M)	D50-79) (50,80cm)	
Capana (32-1/	(50,80cm)	