
PART NO. 24983 REV. 2 Printed in U.S.A. Price .35

PARTS LIST

HOMELITE®


Super 2




Automatic Oiling CHAIN SAW




SUPER 2 Chain Saw UT-10520




. NO		PART NO.	QTY.	NO.		PART NO.	QTY.
1	NUT- Guide bar 1/4-28	B1065-2		35	VALVE- Check (duck bill)	69451	1
2	WASHER- Flat	69309-A	, 1	36	FILTER— Fuel	A-68923	1
. 3	PLATE- Guide bar	69360-1	1		includes:		
. 4	SCREW- Pan hd., 10-24 x 1/2	96620	4	37	ELEMENT- Fall	64083	1
	SWITCH- Stop (grounding)	A-63986	1	38	LINE- Fuel 7 1/4"	70810-	29 1
•	(noludes:			39	TANK- OII	A-70886-	
е	NUT- Hex	72084-A	τ 1		Includes:		
7	PLATE- "On-Off"	70834	" i	40	FILTER- Oil	A-68583	1
á	. —	A-69882-B	•	41	LINE- OII 6"	70809-	
•	HOUSING- Engine	W-DMbos-D	' '	42	LINE- Pressure	A-69358-	
_	Includes:	2000		72	Includes:	A-04999-	- '
8	PLATE-Starting instruction	70835	1	43	CONNECTOR- DII	69559-	B 1
10	TRIGGER- Rear	59106-A	-	. –	• • • • • • • • • • • • • • • • • • • •		
11	ROD- Throttle	A-69136	1	44	VALVE- Check (duck bill)	69451	1
12	COVER- Handle	69140-A		45	CAP- Tenk (oil) (bleck)		
13	SPRING: Throitis rod	89249	1		(Nate 1)	A-70 89 8-	B 1
14	TRIGGER- Front	89105	1		includes:		
15	LÉVER-Throttle	59107	1		GASKET- Fuel filter cap		
	ROD- Throttle (front)	89265-C	1		(Note 2) (See 34)	94838-	A 1
	COVER- Atr filler	89253	· i	48	QUARD- Hand (Note 3)	A-70796-	B 1
	SCREW- Hex washer hd.	55144	'		Includee:		
10		80704	1	47	WASHER- Curved apring	95694	1
	10-32 x 6/8 (Magnesium Housing)	90104	'	4B	SCREW- Shoulder self lapping	22034	'
	SCREW- Thread forming	D.45.45		40		95713	1
	13/84 x .750 (Plastic housing)	94565	1	40	(10-32) (Magnesium housing)	90113	'
19				49	SCREW- Shoulder		
	WASHER- (Plastic housing)	94082	1		#10 thread forming (Pleatic housi		1
20	PULLEY- Starter	89158-A		50	WASHER- Flat	96102	1
	PULLEY- Starter (alternate)	94562-A	. 1	51	SCREW- Pan hd.,		
21	ROPE- Starter #4, 34" long	A-93874-A	· 1		#B x 1/2 (Plastic housing)	82348	2
	Includes:						
22	WASHER- Nylon	93662	1				
	SPRING- Rewind	89217	i				
	HOUSING- Rewind starter	05211					
24		A-94241	1	NÇ	ITE 1: Tanke with internal threads requ		
	(Pleatic housing)	W-GMSW1	'		and A-70446 oil cap. If internal the order new external threaded ter		пе жол
	HOUSING- Rewind starter				At 50 ildes Aviation initiation of	104	
	(Magnesium housing)	A-89540	1				
	înçiudes:			NQ	TE 2: Use 70826 Geeket in A-70893 (
26	FILTER- Fuel tank valve	69443	1		thread caps. Use 89686 gasket	or caps with	mtemal
26	SCREW- Hex 10-82 x 5/8	B0704	4		threads.		
27	GRIP- Starter rope	70211	1				
28	WASHER- Flat.	84025	1	NO	TE 2: For units with steel handguard,	requires 7072	d belle-
28		70240	i		ville weeker and 70748 specer, 80	672 screw 10-	32 x 5/8
	SCREW- Pan washer hd.	1924			(megnesium housing).		
40		82239	2				
	10-32 x 5/8 (Magnesium housing)		_				
31	HANDLE BAR (Magnesium housing)						
	HANDLE BAR (Plastic housing)	A-94971	Ţ				
32	TANK- Fuel	A-7 0899- A	. 1				
	Includes:						
33	CAP- Tank fuel (red)						
-	(Note 1)	A-70894-8	1				
	includes:						
84	GASKET- Fue) filler cap						
4-	(Note 2)	94838-A	. 1				
	(MODERS)	34000 M					





NO	DESCRIPTION	PART NO.	QTY.	NO.	DESCRIPTION	PART NO.	QTY.
1		A-84051-8	, ,	28	MODULE- Ignition (solid state)	94711	1
	Includes				Includes		
2	CAP- Muffler (w/sheld)				LEAD- High tension (see index	#8} 8 8328	1
	(Note 1)	A-95428	1	29	TERMINAL- Spark plug		
	SPARK ARRESTOR	A-84139	1		(solid state) (Note 3)		1
	Includes			30	SPARK PLUG- Champion DJ-7J	88618-5	1
Э	SCREW	82320	1	31	SPROCKET & DRUM (Standard)		
4	SPACER- (Short)	93889	1		(6 tooth 37 and 375 chain)	A-70221-C	1
5	' SCREEN- Spark arrestor	D-63991	1		ínciudes		
6	SPACER- (Long)	83 98 0	1	32	BEARING- Needle	88 512	1
7	SCREW-4 x 250 (Note 1)	52342	3	33	NUT- Looking		
8	TERMINAL- Spark plug	A-33066	1		6/16 - 24 (Note 5)	81112	1
9	LEAD- High tansion (Note 2)	89326	1	34		95298	1
10	CORE- Corl (Point ignition)	69324	1	38	CLUTCH- "S"	A-70351-A	1
15	LEAD- Stop switch			35	PIN- Adjusting (see insert)	69254-1/	١ 1
	(Point ignition)	A-96061	1	37	SCREW- Adjusting		
12	COIL- Ignition (Point ignition)	09323	1		(fil hd 8-82 x 1) (See meert)	80220-2	1
	RETAINER- Coil (not shown)			38	ROTOR & STARTER PAWL		
	(Point ignition)	69325	1		(Solid state (Phaton)	A-94717-A	1
13	POINT SET- Breaker				ROTOR & STARTER PAWL		
	(point ignition)	A-69336	1		(Point ignition) (Phelon)	A-69297-B	1
	Includes				?ncludes		
14	LEAD- Electrical	70249	1	39	KIT- Starter pawl (Note 4)	A-70266-C	1
15	SEAL- tead (point ignition)	59247	i	40	WASHER- Lock	83002	1
16	SCREW- Point set			41	NUT- Rotor 5/16-24	61117	1
	(point ignition)	88026	2	42	WASHER- Flat	64065-1	1
17	FILTER- Air	56141	•				
16	SCREW- Hex hd			NO*	TE 1: Units with separate shield rec	ulres (ndez #7 ac	PEWS.
	10-82 x 2 1/4	80481	2		All new mulfler caps A-98428 i	ncludes a shleid w	elded
19	WASHER- Look €10	83008-1	2		io omp.		
20	RETA(NER- Air filter	88457	1	NO	TE 2: For Solid State lentilion out wi	re ta 8 1/2".	
21	CUP- Air filter	58145	1				
22	CARBURETOR- HDC-85 (walbro)	A-94649-A	. 1	NO	TE 3: Use A-33055 for service repla	coment.	
	CARBURETOR- Zeme (C2S-H5)	A-98481	1	NO.	TE 4: Replacement starter pawi kii.	, Item #39 includ	es an
23	GASKET- Carburetor	85018	1		oversized pin, painl, stemp or	mark to identify	over-
24	MANIFOLD- Intake	A-89373-A			sized pin when installing. Over lightly only once. It aversus pi		
26	GASKET- Intake manifold	69143	1		rotor essembly must be replace		*:4(**
	LEAD- Ground (solid state)	A-84721	i		. C.o. passing principle (appe		
27	SCREW- Hex w/washer		-	MO	TE E. Databalan dan 60070	dan anadaskadia	
•	(8-32 x 3/4)	82245	5	MO	TE 5: Retaining ring 93972 required threaded clutch end.	TOT GRANGENATIE W	ILINOUT




N	D. DESCRIPTION	PART NO.	QTY.	NO.	DESCRIPTION	PART NO. Q	TY.
1	PISTON & PIN	A-70224-A	٦	12	COVER- Oil pump	89224-1C	1
	Includes			13	SPRING- Oil pump	69447	1
2	PISTON RING	70206	1	14	GASKET- Oil pump	89244-1	2
3	RING- Praton pin retaining	66261	2	15	PLUNGER- Oil pump	A-12358-B	1
4	SEAL	94638	2	16	BODY- Oil pump	59343-1	1
. 5	SPACER- Seal	69407	2	17	BALL- Check valve	80051	1
6	BEARING - Needle	12530	2	18	SPRING- Check valve	86670	1
	BEARING - Needle (opt.)	68513	2	1\$	FITTING- Oil line	70204	2
7	WASHER- Thrust	690 9 3-8	2	20	FITTING- Tube	89833	2
8	CRANKSHAFT (C/D Ignition)	A- 98 384	1	21	LINE- QII	70161	1
	CRANKSHAFT (point ignition)	A-98385	1	22	BOLT- Guide bar	89195	ſ
	Includes			28	SCREW- Sem hex fid		
	NUT (Not shwon)	81112	1		8-32 x 1	88044	4
9	KEY- Magneto (see abové)	68250	1				
10	CYLINDER & CRANKCASE (C/D)	A-95072	1				
	CYLINDER & CRANKCASE						
	(point igaition)	A-70228	1				
	(ncludes						
11	SCREW- Pan hd .						
	6-32 x 3/8	80571	3				

SUPER 2

CARBURETOR A-94649-A HDC-65

CARBURETOR A-96481 (ZAMA) C2S-H5



Repair Kit (includes 1-15) Gasket/Diaphragm Kit (includes 11-15) Check valve repair kit (18) Circuit Plate- High altitude .029 not shown Valve- Inlet needle (9)

96484 98485 Repair Kit (1-16) Disphragm/Gaeket Kit (10-14)

ACCESSORIES

GASKET- Oil pump body (repair)	69596
KIT- Repair (sprocket noss bar)	A-70239-B
KIT- Spark errestor (use with	
A-93686 muffler and A-89253-1 muffler)	A-69586-B
LINE- Fuel (10 ft. length)	70310-9
LINE- OR (10 H. length)	70309-9
SAFE+T+TIP (standard)	A-70775-A
Includes:	
SCREW (Special)	93695
GREASE- Multi-use	
(Sprocket bearing - PT guide bar)	17198
CARRYING CASE	94215-A
STARTING ROPE- 250 jt. reel #4	88648

TOOLS

SILASTIC (crankcase sealing) PLIERS-Tru-Arc (springer relaining ring)	24823 17188 A-24747-A
PULLER- Magnato rotor Includes:	N-8-11-71-1-
BOLT- 5/16-18 x 1 3/4 (1)	80288
NUT- Hex 5/18-18 (2)	81196
WRENCH- Spanner (clutch)	A-93791
Includes:	
PIN- Clutch spanner	23717-A
TOOL- Carburator check valve installation	24972

HOMELITE DIVISION OF TEXTRON INC.

P.O. BOX 7047 14401 CAROWINDS BOULEVARD CHARLOTTE, N.C. 28217



Homelite Division of Textron Inc