

Ref #	Part Number C	Oty Description
	34919A	Cylinder (Incl. 2,3 & 4) (2-5/8" Bore )
	27652	Pin, Dowel
	27642	Pipe plug, 1/4-18
4	32630	Seal, Oil
5	29536	Blower Housing Baffle (Without electric starter knock out)
		(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As
0	00200/ C	req.)(point ign.)
•	050504	17.1 0 7
	650561	Screw, 1/4-20 x 5/8"
	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
9	34876	Crankshaft
10	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early production) This gear is
		serviceable ONLY when it is pinned to the crankshaft.
13	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888	Ring, Piston pin retaining
	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
15	34856	Ring Set (.020" OS)
16	31295C	Rod Assy., Connecting (Incl. 17)
17	650662C	Bolt, Connecting rod (Incl. 2 pieces)
	34034	Lifter, Valve
	33985	Camshaft (Extended)
	30622A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	650561	
		Screw, 1/4-20 x 5/8" (Use as required )
	30063	Screw, 1/4-20 x 1/2" (Use as required )
	30684	Gasket Cylinder Cover
	31720A	Cover, Cylinder (Incl. 26, 32 & 34)
	31546	Bushing, Crankshaft
	28427	Seal, Oil
27	650488	Screw, 1/4-20 x 1-1/4"
28	650493	Screw, 1/4-20 x 1-3/4"
29	30699C	Rod Assy., Governor (Incl. 30 & 31)
30	30700	Yoke, Governor
31	650494	Screw, 6-40 x 5/16"
	28926	Seal, Oil
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	35479	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
41	32784	Intake Valve (1/32" OS)
42	27878A	Exhaust Valve (Std.)
42	27880A	Exhaust Valve (1/32" OS)
	27882	Cap, Upper valve spring

	D (N)	D. 16
		Description Contract to the Co
	27881	Spring, valve
	32581	Cap, Lower valve spring
	33876	Gasket, Stator
	650489	Screw, 1/4-20 x 5/8"
	34240	Ground Wire
	32589	Key, Flywheel
	30969	Cap, Oil drain
	30968	Nipple, Oil drain 1/4" x 2-1/2"
	28938C	Gasket, Cylinder head
	30938A	Head, Cylinder
	34251	Resistor Spark Plug (RJ-17LM)
	610118	Cover, Spark plug (Use as required)
	30939A	Cover Assy., Cylinder head
	650690	Washer, Belleville (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650691	Washer, Flat (Use as required)
	29916	Clamp, Governor lever (Use as require d)
	30322	Locknut, 8-32
	33454	Lever Assy., Governor
	29918	Washer, Lock, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
63	29826	Screw, 10-32 x 3/4"
65A	34661	Link, Governor
65	34662	Link, Throttle
67A	34664	Control Bracket (Incl. 68, 69, 72 & 1 38)
68	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	610973	Terminal Assy. (Use as required)
	27896A	Gasket, Valve chamber cover
	28423	Breather Assy., Valve
76	28424	Element, Breather
	28425	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
	35350	Tube Breather
	27915A	* Gasket, Intake pipe to cylinder
83	34712	Flange, Carburetor (Incl. 86A)
	30196	Screw, 5/16-18 x 3/4"
85	31688A	* Gasket, Carburetor
86A	650517	Screw, 1/4-20 x 13/16"
87	27272A	* Air Cleaner Gasket (Use as required)
87	30767	Spacer, Cleaner (Use as required)
94A	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
101	34158	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
104	OTION	with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
		·
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)

	Part Number 33032	F	Description Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as equired)
105	34210	F	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as equired)
105	35355	F	uel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	35260		Blower Housing (For elec.start)(Incl. 164,165)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		Gasket, Exhaust flange
	32401		<i>fuffler</i>
111C	391026	C	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111E	34390		Deflector, Exhaust (Optional)
112	30196	S	Screw, 5/16-18 x 3/4"
113	26073	V	Vasher, Flat
114	650694A	S	Screw, 5/16 - 18 x 2"
115	32125	C	Cup, Starter
116	35009	S	Screen, Starter cup
	650815		Vasher, Belleville
	8116		lut, Hex
	29716		Screw, 1/4-28 x 7/16"
	35438		(nob, Speed control
	34663		Spring, Speed control
	650821		Screw, 10-32 x 1/2"
	650578		Screw, 8-18 x 3/8" (Use as required)
	33185		Cover & tube, Muffler (Use as require d)
	33171		Screen, Muffler (Use as required)
	33700		Cover & Tube, Muffler (Use as require d)
	33323		Screen, Muffler (Use as required)
	34011A		Dipstick (Incl. 146)
	33590		O" Ring
	33893A		Dil Fill Tube
	34814		Primer Assy.
	32180C		ine, Primer
	34672		Cover, Carburetor
	650764 650760		lut, "U" Clip
	650760 34126		Screw, 8-32 x 3/8" Bracket, Grommet mounting
	650257		Screw, 8-32 x 5/16"
	650765		Screw, 10-32 x 1/2"
	28820		Screw, 10-32 x 1/2 Screw, 10-32 x 1/2"
	32398		Bracket, Choke
	650760		Screw, 8-32 x 3/8"
	28545		Grommet, Plastic
	34127		Guard, Starter
	32576		Seal, Snow Guard
	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 3/8"
	730561		ir Cleaner Kit
			ncl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			Used only on engine with an externally vented fully
			djustable carburetor)
004	720164		
201	730164		hir Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
		2	30)(As req.)

Ref #	Part Number Qt	y Description
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
230 230F 230F 230E 230D 230B 231A 231A 232A 240 241 242 242 243 244	730130 34416 550223 34414 34418 31517 34417 30547A 30548B 631021 611077 650868 611078 611079 590610 590613 631927	Muffler Adapter Kit (Incl.110,112)(As req.) Decal, Instruction Decal, Name Decal, Warning Decal, Choke Decal, 5 HP Decal, Primer Breaker Assy (Used on Std. Point igni tion) Condenser Inlet, Needle Seat & Clip Assy. Alternator (Optional) Screw, 8-18 x 1-1/8" (3 required)(Opt.) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, Page
251	611043	140 for breakdown)  Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)