

		Qty	Description
	34919A		Cylinder (Incl. 2,3 & 4) (2-5/8" Bore)
	27652		Pin, Dowel
3	27642		Pipe plug, 1/4-18
4	32630		Seal, Oil
5	29536		Blower Housing Baffle (Without electric starter knock out)
_			(Use as required)
-	050504		,
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
			req.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	35157		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
	27884		Gear, Crankshaft (Used on early production) This gear is
11	21004		
			serviceable ONLY when it is pinned to the crankshaft.
13A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
13A	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (0.10" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	31295C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	33156		Camshaft
	30622A		Extension, Blower housing
21	650128		Screw, 10-24 x 1/2"
22	650561		Screw, 1/4-20 x 5/8" (Use as required)
22	30063		Screw, 1/4-20 x 1/2" (Use as required)
23	30684		Gasket Cylinder Cover
24	31451A		Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
26	28460		Seal, Oil
27	650488		Screw, 1/4-20 x 1-1/4"
28	650493		Screw, 1/4-20 x 1-3/4"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		
			Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
44	27881		Spring, valve
45	32581		Cap, Lower valve spring
			· •

Ref #	Part Number	Ωtv	Description
	33876	<u>u.</u>	Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	35182		Ground Wire
	32589		Key, Flywheel
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
	610118		Cover, Spark plug (Use as required)
	30939A		Cover Assy., Cylinder head
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	29916		Clamp, Governor lever (Use as required)
	30322		Locknut, 8-32
	33454		Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34661		Link, Governor
	34662		Link, Throttle
	34677		Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube, Breather
	32446		Grommet, Breather tube
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 13/16"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
	34783		Filter, Pre-air
	34782		Filter, Air cleaner (Incl. 97)
	34782		Pop Rivet (1/8" dia.) (Purchase local ly)
	34699		Bracket, Air cleaner
	34698A		Gasket, Air cleaner
	30675		Fitting, Breather
	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
			730561 assembly only)
94	34780		Elbow, Air cleaner
	650163		Screw, 10-32 x 7/8"
	650826		Stud, 1/4-20 x 6.20, threaded both en ds
	650825		Nut & Lockwasher, 1/4-20
	34781		Cover, Air cleaner
	650513		Nut, Wing, 1/4-20
	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
102			

Ref # Part Number	Qty Description
103 34159 104 34186A	Plate, Fuel tank mounting Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
105 410144B 105 33032	Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as required)
105 34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
105 35355 106 29774 106 30962 107 26460 108 32158E 109 29747B 111D 33714 111C 391026 111A 29633 111E 34390 115 32125 116 35009 117 650815 118 8116 119 29716 127 31793 127A 31855 128 31792 129 650778 130 650580 137 32410 138 34663 139 650821 143 650578 143A 33171 143B 33185 144 33700 144A 33323 145 31297 146A 29673 170 30244 201A 730130 201B 730561	Fuel Cap (Red plastic) (Use as required) Fuel Line (Braided, 8 1/4") (Use as r equired) Fuel Line (Braided, 32") (Use as required) Fuel Line (Braided, 32") (Use as required) Blower Housing (For electric starter) Screw, 5/16-24 x 21/32" Opt.Spark Arrest Muf. (Incl.112,143,14 4,144A) Opt.Spark Arrest Muf. (Incl.112,143,14 3,14 4,144A) Opt.Spark Arrest Muf. (Incl.143,143A,1 43B) Muffler Deflector, Exhaust (Optional) Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Screw, 1/4-28 x 7/16" Bearing, Ball Retainer, Bearing Washer, Thrust Washer, Lock Nut, Lock Nut, Lock Knob, Speed control Spring, Speed control Spring, Speed control Screw, 10-32 x 1/2" Screw, 8-18 x 3/8" (Use as required) Screen, Muffler (Use as required) Cover & tube, Muffler (Use as require d) Cover & Tube, Muffler (Use as require d) Dipstick (Incl. 146A) * Gasket, Oil fill Nipple, Pipe Muffler Adapter Kit (Incl.110,112)(As req.) Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully
201 730164	adjustable carburetor) Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)
201 730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
230 34346 230 550223 230C 34704 230B 34144 231A 30548B	Decal, Instruction Decal, Name Decal, Instruction Decal, Control Condenser

Ref #	Part Number	Qty	Description
232A 240 241 242 242 243 244	30547A 631021 611077 650868 611078 611079 590610 590613 632257		Breaker Assy (Used on Std. Point igni tion) Inlet, Needle Seat & Clip Assy. Alternator (Optional) Screw, 8-18 x 1-1/8" (3 required)(Opt.) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, page 184 for breakdown)
251	611038		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)