
H50-65499N Engine Parts List



	· · · · · · · · · · · · · · · · · · ·	Description
		Cylinder (Incl. 2,3 & 4) (2-5/8" Bore)
2	27652	Pin, Dowel
3	27642	Pipe plug, 1/4-18
4	32630	Seal, Oil
	29536	Blower Housing Baffle (Without electric starter knock out)
·		(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
6	650561	Screw, 1/4-20 x 5/8"
	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
	34885	Crankshaft
	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early produ ction) This gear is serviceable ONLY when it is pinned to the crankshaft.
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
14	27888	Ring, Piston pin retaining
15	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
15	34856	Ring Set (.020" OS)
16	31295C	Rod Assy., Connecting (Incl. 17)
17	650662C	Bolt, Connecting rod (Incl. 2 pieces)
18	34034	Lifter, Valve
	33156	Camshaft
	30622A	Extension, Blower housing
21	650128	Screw, 10-24 x 1/2"
22	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	30684	Gasket Cylinder Cover
	31451A	Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460	Seal, Oil
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	30699C	Rod Assy., Governor (Incl. 30 & 31)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	35479	•
	29193	Washer, Flat
		Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
	32784	Intake Valve (1/32" OS)
	27878A	Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS)
	27882	Cap, Upper valve spring
44	27881	Spring, valve
45	32581	Cap, Lower valve spring

	Part Number Qi	
	33876	Gasket, Stator
	650489	Screw, 1/4-20 x 5/8"
	32589	Key, Flywheel
	28938C	Gasket, Cylinder head
52	30938A	Head, Cylinder
53	33636	Resistor Spark Plug (RJ-8C)
54	610118	Cover, Spark plug (Use as required)
55	30939A	Cover Assy., Cylinder head
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A	Screw, $5/16-18 \times 2"$ (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	29916	Clamp, Governor lever (Use as required)
	30322	Locknut, 8-32
	32326A	Lever, Governor
	29918	Washer, Lock, No. 8 E.T.
	30205	Bracket, Governor adjusting
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	32327	Link, Throttle
72	610973	Terminal Assy. (Use as required)
74	27896A	Gasket, Valve chamber cover
75	28423	Breather Assy., Valve
76	28424	Element, Breather
77	28425	Cover, Valve spring box
78	650128	Screw, 10-24 x 1/2"
	35350	Tube Breather
	27915A	* Gasket, Intake pipe to cylinder
	34712	Flange, Carburetor (Incl. 86A)
	30196	Screw, 5/16-18 x 3/4"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 13/16"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	Spacer, Cleaner (Use as required)
	34819	
94A	34019	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
101	34158	Bracket, Fuel tank
102	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
	04100/1	with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
		$1^{-1/2}$ 1.D. Opening use luel cap 55555.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
		required)
405	24242	
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
105	35355	Fuel Cap (Red plastic) (Use as requir ed)
	29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962	Fuel Line (Braided, 32") (Use as required)
	26460	
		Clamp, Fuel line (Use as required)
	32158E	Blower Housing (For electric starter)
109	29747B	Screw, 5/16-24 x 21/32"

110 27930A 111C 391026 111E 34390 111 32401 111D 33714 112 30196 113 26073 114 650694A	* Gasket, Exhaust flange Opt.Spark Arrest Muf.(Incl.143,143A,1 43B) Deflector, Exhaust (Optional) Muffler
111E 34390 111 32401 111D 33714 112 30196 113 26073	Deflector, Exhaust (Optional) Muffler
111E 34390 111 32401 111D 33714 112 30196 113 26073	Deflector, Exhaust (Optional) Muffler
111 32401 111D 33714 112 30196 113 26073	Muffler
111D 33714 112 30196 113 26073	
112 30196 113 26073	(Dot Shark Arrest Milit (Incl 112 143 14 4 1444)
113 26073	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A) Screw, 5/16-18 x 3/4"
114 650694A	Washer, Flat
	Screw, 5/16 - 18 x 2"
115 32125	Cup, Starter
116 35009	Screen, Starter cup
117 650815	Washer, Belleville
118 8116	Nut, Hex
119 29716	Screw, 1/4-28 x 7/16"
120 31691	Bracket, Air cleaner
121 28820	Screw, 10-32 x 1/2"
122 30727	Element, Air cleaner
123 31715	Body, Air cleaner
124 650152	Screw, 8-32 x 3/8"
127A 31855	Retainer, Bearing
127 31793	Bearing, Ball
128 31792	Washer, Thrust
129 650778	Washer, Lock
130 650580	Nut, Lock
131 30845A	Bolt, Governor spring adjusting
132 33450	Nut, 10-32 Lock
133 30886A	Spring, Extension
140 30747	Clip, Spark plug shorting
141 650890	Lockwasher, Shakeproof, 5/16
	•
143A 33171	Screen, Muffler (Use as required)
143B 33185	Cover & tube, Muffler (Use as require d)
143 650578	Screw, 8-18 x 3/8" (Use as required)
144A 33323	Screen, Muffler (Use as required)
144 33700	Cover & Tube, Muffler (Use as require d)
145 34011A	Dipstick (Incl. 146)
146 33590	"O" Ring
	Oil Fill Tube
147 33893A	
178 650597	Screw, 10-24 x 5/8"
179	Lock Washer, #10 Heavy Split (Buy loc ally)
180 32328	Bracket, Speed adjusting
201B 730561	Air Cleaner Kit
	(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
	(Used only on engine with an externally vented fully
	adjustable carburetor)
201 730164	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
	230)(As req.)
	200/// 10 104./
201 730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
	(Use as required)
201A 730130	Muffler Adapter Kit (Incl.110,112)(As req.)
230 34346	Decal, Instruction
230 550223	Decal, Name
231A 30548B	Condenser
231 30540D 231 30547A	
	Breaker Assy (Used on Std. Point igni tion)
232A 631021	Inlet, Needle Seat & Clip Assy.
240 611077	Alternator (Optional)
241 650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242 611078	Connector, A.C. Lighting (Optional)

		Qty Description
243 244	611079 590610 590613 632230	Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 182 for breakdown)
251	611038	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)