
Page 1 of 5



Ref #	Part Number	Qtv	Description
	34919A		Cylinder (Incl. 2,3 & 4) (2-5/8" Bore )
	27652		Pin, Dowel
	27642		Pipe plug, 1/4-18
	32630		Seal, Oil
5	29536		Blower Housing Baffle (Without electric starter knock out)
			(Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
	00_00/		req.)(point ign.)
			roq.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
7	29538		Base, Engine mounting
8	650542		Screw, 5/16-18 x 3/4"
9	35252		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
	27884		Gear, Crankshaft (Used on early production) This gear is
	27001		serviceable ONLY when it is pinned to the crankshaft.
			serviceable ONL1 when it is pillified to the cialinshalt.
13A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
13A	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
13A	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	31295C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	33156		Camshaft
	30622A		Extension, Blower housing
21	650128		Screw, 10-24 x 1/2"
22	650561		Screw, 1/4-20 x 5/8" (Use as required )
22	30063		Screw, 1/4-20 x 1/2" (Use as required )
23	30684		Gasket Cylinder Cover
24	31451A		Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460		Seal, Oil
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
			•
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
42	27880A		Exhaust Valve (1/32" OS)
43	27882		Cap, Upper valve spring
	27881		Spring, valve
	32581		Cap, Lower valve spring
	-		1, J

Def #	Dart Novel on Oto	Description
		Description
	650814	Screw, 10-24 x 1"
	32589	Key, Flywheel
	28938C	Gasket, Cylinder head
	30938A	Head, Cylinder
	34251	Resistor Spark Plug (RJ-17LM)
	610118	Cover, Spark plug (Use as required)
	30939A	Cover Assy., Cylinder head
	650691	Washer, Flat (Use as required)
56	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A	Screw, 5/16-18 x 2" (Use as required)
56	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
56B	650690	Washer, Belleville (Use as required)
57A	30322	Locknut, 8-32
57	29916	Clamp, Governor lever (Use as require d)
58A	32326A	Lever, Governor
59	29918	Washer, Lock, No. 8 E.T.
60	30205	Bracket, Governor adjusting
61	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	32327	Link, Throttle
	610973	Terminal Assy. (Use as required)
	27896A	Gasket, Valve chamber cover
	28423	Breather Assy., Valve
	28424	Element, Breather
	28425	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
	35350	Tube, Breather
	32446	Grommet, Breather tube
	27915A	·
		* Gasket, Intake pipe to cylinder
	34712	Flange, Carburetor (Incl. 86A)
	30196	Screw, 5/16-18 x 3/4"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 13/16"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	Spacer, Cleaner (Use as required)
	34783	Filter, Pre-air
	34782	Filter, Air cleaner (Incl. 97)
	34782	Pop Rivet (1/8" dia.) (Purchase local ly)
	34699	Bracket, Air cleaner
	34698A	Gasket, Air cleaner
	30675	Fitting, Breather
	34780	Elbow, Air cleaner
94A	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
95	650163	Screw, 10-32 x 7/8"
	650826	Stud, 1/4-20 x 6.20, threaded both en ds
	650825	Nut & Lockwasher, 1/4-20
	34781	Cover, Air cleaner
	650513	Nut, Wing, 1/4-20
	34158	
		Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built with different size fuel inlet energings. Tanks with the 1.3/16"
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.

D.(#	De d Marchae	<b>O</b> 1	Description
	Part Number	Qty	Description  Fuel Cop (M/bite Pleatie)/Std (Apreguired)
	410144B 33032		Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
100	33002		required)
405	04040		• ,
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
105	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32158E		Blower Housing (For electric starter)
	29747B 34390		Screw, 5/16-24 x 21/32" Deflector, Exhaust (Optional)
	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	29633		Muffler
	32125		Cup, Starter
116	35009		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	31855		Retainer, Bearing
	31793 31792		Bearing, Ball Washer, Thrust
	650778		Washer, Lock
	650580		Nut, Lock
	30845A		Bolt, Governor spring adjusting
	33450		Nut, 10-32 Lock
133	30886A		Spring, Extension
	30747		Clip, Spark plug shorting
	650890		Lockwasher, Shakeproof, 5/16
	33171		Screen, Muffler (Use as required)
	33185		Cover & tube, Muffler (Use as require d)
	650578 33700		Screw, 8-18 x 3/8" (Use as required) Cover & Tube, Muffler (Use as require d)
	33323		Screen, Muffler (Use as required)
	31297		Dipstick (Incl. 146A)
	29673		* Gasket, Oil fill
	32862		Nut, Conduit
170	30244		Nipple, Pipe
	29574		Elbow, 45-degree
201	730164		Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
			230)(As req.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
			(Use as required)
201A	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	730561		Air Cleaner Kit
			(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			(Used only on engine with an externally vented fully
			adjustable carburetor)
209	611084		Flywheel
	650872		Stud, Solid State mounting
	34443A		Solid State Assy. (Incl. 54)
	34346		Decal, Instruction `
	550223		Decal, Name
230C	34704		Decal, Instruction

			Description
	30547A		Breaker Assy (Used on Std. Point igni tion)
	631021		nlet, Needle Seat & Clip Assy.
	611077		Alternator (Optional)
	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078	C	Connector, A.C. Lighting (Optional)
	611079		Connector, D.C. Charging (Optional)
	590610		Tube, Centering (Optional)
	590613		Alternator Shaft (Optional)
250	632257		Carburetor (Incl. 85) (Refer to Division 5, Section A, page 184 or breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for preakdown)
254	33328D	m ad bo ni	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting posses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for dentificat
255	30811A	1	Flywheel (Ring gear flywheel requiredon engines using 10-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	1	Flywheel (Ring gear flywheel requiredon engines using 10-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	us	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	G	Gasket Set (Incl. items marked*)