


		Qty	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain, 1/4-18
4	27876B		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	31827		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
140	22242D		serviceable ONLY when itis pinned to the crankshaft.
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	650662C		Screw, Connecting rod (Late productio n)
	30682		Bolt, Connecting rod (Early productio n)
	26073		Connecting rod bolt washer (Early pro duction)
20	28264		Connecting rod nut (Used on early pro duction)
21	33156		Camshaft
22	34034		Lifter, Valve
23	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
24	28460		Seal, Oil
26	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 1/2 (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		· · · · · · · · · · · · · · · · · · ·
			Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
46	30195A		Flange, Carburetor (Incl. 79 & 80)


Ref #	Part Number	Otv	Description
	30196	<u> </u>	Screw, 5/16-18 x 3/4"
	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early productio n)
	32326A		Lever, Governor (New lever does not need 1 of Ref
JZ	32320A		·
			#49,51,53,54,132,133)
53	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	30206		Link, Throttle
	29216		Locknut, 10-32
	29752		•
			Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
C4	20700		Valca Cayamar
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	31297		Dipstick (Incl. 68)
	29673		* Gasket, Dipstick
	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876		Gasket, Stator
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	650152		Screw, 8-32 x 3/8"
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
			. ,
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31691		Bracket, Air cleaner
	30727		Element, Air cleaner
	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
QQ	28569		Compression Spring (Used with 29500 screw)(Use as
30	20009		required)
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
00	04040		•
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)
108	30588A		Spool, Governor
	29193		Ring, Retaining
.00	-		g,

		ty Description
	34158	Bracket, Lower fuel tank
112	34159	Plate, Upper fuel tank mtg.
113A	650665	Screw, 1/4-15 x 3/4"
113	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 120)
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
110	00002	as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required)
110	20774	Fuel Line (Preided 9.25") (Lice as required)
	29774	Fuel Line (Braided 8.25") (Use as required)
	30705	Fuel Line (Braided 16") (Use as required)
	30962	Fuel Line (Braided 32") (Use as required)
	26460	Clamp, Fuel line (Use as required)
	27930A	* Gasket, Exhaust
	650548	Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
146	29538	Base, Engine mounting
147	650128	Screw, 10-24 x 1/2"
148	30622A	Extension, Blower housing
149A	30747	Clip, Shorting
150	650890	Lockwasher
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	27276	Cover, Spark Plug
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	35349	Ground Wire
	31793	
		Bearing, Ball
	31792	Washer, Thrust
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	29716	Screw, 1/4-28 x 7/16"
	32125	Cup, Starter
	590417	Screen, Starter cup
	650815	Washer, Belleville
	8116	Nut, Hex
	34346	Decal, Instruction
	31752	Decal, Air cleaner
298A	550223	Decal, Name
298A	33310	Decal, 5 HP Mini-Bike (Use as require d)
298A	31517	Decal, H.P. (5 H.P.) (Use as required)
298A	32173	Decal, H.P. (6 H.P.) (Use as required)
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631828	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
000	33.320	page 144 for breakdown)
		,
304	610689A	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 24
		for breakdown)
		•

Ref # Part Number	Qty Description
306 590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty Description
35	26073	Washer, Flat (Use as required)
35	650570	Washer, Flat (Use as required)
35	650691	Washer, Flat (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A	* Gasket, Air cleaner
	34697	Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128	Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
		298B) (Use as req.)
113A	650665	Screw, 1/4-15 x 3/4"
	31287	Muffler
	391026	Muffler (Incl. 124, 124A & 124B) (This spark arrester
	33.323	mufflercan be used on any model)
4044	22474	• ,
	33171 33185	Muffler Screen (Use as required)
	650578	Cover & Tube, Muffler (Use as require d)
	27930A	Screw, 8-18 x 3/8" * Gasket, Exhaust
	32862	Nut, Conduit (1/4" thick)
	28443	Nut, Conduit (1/4" thick)
	30209	Elbow, Exhaust (45 degree)
	31288	Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130	Muf.Adapter Kit(Incl.125, 136, 137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	30196	Screw, 5/16-18 x 3/4" (Use as required)
	34819	Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
200	0.1010	730561 ass'y. only)
00.4	700504	• • •
234	730561	Air Cleaner Kit
		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
		(Use only on engines with an externally ventedfully
		adjustable carburetor.)
273	650687	Screw, 10-32 x 5/16" (Use as required)
		• • •



		Description
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27261	Washer, Flat (Use as required)
41	28425	Cover, Valve spring
43A	35350	Tube, Breather
56	30206	Link, Throttle
	31879	Link, Governor lever-to-bellcrank
	29747B	Screw, 5/16-24 x 21/32"
	30312	Screw, 10-32 x 1/2"
	30712	Lever, Bellcrank
	29530	Bushing, Lever
	28562	Bushing, Lever
		•
	30202	Spring, Extension
	32977	Spring, Torsion
	30201A	Lever, Speed control
	30199A	Control Bracket (Incl. 98 & 99)
	650399	Screw, 10-32 x 5/8"
	33450	Nut, Lock
98	28569	Compression Spring (Used with 29500 screw)(Use as
		required)
00	22024	Compression Chrises (Lload with GEOCOO corous) (Lloads
96	32924	Compression Spring (Used with 650688 screw) (Use as
		required)
98	31342	Compression Spring (Used with 650549 screw) (Use as
		required)
		. ,
	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
182	32683A	Gasket, Fuel pump cover (Use as requi red)
183	32955	Cover, Fuel pump pad (Use as required)
184	9556	Plug, Pipe 1/8-27 (Use as required)
185	30063	Screw, 1/4-20 x 1/2" (Use as required)
221	28545	Grommet, Plastic
222	650760	Screw, 8-32 x 3/8"
	33356	Terminal, Ground
	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
	33177	Terminal (Use as required)
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	29716	Screw, 1/4-28 x 7/16"
	650815	Washer, Belleville
	8116	Nut, Hex
	33018	Harness Assy., Adapter (Use as requir ed)
306	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
550	000202	starter motor kit may have been added to this engine. This
		can be added only if cylinder has drilled and tapped starter
		mounting bosses and a ring gear flywheel has been added
		(see #309). Refer to service number stamped on end cap of
		motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using
,,,,		110-120 volt starter motor kits listed above.)