


		Qty	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain, 1/4-18
4	27876B		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	31827		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
12	29765		serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
4.4	0.4504		serviceable ONLY when itis pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	34854		Ring Set (Std.) (2-5/8" Bore)
15	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
17	31380C		Rod Assy., Connecting (Incl. 18)
18	650662C		Screw, Connecting rod (Late productio n)
18A	30682		Bolt, Connecting rod (Early productio n)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
	28460		Seal, Oil
	30684		* Gasket, Cylinder cover
	650488		·
			Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-2/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
40	JU 13JA		i larige, Carburetor (iridi. 13 x 00)

-			
Ref #	Part Number	Qty	Description
48	30196		Screw, 5/16-18 x 3/4"
	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
	32326A		Lever, Governor (New lever does not need 1 of Ref
32	32320A		
			#49,51,53,54,132,133)
52	30322		Look Nut. 9.22 (Lloope required)
			Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
55	30205		Bracket, Adjusting
	32327		Link, Throttle
	29216		Locknut, 10-32
59	29752		Nut & Lockwasher, 1/4-28
60	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
95	30000B		
			used. It is replaced by 30699C assy., Ref.#63A)
64	30700		Volce Covernor
			Yoke, Governor
	650494		Screw, 6-40 x 5/16"
66A	34011A		Dipstick (Incl. 68)
	33893A		Oil Fill Tube
	33590_		"O" Ring
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
	650152		Screw, 8-32 x 3/8"
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31691		Bracket, Air cleaner
84B	30727		Element, Air cleaner
85	31715		Body, Air cleaner
	730127		
09	130121		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
00	00500		O
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
			. ,
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
			required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
102	30884		Key, Flywheel
	31843A		
			Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
105	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
108	30588A		Spool, Governor
	29193		Ring, Retaining
100			g,


-		Description
111D	34158	Bracket, Lower fuel tank
112	34159	Plate, Upper fuel tank mtg.
	650665	Screw, 1/4-15 x 3/4"
	650561	Screw, 1/4-20 x 5/8"
	34186A	Fuel Tank (Incl. 115 & 120)
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
115	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	0.2.10	as required)
	29774	Fuel Line (Braided 8.25") (Use as req uired)
119	30705	Fuel Line (Braided 16") (Use as requi red)
119	30962	Fuel Line (Braided 32") (Use as requi red)
120	26460	Clamp, Fuel line (Use as required)
	32401	Muffler
	27930A	* Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
146	29538	Base, Engine mounting
147	650128	Screw, 10-24 x 1/2"
148	30622A	Extension, Blower housing
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	31793	Bearing, Ball
	31792	
		Washer, Thrust
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	29716	Screw, 1/4-28 x 7/16"
264	32125	Cup, Starter
265	590417	Screen, Starter cup
266	650815	Washer, Belleville
267	8116	Nut, Hex
	34346	Decal, Instruction
	31752	Decal, Air cleaner
	550223	Decal, Name
		· · · · · · · · · · · · · · · · · · ·
	33310	Decal, 5 HP Mini-Bike (Use as require d)
	31517	Decal, H.P. (5 H.P.) (Use as required)
	32173	Decal, H.P. (6 H.P.) (Use as required)
	30547A	Contact Assy., Breaker
300	30548B	Condenser
301	631021	Inlet Needle, Seat & Clip Assy.
	631828	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
	33.323	page 144 for breakdown)
	0.40000.4	,
304	610689A	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 24
		Shown in parts list. (Refer to Division 5, Section B, page 24
		for breakdown)
200	590420	

breakdown)

Ref # Part Number	Qty Description
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
1241	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
22.4	720564		• • • • • • • • • • • • • • • • • • • •
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
			•
273	650687		Screw, 10-32 x 5/16" (Use as required)



Ref #	Part Number C	Qty Description
37A 37 37 41 43A 56 69	27261 650128 650597 28425 35350 32327 29747B 28569	Washer, Flat (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) Cover, Valve spring Tube, Breather Link, Throttle Screw, 5/16-24 x 21/32" Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
99 99 182 183 184 185 225 227 240 241 242 243 262 266 267 268 269 305	650549 29500 650688 32683A 32955 9556 30063 730152 33177 30845A 33450 32328 30886A 29716 650815 8116 31584 31583 33018 590420	Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Gasket, Fuel pump cover (Use as required) Cover, Fuel pump pad (Use as required) Plug, Pipe 1/8-27 (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Control Bracket(Incl.91 thru 97)(As r eq.) Terminal (Use as required) Bolt, Governor adjusting Nut, Lock Bracket, Speed adjusting (Incl. 241) Spring, Governor bolt Screw, 1/4-28 x 7/16" Washer, Belleville Nut, Hex Cup, Spark plug Clamp, Wire Harness Assy., Adapter (Use as requir ed) Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)