

Ref #	Part Number Qt	/ Description
	27652	Pin, Dowel
3	27642	Pipe plug, 1/4-18
5	29536	Blower Housing Baffle (Without electric starter knock out)
		(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As
		req.)(point ign.)
6	650561	Screw, 1/4-20 x 5/8"
7	29538	Base, Engine mounting
8	650542	Screw, 5/16-18 x 3/4"
9	35223	Crankshaft
10	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early production) This gear is
		serviceable ONLY when it is pinned to the crankshaft.
13	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
13	34532	Piston, Pin & Ring Set (.010" OS)
13	34533	Piston, Pin & Ring Set (.020" OS)
13A	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888	Ring, Piston pin retaining
	34854	Ring Set (Std.) (2-5/8" Bore)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	31380C	Rod Assy., Connecting (Incl. 17)
	650662C	Bolt, Connecting rod (Incl. 2 pieces)
	34034	Lifter, Valve
	30622A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30063	Screw, 1/4-20 x 1/2" (Use as required )
	30684	Gasket Cylinder Cover
	31451A	Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460	Seal, Oil
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
29	30699C	Rod Assy., Governor (Incl. 30 & 31)
30	30700	Yoke, Governor
31	650494	Screw, 6-40 x 5/16"
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	35479	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
	32784	Intake Valve (1/32" OS)
	27878A	Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS)
	27882	Cap, Upper valve spring
	27881	Spring, valve
	32581	Cap, Lower valve spring
	650814	Screw, 10-24 x 1"
	32589	Key, Flywheel
51	28938C	Gasket, Cylinder head

		Qty	
	30938A		Head, Cylinder
54	610118		Cover, Spark plug (Use as required)
55	30939A		Cover Assy., Cylinder head
56A	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650690		
			Washer, Belleville (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	30322		Locknut, 8-32
	32326A		Lever, Governor
	29918		Washer, Lock, No. 8 E.T.
	30205		Bracket, Governor adjusting
	650548		Screw, 8-32 x 5/16"
62	29216		Locknut, 10-32
63	29826		Screw, 10-32 x 3/4"
65	32327		Link, Throttle
72	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	27915A		
			* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 13/16"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
			730561 assembly only)
101	34158		Bracket, Fuel tank
			•
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
104	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
105	33032		
			required)
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as requ ired)
107	26460		Clamp, Fuel line (Use as required)
108	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	34390		Deflector, Exhaust (Optional)
111	32401		Muffler

112 113 114 115 117 118 119 120 121 123 124 127 127A 128 129 130 131 132 133 136A 140 141 143B 143A 143 144 144A 145 146	Part Number 30196 26073 650694A 32125 650815 8116 29716 31691 28820 31715 650152 31793 31855 31792 650778 650580 30845A 33450 30886A 35540 30747 650890 33185 33171 650578 33700 33323 35555 34999	Qty	Description Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16 - 18 x 2" Cup, Starter Washer, Belleville Nut, Hex Screw, 1/4-28 x 7/16" Bracket, Air cleaner Screw, 10-32 x 1/2" Body, Air cleaner Screw, 8-32 x 3/8" Bearing, Ball Retainer, Bearing Washer, Thrust Washer, Lock Nut, Lock Bolt, Governor spring adjusting Nut, 10-32 Lock Spring, Extension Clip, Oil fill tube Clip, Spark plug shorting Lockwasher, Shakeproof, 5/16 Cover & tube, Muffler (Use as required) Screen, Muffler (Use as required) Screw, 8-18 x 3/8" (Use as required) Dipstick "O" Ring Oil Fill Tube
	730561 730164		Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor)  Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
	730164		230)(As req.) Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
209 210 211 230 231 232A 240 241 242 242 243	730130 611084 650872 34443A 34346 30547A 631021 611077 650868 611078 611079 590610 590613 632230		(Use as required)  Muffler Adapter Kit (Incl.110,112)(As req.)  Flywheel  Stud, Solid State mounting  Solid State Assy. (Incl. 54)  Decal, Instruction  Breaker Assy (Used on Std. Point igni tion)  Inlet, Needle Seat & Clip Assy.  Alternator (Optional)  Screw, 8-18 x 1-1/8" (3 required)(Opt.)  Connector, A.C. Lighting (Optional)  Connector, D.C. Charging (Optional)  Tube, Centering (Optional)  Alternator Shaft (Optional)  Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 182 for breakdown)

	Part Number 590420A	Qty	Description Rewind Starter (Refer to Division 5, Section C, page 25 for
232	390420A		breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)