



	B 411	<u> </u>	
		Qty	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32318		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
10	21001		serviceable ONLY when itis pinned to the crankshaft.
			•
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
18	650662C		Screw, Connecting rod (Late productio n)
18A	30682		Bolt, Connecting rod (Early productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
20	28264		Connecting rod nut (Used on early pro duction)
21	33156		Camshaft
22	34034		Lifter, Valve
23	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
24	28460		Seal, Oil
26	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
31	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
	30195A		·
40	JU 13JA		Flange, Carburetor (Incl. 79 & 80)

Ref # Part Number Qty Description 48 30196 Screw, 5/16-18 x 3/4" 49 29918 Lockwasher 50 650548 Screw, 8-32 x 5/16" 51 30319 Rivet, Split (Used on early production) 52 32326A Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133) 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
49 29918	
50 650548 Screw, 8-32 x 5/16" 51 30319 Rivet, Split (Used on early productio n) 52 32326A Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133) 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
51 30319 Rivet, Split (Used on early production) 52 32326A Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133) 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
52 32326A Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133) 53 30322 Lock Nut, 8-32 (Use as required) Clamp, Governor lever (Use as require d) Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
#49,51,53,54,132,133) 53 30322	
53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
54 29916 Clamp, Governor lever (Use as require d) 55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
55 30205 Bracket, Adjusting 56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
56 32327 Link, Throttle 58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
58 29216 Locknut, 10-32 59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
59 29752 Nut & Lockwasher, 1/4-28 60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
60 650572 Screw, 1/4-28 x 1-1/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining	
62 29642 Ring, Retaining	
0 , 0	
63A 30699C Rod Assy., Governor (Incl. 64 & 65)	
63 30699B Rod Assy., Governor (This one piece gov. rod is no longe	r
used. It is replaced by 30699C assy., Ref.#63A)	
64 30700 Yoke, Governor	
65 650494 Screw, 6-40 x 5/16"	
66A 34011A Dipstick (Incl. 68)	
67 33893A Oil Fill Tube	
68 33590 "O" Ring	
69 29747B Screw, 5/16-24 x 21/32" 70 234585 Screw, 5/16-24 x 21/32" Playing Llag. (For also starter) (incl. 4.90.400)	
70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190)	
71 33876 Gasket, Stator	
73 29536 Baffle, Blower housing	
74 650561 Screw, 1/4-20 x 5/8"	
75 31688A * Gasket, Carburetor	
81 30196 Screw, 5/16-18 x 3/4" (Use as require d)	
81 28820 Screw, 10-32 x 1/2" (Use as required)	
81 650521 Screw, 10-32 x 1-1/8" (Use as require d)	
81A 650152 Screw, 8-32 x 3/8"	
82 27272A * Gasket, Air cleaner	
83 31691 Bracket, Air cleaner	
84B 30727 Element, Air cleaner	
85 31715 Body, Air cleaner	
89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298E	١
(Use as required)	,
98 28569 Compression Spring (Used with 29500 screw)(Use as	
required)	
98 32924 Compression Spring (Used with 650688 screw) (Use as	
required)	
98 31342 Compression Spring (Used with 650549 screw) (Use as	
required)	
99 650688 Screw, 10-32 x 1 (Use as required)	
99 650549 Screw, 5-40 x 7/16" (Use as required)	
99 29500 Screw, 8-32 x 3/4" (Use as required)	
102 30884 Key, Flywheel	
102 30004 Rey, Frywheel 103 31843A Bracket, Governor gear	
104 650836 Screw, 10-24 x 1/2"	
105 31845 Shaft, Mechanical governor	
106 30590A Washer, Flat	
107 30591 Gear Assy., Governor (Incl. 106)	
108 30588A Spool, Governor	

109 113 113A 114 115	Part Number 29193 650561 650665 35584 410144B 33032	Qty	Ring, Retaining Screw, 1/4-20 x 5/8" Screw, 1/4-15 x 3/4" Fuel Tank (Incl. 115 & 120) Fuel Cap (White Plastic)(Standard)(As req.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
119 119 120 121 125 126 127 128 132 132 144 146 147 148 186 244 245 246 247 248 262 264 265 266 267 298 298A 298A 298A 298A 298A 298A 298A	29774 30705 30962 26460 32401 27930A 30196 26073 650694A 650548 650139 650542 29538 650128 30622A 27275 29443 31793 31792 31855 650778 650580 29716 32125 590417 650815 8116 34346 550223 33310 31517 32173 30547A 30548B 631021 631828		Fuel Line (Braided 8.25") (Use as required) Fuel Line (Braided 16") (Use as required) Fuel Line (Braided 32") (Use as required) Clamp, Fuel line (Use as required) Muffler * Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16-18 x 2" Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" (Early production) Screw, 5/16-18 x 3/4" Base, Engine mounting Screw, 10-24 x 1/2" Extension, Blower housing Clip, Wire (Use as required) Clip, Fuel line (Use as required) Bearing, Ball Washer, Thrust Retainer, Bearing Washer, Lock Nut, Lock Screw, 1/4-28 x 7/16" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Decal, Instruction Decal, Name Decal, S HP Mini-Bike (Use as required) Decal, H.P. (5 H.P.) (Use as required) Decal, H.P. (6 H.P.) (Use as required) Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A, page 144 for breakdown)
304	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



Ref #	Part Number C	Oty Description
	26073	Washer, Flat (Use as required)
35	650570	Washer, Flat (Use as required)
35	650691	Washer, Flat (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
81	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81	28820	Screw, 10-32 x 1/2" (Use as required)
81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A	* Gasket, Air cleaner
86A	34697	Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128	Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
		298B) (Use as req.)
111	33167	Bracket, Lower fuel tank
	33166A	Bracket, Upper fuel tank
	650665	Screw, 1/4-15 x 3/4"
	391026	Muffler (Incl. 124, 124A & 124B) (This spark arrester
1212	001020	mufflercan be used on any model)
		• •
	33171	Muffler Screen (Use as required)
	33185	Cover & Tube, Muffler (Use as require d)
	650578	Screw, 8-18 x 3/8"
	27930A	* Gasket, Exhaust
	31288	Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130	Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
233	34819	Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
		730561 ass'y. only)
234	730561	Air Cleaner Kit
		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
		(Use only on engines with an externally ventedfully
		adjustable carburetor.)
272	650687	Scrow 10.22 v 5/16" (Lico as required.)
213	030001	Screw, 10-32 x 5/16" (Use as required)



	Part Number	Qty	Description
	27261		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	32327		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
ΩQ	32924		Compression Spring (Used with 650688 screw) (Use as
90	32324		
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
ΩΩ	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		
	32683A		Screw, 8-32 x 3/4" (Use as required)
			Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	33177		Terminal (Use as required)
	30845A		Bolt, Governor adjusting
	33450		Nut, Lock
	32328		Bracket, Speed adjusting (Incl. 241)
	30886A		Spring, Governor bolt
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
	31584		Cup, Spark plug
	31583		Clamp, Wire
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
300	300200		starter motor kit may have been added to this engine. This
			can be added only if cylinder has drilled and tapped starter
			mounting bosses and a ring gear flywheel has been added
			(see #309). Refer to service number stamped on end cap of
			motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter motor kits listed above.)