
H60-75388L Engine Parts List #1




Ref #	Part Number	Qty	Description
1	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		
			Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
8	27881		Spring, Valve
9	32581		Cap, Lower valve spring
	31791		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
12	23703		serviceable ONLY when it is pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
14A	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		• • • • • •
			Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
18	650662C		Screw, Connecting rod (Late productio n)
18A	30682		Bolt, Connecting rod (Early productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
	28460		Seal, Oil
26	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		
			Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
39	28424		Element, Breather
40			
40 41	28425		Cover, Valve spring
40 41 45			

Ref #	Part Number	Qty Description
48	30196	Screw, 5/16-18 x 3/4"
49	29918	Lockwasher
50	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used on early productio n)
	32326A	Lever, Governor (New lever does not need 1 of Ref
52		#49,51,53,54,132,133)
53	30322	Lock Nut, 8-32 (Use as required)
54	29916	Clamp, Governor lever (Use as require d)
55	30205	Bracket, Adjusting
	32327	Link, Throttle
	29216	Locknut, 10-32
	650517	Screw, 1/4-20 x 13/16"
	29826	Screw, 10-32 x 3/4"
	29642	
		Ring, Retaining
63	30699B	Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)
	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66A	34011A	Dipstick (Incl. 68)
	33893A	Oil Fill Tube
	33590	"O" Ring
	29747B	Screw, 5/16-24 x 21/32"
	32158E	
		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876	Gasket, Stator
	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81	28820	Screw, 10-32 x 1/2" (Use as required)
81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
81A	650152	Screw, 8-32 x 3/8"
82	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	730127	•
69	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
98	28569	Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	30884	
		Key, Flywheel Brodket, Coverner goer
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	31845	Shaft, Mechanical governor
106	30590A	Washer, Flat
107	30591	Gear Assy., Governor (Incl. 106)
		Spool, Governor
108	JUJOOA	


	Part Number Qty	
111D	34158	Bracket, Lower fuel tank
112	34159	Plate, Upper fuel tank mtg.
113	650561	Screw, 1/4-20 x 5/8"
	650665	Screw, 1/4-15 x 3/4"
	34186A	Fuel Tank (Incl. 115 & 120)
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
	33032	
115	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required)
	29774	Fuel Line (Braided 8.25") (Use as req uired)
	30705	Fuel Line (Braided 16") (Use as requi red)
119	30962	Fuel Line (Braided 32") (Use as requi red)
120	26460	Clamp, Fuel line (Use as required)
121	32401	Muffler
	27930A	* Gasket, Exhaust
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	-
		Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
	29538	Base, Engine mounting
147	650128	Screw, 10-24 x 1/2"
148	30622A	Extension, Blower housing
149A	30747	Clip, Shorting
150	650890	Lockwasher
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	31793	Bearing, Ball
	31792	
		Washer, Thrust
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	29716	Screw, 1/4-28 x 7/16"
264	32125	Cup, Starter
265	590417	Screen, Starter cup
266	650815	Washer, Belleville
	8116	Nut, Hex
	550223	Decal, Name
	33310	Decal, 5 HP Mini-Bike (Use as require d)
	31517	Decal, H.P. (5 H.P.) (Use as required)
	32173	Decal, H.P. (6 H.P.) (Use as required)
	31752	Decal, Air cleaner
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
300	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	632178	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
		page 176 for breakdown)
	0400004	, ,
304	610689A	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 24

Ref # Pa	art Number	Qty	Description
306 59	90420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310 33	3235A		* Gasket Set (Incl. items marked *)

H60-75388L Engine Parts List #2



		Qty	Description
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
	001020		mufflercan be used on any model)
1011	00171		
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
070	650687		Screw, 10-32 x 5/16" (Use as required)
213	00007		$O(GW, 10^{-}OZ \land O/10)$ (Use as required)



Ref #	Part Number C	Aty Description
37A 37 37 41 43A 56 69 98	27261 650128 650597 28425 35350 32327 29747B 28569	Washer, Flat (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) Cover, Valve spring Tube, Breather Link, Throttle Screw, 5/16-24 x 21/32" Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
99 99 182 183 184 185 225 227 240 241 242 243 262 266 267 305	650549 29500 650688 32683A 32955 9556 30063 730152 33177 30845A 33450 32328 30886A 29716 650815 8116 33018 590420	Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Gasket, Fuel pump cover (Use as required) Cover, Fuel pump pad (Use as required) Plug, Pipe 1/8-27 (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Control Bracket(Incl.91 thru 97)(As r eq.) Terminal (Use as required) Bolt, Governor adjusting Nut, Lock Bracket, Speed adjusting (Incl. 241) Spring, Governor bolt Screw, 1/4-28 x 7/16" Washer, Belleville Nut, Hex Harness Assy., Adapter (Use as requir ed) Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)