
H60-75389M Engine Parts List



		/ Description
1	34919A	Cylinder (Incl. 2,3 & 4) (2-5/8" Bore)
2	27652	Pin, Dowel
3	27642	Pipe plug, 1/4-18
	32630	Seal, Oil
	29536	Blower Housing Baffle (Without electric starter knock out)
5	23000	(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
6	650561	Screw, 1/4-20 x 5/8"
7	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
	34872	Crankshaft
	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
13	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
13	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
		, , , , , ,
	27888	Ring, Piston pin retaining
	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
15	34856	Ring Set (.020" OS)
16	31380C	Rod Assy., Connecting (Incl. 17)
17	650662C	Bolt, Connecting rod (Incl. 2 pieces)
18	34034	Lifter, Valve
	34082	Camshaft (Extended)
	30622A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	30684	Gasket Cylinder Cover
24	31720A	Cover, Cylinder (Incl. 26, 32 & 34)
25	31546	Bushing, Crankshaft
26	28427	Seal, Oil
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	30699C	Rod Assy., Governor (Incl. 30 & 31)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	28926	Seal, Oil
	29642	Ring, Retaining
34	31845	Shaft, Mechanical governor
35	30588A	Spool, Governor
36	35479	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
	32784	Intake Valve (1/32" OS)
42	27878A	Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS)
42	210004	

	Part Number Qt	
	27881	Spring, valve
45	32581	Cap, Lower valve spring
46	33876	Gasket, Stator
47	650489	Screw, 1/4-20 x 5/8"
	35182	Ground Wire
	32589	Key, Flywheel
	30968	
		Nipple, Oil drain 1/4" x 2-1/2"
	30969	Cap, Oil drain
	28938C	Gasket, Cylinder head
52	30938A	Head, Cylinder
53	34251	Resistor Spark Plug (RJ-17LM)
54	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	30939A	Cover Assy., Cylinder head
	650697A	
		Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
56A	650691	Washer, Flat (Use as required)
56B	650690	Washer, Belleville (Use as required)
57	29916	Clamp, Governor lever (Use as require d)
	30322	Locknut, 8-32
	33454	Lever Assy., Governor
	29918	
		Washer, Lock, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
63	29826	Screw, 10-32 x 3/4"
65A	34661	Link, Governor
65	34662	Link, Throttle
	34664	Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	610973	Terminal Assy. (Use as required)
74	27896A	Gasket, Valve chamber cover
75	28423	Breather Assy., Valve
	28424	Element, Breather
	28425	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
		•
	35350	Tube Breather
	27915A	* Gasket, Intake pipe to cylinder
	34712	Flange, Carburetor (Incl. 86A)
84	30196	Screw, 5/16-18 x 3/4"
85	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 13/16"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	
		Spacer, Cleaner (Use as required)
94A	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
101	34158	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)

	Part Number 33032	F	Description Tuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as equired)
105	34210	F	uel Cap (Red Plastic) (Spurt resistant, High profile) (Use as equired)
106 107 108 109 110 111 111 111C 111E 111D 112 113 114 115 116 117 118 119 120 121 122 123 124 138 139 143B 143A 143A 143A 144A 144 145 146A	35355 29774 30962 26460 32158E 29747B 27930A 32401 391026 34390 33714 30196 26073 650694A 32125 35009 650845 8116 29716 31691 28820 30727 31715 650152 34663 650821 33185 33171 650578 33323 33700 31297 29673 730130	FFFCBS* 20D0SSSCSSZSBSEBSSSCSSCD*	equired) iuel Cap (Red plastic) (Use as required) iuel Line (Braided, 8 1/4") (Use as required) iuel Line (Braided, 32") (Use as required) iuel Cap (Nather icrew, 10-32 x 1/2" ilement, Air cleaner icrew, 10-32 x 1/2" icreen, Muffler (Use as required) icreen, Muffler (Use as required) icreen (Use as required) icreen (Use as required
201	730164	А	30)(As req.) ir Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) Jse as required)
201B	730561	A (li (L	ir Cleaner Kit ncl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) Jsed only on engine with an externally vented fully djustable carburetor)
231A 231 232A 240 241 242 242	34346 30548B 30547A 631021 611077 650868 611078 611079 590610	C B In S C C	Decal, Instruction Condenser Breaker Assy (Used on Std. Point igni tion) hlet, Needle Seat & Clip Assy. Iternator (Optional) Corew, 8-18 x 1-1/8" (3 required)(Opt .) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional)

		Qty Description
	590613 632230	Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 182 for breakdown)
251	611038	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)