



Ref #	Part Number	Qtv	Description
1			Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	30799		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		
			Rod Assy., Connecting (Incl. 18)
	30682		Bolt, Connecting rod (Early production)
	650662C		Screw, Connecting rod (Late productio n)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33985		Camshaft (Extended)
	34034		Lifter, Valve
23	31720A		Cylinder Cover (Incl. 24, 24A, 27 & 1 05)
24A	28926		Seal, Oil
24	28427		Seal, Oil
26	30684		* Gasket, Cylinder cover
27	31546		Bushing, Crankshaft
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
38	27896A		* Gasket, Breather cover
39	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
			, I U

Ref #	Part Number	Qtv	Description
45	27915A		* Gasket, Intake
	30195A		
			Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early productio n)
			• • • • • • • • • • • • • • • • • • • •
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
	0000		
	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
55	30205		Bracket, Adjusting
	30824		Link, Throttle
	29216		Locknut, 10-32
59	29752		Nut & Lockwasher, 1/4-28
60	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
	-		,
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
64	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
			·
	34011A		Dipstick (Incl. 68)
67	33893A		Oil Fill Tube
68	33590		"O" Ring
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
	650152		Screw, 8-32 x 3/8"
			·
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31691		·
			Bracket, Air cleaner
	30727		Element, Air cleaner
85	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
			(Obe de required)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
			,
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
			roquirou)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
			• •
99	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	650549		
			Screw, 5-40 x 7/16" (Use as required)
	30884		Key, Flywheel
103	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)

108 30588A 109 29193 113A 650665 113 650561 114 35584 115 410144B 115 33032 116 Cap (Red Plastic) (Spurt Resistant, Low Profile) as required) 117 34210 118 29774 119 29774 119 30705 119 30962 119 30962 110 26460 110 27930A 1110 Spool, Governor Ring, Retaining Screw, 1/4-15 x 3/4" 111	
113A 650665 113 650561 114 35584 115 410144B 115 33032 116 Sorew, 1/4-20 x 5/8" 117 34210 118 29774 119 30705 119 30962 119 26460 120 26460 120 27930A 120 30196 131 650548 141 35584 152 Sorew, 1/4-20 x 5/8" 16 Fuel Tank (Incl. 115 & 120) 17 Fuel Cap (White Plastic)(Standard)(As req.) 18 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) 19 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (as required) 19 Fuel Line (Braided 8.25") (Use as req uired) 19 Gasket, Exhaust 10 Clamp, Fuel line (Use as required) 10 Screw, 5/16-18 x 3/4" 10 Screw, 8-32 x 5/16" (Early production)	
113 650561 Screw, 1/4-20 x 5/8" 114 35584 Fuel Tank (Incl. 115 & 120) 115 410144B Fuel Cap (White Plastic)(Standard)(As req.) 115 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) 115 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) as required) 119 29774 Fuel Line (Braided 8.25") (Use as required) 119 30705 Fuel Line (Braided 16") (Use as requi red) 119 30962 Fuel Line (Braided 32") (Use as requi red) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
114 35584 Fuel Tank (Incl. 115 & 120) 115 410144B Fuel Cap (White Plastic) (Standard) (As req.) 115 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) 115 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) as required) 119 29774 Fuel Line (Braided 8.25") (Use as req uired) 119 30705 Fuel Line (Braided 16") (Use as requi red) 119 30962 Fuel Line (Braided 32") (Use as requi red) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
Fuel Cap (White Plastic) (Standard) (As req.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (as required) Fuel Line (Braided 8.25") (Use as required) Fuel Line (Braided 16") (Use as required) Fuel Line (Braided 32") (Use as required)	
Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (as required) Fuel Line (Braided 8.25") (Use as required) Fuel Line (Braided 16") (Use as required) Fuel Line (Braided 32") (Use as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (as required)	
as required) 115 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) as required) 119 29774 Fuel Line (Braided 8.25") (Use as req uired) 119 30705 Fuel Line (Braided 16") (Use as required) 119 30962 Fuel Line (Braided 32") (Use as required) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
as required) 115 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) as required) 119 29774 Fuel Line (Braided 8.25") (Use as req uired) 119 30705 Fuel Line (Braided 16") (Use as required) 119 30962 Fuel Line (Braided 32") (Use as required) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) as required) 119 29774 Fuel Line (Braided 8.25") (Use as req uired) Fuel Line (Braided 16") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Clamp, Fuel line (Use as required) * Gasket, Exhaust Fuel Line (Braided 32") (Use as required) * Gasket, Exhaust Fuel Line (Braided 32") (Use as required) * Gasket, Exhaust Fuel Line (Braided 32") (Use as required) * Gasket, Exhaust Fuel Line (Braided 8.25") (Use as required) * Gasket, Exhaust Fuel Line (Braided 8.25") (Use as required) * Gasket, Exhaust Fuel Line (Braided 8.25") (Use as required) * Gasket, Exhaust Fuel Line (Braided 8.25") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required) * Gasket, Exhaust Fuel Line (Braided 16") (Use as required)	(Use
as required) 119 29774 Fuel Line (Braided 8.25") (Use as req uired) Fuel Line (Braided 16") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Clamp, Fuel line (Use as required) * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" Screw, 8-32 x 5/16" (Early production)	,000
119 30705 Fuel Line (Braided 16") (Use as required) 119 30962 Fuel Line (Braided 32") (Use as required) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
119 30705 Fuel Line (Braided 16") (Use as required) 119 30962 Fuel Line (Braided 32") (Use as required) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
119 30962 Fuel Line (Braided 32") (Use as requi red) 120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
120 26460 Clamp, Fuel line (Use as required) 125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
125 27930A * Gasket, Exhaust 126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
126 30196 Screw, 5/16-18 x 3/4" 132 650548 Screw, 8-32 x 5/16" (Early production)	
132 650548 Screw, 8-32 x 5/16" (Early production)	
132 650139 Screw, 8-32 x 1/2" (Early production)	
144 650542 Screw, 5/16-18 x 3/4"	
146 29538 Base, Engine mounting	
147 650128 Screw, 10-24 x 1/2"	
148 30622A Extension, Blower housing	
186 27275 Clip, Wire (Use as required)	
186 29443 Clip, Fuel line (Use as required)	
193 610118 Cover, Spark plug	
226 610973 Terminal Assy.	
229 28942 Screw, 10-32 x 3/8"	
230 27793 Clip, Conduit	
232 34235 Ground Wire	
262 29716 Screw, 1/4-28 x 7/16"	
264 32125 Cup, Starter	
265 590417 Screen, Starter cup	
266 650815 Washer, Belleville	
267 8116 Nut, Hex	
298 34346 Decal, Instruction	
298B 31752 Decal, Air cleaner	
298A 550223 Decal, Name	
298A 33310 Decal, 1 Marine 298A 33310 Decal, 5 HP Mini-Bike (Use as require d)	
298A 31517 Decal, H.P. (5 H.P.) (Use as required)	
298A 32173 Decal, H.P. (6 H.P.) (Use as required)	
299 30547A Contact Assy., Breaker	
300 30548B Condenser	
301 631021 Solution Sent & Clip Assy.	
, , ,	. Λ
303 631824 Carburetor (Incl. 75 & 301) (Refer to Division 5, Section page 206for breakdown)	ı A,
page 200101 bleakdowith	
304 610689A Magneto NOTE: The complete magneto is not available an assembly. The magneto number is shown for refer	
purposes only. Order component parts individually, as	
shown in parts list. (Refer to Division 5, Section B, pag	
for breakdown)	∪ ∠ ¬
·	for
306 590420 Rewind Starter (Refer to Division 5, Section C, page 25 breakdown)	, IOI
,	
310 33235A * Gasket Set (Incl. items marked *)	



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
111	33167		Bracket, Lower fuel tank
	33166A		Bracket, Upper fuel tank
	650665		Screw, 1/4-15 x 3/4"
	391006		Muffler (Incl. 124, 124A & 124B)
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
	30.020		mufflercan be used on any model)
124A	33171		Muffler Screen (Use as required)
	33323		Screen, Muffler
	33185		Cover & Tube, Muffler (Use as require d)
	33172		Cover, Muffler
	650578		Screw, 8-18 x 3/8"
125	27930A		* Gasket, Exhaust
134	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
135	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
213	00001		Colom, 10 02 x 0/10 (Coc as required)



D-(!!	Deat Marshau	Ο.	Describer
	Part Number	Qty	Description No. 1014 (11 and 12 and 1
	27261		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	30824		Link, Throttle
	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
224A	30826		Spring, Extension
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
225A	33110A		Control Bracket (Incl. 224A & 226)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)