


		Description
	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	30799	Crankshaft (Incl. 12 & 13)
	29783	Pin, Crankshaft gear Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
	000100	serviceable ONLY when itis pinned to the crankshaft.
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	31380C	Rod Assy., Connecting (Incl. 18)
18A	30682	Bolt, Connecting rod (Early productio n)
18	650662C	Screw, Connecting rod (Late productio n)
19	26073	Connecting rod bolt washer (Early pro duction)
	28264	Connecting rod nut (Used on early pro duction)
	33156	Camshaft
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 27 & 105)
	28427	Seal, Oil
	30684	* Gasket, Cylinder cover
	31546	Bushing, Crankshaft
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	650489	Screw, 1/4-20 x 5/8"
	30939A	Cover, Cylinder head
	28938C	* Gasket, Cylinder head
	30938A	Head, Cylinder (Incl. 3 of 36)
	33636	,
	26073	Resistor Spark Plug
		Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
43	32447	Tube, Breather

Dof #	Part Number	Ot /	Description
	Part Number 0		Description * Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
			•
	30319		Rivet, Split (Used on early production)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
53	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	30206		Link, Throttle
	29216		Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
05	30099D		used. It is replaced by 30699C assy., Ref.#63A)
			used. It is replaced by 30099C assy., Nei.#03A)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66A	31297		Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
73	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	650152		Screw, 8-32 x 3/8"
	27272A		* Gasket, Air cleaner
	31708		Bracket, Air cleaner
	31715		Body, Air cleaner
	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
00	.00.21		(Use as required)
			• •
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
	0202 1		required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		·
			Shaft, Mechanical governor Washer, Flat
	30590A 30501		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
109	29193		Ring, Retaining


Ref #	Part Number	Qty	Description
113A	650665		Screw, 1/4-15 x 3/4"
113	650561		Screw, 1/4-20 x 5/8"
	34186A		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
110	00002		as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required)
110	29774		Fuel Line (Breided 8.25") (Lice as required)
			Fuel Line (Braided 8.25") (Use as required)
	30705		Fuel Line (Braided 16") (Use as requi red)
	30962		Fuel Line (Braided 32") (Use as requi red)
	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	34174		Deflector, Exhaust
	650665		Screw, 1/4-15 x 7/8"
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer, Flat
128	650694A		Screw, 5/16-18 x 2"
132	650548		Screw, 8-32 x 5/16" (Early production)
132	650139		Screw, 8-32 x 1/2" (Early production)
144	792037		Screw, 5/16-18 x 1"
	650690		Washer, Belleville
146			Base, Engine mounting (Order from OEM)
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	30747		Clip, Shorting
	650890		Lockwasher
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		·
	29716		Clip, Conduit
			Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	550223		Decal, Name
	34059		Decal, Instruction
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
303	631828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 144 for breakdown)
204	6106904		Magnete NOTE: The complete magnete is not available as
304	610689A		Magneto NOTE: The complete magneto is not available as
			an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as
			shown in parts list. (Refer to Division 5, Section B, page 24
			for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)

breakdown)

Ref # Part Number	Qty Description
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073	•	Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
43	32447		Tube, Breather
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
84A	31700		Element, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
	00.020		mufflercan be used on any model)
4044	00474		,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
272	650687		Screw, 10-32 x 5/16" (Use as required)
213	00001		Joseph To-02 x J/10 (Use as required)



Pof #	Part Number Qty	Description
	27261	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 1/2 (Use as required)
	28425	Cover, Valve spring
	32446	
	30206	Grommet, Breather tube
	31879	Link, Throttle Link, Governor lever-to-bellcrank
	29747B	·
	30312	Screw, 5/16-24 x 21/32" Screw, 10 33 x 1/2"
	30712	Screw, 10-32 x 1/2"
	28562	Lever, Bellcrank
	29530	Bushing, Lever
	30202	Bushing, Lever
	30201A	Spring, Extension
	30199A	Lever, Speed control
	650399	Control Bracket (Incl. 98 & 99) Screw, 10-32 x 5/8"
	33450	Nut, Lock
	28569	Compression Spring (Used with 29500 screw)(Use as
90	20009	required)
98	32924	Compression Spring (Used with 650688 screw) (Use as
••	24242	required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
00	050540	. ,
	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	32683A	Gasket, Fuel pump cover (Use as required)
	32955	Cover, Fuel pump pad (Use as required)
	9556	Plug, Pipe 1/8-27 (Use as required) Screw, 1/4-20 x 1/2" (Use as required)
	30063 730152	Control Bracket(Incl.91 thru 97)(As r eq.)
	33177	Terminal (Use as required)
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	29716	Screw, 1/4-28 x 7/16"
	650815	Washer, Belleville
	8116	Nut, Hex
	33018	Harness Assy., Adapter (Use as requir ed)
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
000	000 120	breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)

Page 9 of 9