



Ref #	Part Number	Otv	Description
	33311B	Qıy	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		·
			Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	27877A		Intake Valve (Std.) (Incl. 9)
	27880A		Inake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	34081		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
12	23700		serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		
			Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	30682		Bolt, Connecting rod (Early productio n)
	650662C		Screw, Connecting rod (Late productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
20	28264		Connecting rod nut (Used on early pro duction)
21	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
			•
	31546		Bushing, Crankshaft
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
33	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
39	28423		Body, Breather
40	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
.0			9

Ref #	Part Number	Qty	Description
46	30195A		Flange, Carburetor (Incl. 79 & 80)
48	30196		Screw, 5/16-18 x 3/4"
	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
53	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	30824		Link, Throttle
	29216		Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
·	00000		,
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
66A	31297		Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876		Gasket, Stator
	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
00	20560		Compression Caring (Llead with 20500 corew)/Llea co
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
ΩΩ	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
105	31845		Shaft, Mechanical governor
106	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
	29193		Ring, Retaining
	34158		Bracket, Lower fuel tank
			•
	34159		Plate, Upper fuel tank mtg.
	650665		Screw, 1/4-15 x 3/4"
113	650561		Screw, 1/4-20 x 5/8"

	D. W. I.	B 12
		/ Description
	34156A	Fuel Tank (Incl. 115 & 120)
115	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
115	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
445	0.4040	
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required)
119	29774	Fuel Line (Braided 8.25") (Use as req uired)
	30705	Fuel Line (Braided 16") (Use as required)
	30962	Fuel Line (Braided 32") (Use as requi red)
	26460	Clamp, Fuel line (Use as required)
	32401	Muffler
	34174	Deflector, Exhaust
123	650665	Screw, 1/4-15 x 7/8"
125	27930A	* Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
127	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
	29538	
		Base, Engine mounting
	650128	Screw, 10-24 x 1/2"
	30622A	Extension, Blower housing
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	610118	Cover, Spark plug
	610973	Terminal Assy.
	34131	Ground Wire
262	29716	Screw, 1/4-28 x 7/16"
264	32125	Cup, Starter
265	590417	Screen, Starter cup
266	650815	Washer, Belleville
267	8116	Nut, Hex
298	34346	Decal, Instruction
298A	550223	Decal, Name
	33310	Decal, 5 HP Mini-Bike (Use as require d)
	31517	Decal, H.P. (5 H.P.) (Use as required)
	32173	Decal, H.P. (6 H.P.) (Use as required)
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631816	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
303	031010	
		page 132 for breakdown)
304	610694A	Magneto (w/ring gear for 120 volt sta rter) NOTE: The
		complete magneto is not available as an assembly. The
		magneto number is shown for reference purposes only.
		Order component parts individually, as shown in parts list.
		(Refer to Division 5, Section B, page 24 for breakdown)
		,
306	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
240	33235A	* Gasket Set (Incl. items marked *)
310	JUZJUM	Jasket Jet (IIIUI. Itellis Halkeu)



Ref #	Part Number	Qty	Description
	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	34697		Air Cleaner Elbow Assy. (Use in 730561 only.)
	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
121E	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
124A	33171		Muffler Screen (Use as required)
124B	33185		Cover & Tube, Muffler (Use as require d)
124	650578		Screw, 8-18 x 3/8"
125	27930A		* Gasket, Exhaust
134	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
135	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
274	650257		Screw, 8-32 x 5/16"
274A	650765		Screw, 10-32 x 1/2"
275	33723		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650764		"U" Clip Nut
	650760		Screw, 8-32 x 3/8"
	570629A		Primer Assy.
	32180C		Line, Primer
	33722		Decal, Operating
	34414		Decal, "Warning"
			-



Ref #	Part Number Qty	Description
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27261	Washer, Flat (Use as required)
	28425	Cover, Valve spring
	35350	Tube, Breather
	30824	Link, Throttle
	29747B	
		Screw, 5/16-24 x 21/32" Compression Spring (Lload with 20500 persy)/Lload as
96	28569	Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
00	050540	
	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	32683A	Gasket, Fuel pump cover (Use as required)
	32955	Cover, Fuel pump pad (Use as required)
	9556	Plug, Pipe 1/8-27 (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	650736	Screw, 10-16 x 3/8"
	33013	Cover, Starter bubble
	34126	Bracket, Grommet mounting
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	30826	Spring, Extension
	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
	33109A	Control Bracket (Incl. 224A & 226)
	610973	Terminal Assy.
	33177	Terminal (Use as required)
	32576	Seal, Snow guard
	31680	Guard, Starter
	29716	Screw, 1/4-28 x 7/16"
	650815	Washer, Belleville
	8116	Nut, Hex
298E	34150	Decal, Choke
298C	32187	Decal, "Super-start"
305	33018	Harness Assy., Adapter (Use as requir ed)
306	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
		starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter
		mounting bosses and a ring gear flywheel has been added
		(see #309). Refer to service number stamped on end cap of
		motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter motor kits listed above.)