



Ref #	Part Number (Qtv	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
			•
	31856A		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
15	34854		Ring Set (Std.) (2-5/8" Bore)
15	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	30682		
			Bolt, Connecting rod (Early production)
	650662C		Screw, Connecting rod (Late productio n)
	26073		Connecting rod bolt washer (Early pro duction)
20	28264		Connecting rod nut (Used on early pro duction)
21	33156		Camshaft
22	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
			· ·
	31546		Bushing, Crankshaft
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
30	650489		Screw, 1/4-20 x 5/8"
31	30939A		Cover, Cylinder head
32	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
39	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
40	213107		Gaoner, mane

46 48 49 50 51 52	Part Number 30195A 30196 29918 650548 30319 32326A	Qty	Description Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Lockwasher Screw, 8-32 x 5/16" Rivet, Split (Used on early productio n) Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133)
54 55 56 58 59 60 61 62 63A	30322 29916 30205 31710 29216 29752 650572 29826 29642 30699C 30699B		Lock Nut, 8-32 (Use as required) Clamp, Governor lever (Use as require d) Bracket, Adjusting Link, Throttle Locknut, 10-32 Nut & Lockwasher, 1/4-28 Screw, 1/4-28 x 1-1/8" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)
65 66A 67 68 69 70 73 74 75 81 81 81 81 81 81 81 82 83	30700 650494 34011A 33893A 33590 29747B 32158E 29536 650561 31688A 30196 28820 650521 650152 27272A 31691 30727 31715 730127		Yoke, Governor Screw, 6-40 x 5/16" Dipstick (Incl. 68) Oil Fill Tube "O" Ring Screw, 5/16-24 x 21/32" Blower Hsg. (For elec.starter)(Incl.1 89,190) Baffle, Blower housing Screw, 1/4-20 x 5/8" * Gasket, Carburetor Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d) Screw, 8-32 x 3/8" * Gasket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Body, Air cleaner Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
	28569 32924		Compression Spring (Used with 29500 screw)(Use as required) Compression Spring (Used with 650688 screw) (Use as required)
98	31342		required) Compression Spring (Used with 650549 screw) (Use as required)
99 99 102 103 104 105 106 107	650688 650549 29500 30884 31843A 650836 31845 30590A 30591		Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Shaft, Mechanical governor Washer, Flat Gear Assy., Governor (Incl. 106) Spool, Governor

		Description
	29193	Ring, Retaining
	30063	Screw, 1/4-20 x 1/2"
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
115	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
110	0-12 TO	as required)
		as required)
119	29774	Fuel Line (Braided 8.25") (Use as req uired)
119	30705	Fuel Line (Braided 16") (Use as requi red)
119	30962	Fuel Line (Braided 32") (Use as requi red)
120	26460	Clamp, Fuel line (Use as required)
121	32401	Muffler
122	34174	Deflector, Exhaust
123	650665	Screw, 1/4-15 x 7/8"
	27930A	* Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
	29538	Base, Engine mounting
	650128	Screw, 10-24 x 1/2"
	30622A	Extension, Blower housing
149A		Clip, Shorting
	650890	Lockwasher
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	31386	Spring, Extension
	31726B	Control Bracket (Incl. 98, 99, 226 & 284A)
	610973	· · · · · · · · · · · · · · · · · · ·
	29716	Terminal Assy.
	32125	Screw, 1/4-28 x 7/16"
		Cup, Starter
	590417 650845	Screen, Starter cup
	650815 8446	Washer, Belleville
	8116	Nut, Hex
	34346	Decal, Instruction
	550223	Decal, Name
298A		Decal, 5 HP Mini-Bike (Use as require d)
298A		Decal, H.P. (5 H.P.) (Use as required)
298A		Decal, H.P. (6 H.P.) (Use as required)
298B		Decal, Air cleaner
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
303	631828	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
		page 144 for breakdown)
304	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
112B	28371B		Bracket, Upper fuel tank
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
4044	00474		, ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8" * Cooket Fylogoet
	27930A 31288		* Gasket, Exhaust
	730130		Muf.Adapter Kit(Incl.125,136,137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as required)
	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
255	34019		730561 ass'y. only)
			• • • • • • • • • • • • • • • • • • • •
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
2.0			(33 33 13)



	Part Number	Qty	Description
	27261		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
41	28425		Cover, Valve spring
43A	35350		Tube, Breather
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	650688		Screw, 10-32 x 1 (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This
			can be added only if cylinder has drilled and tapped starter
			mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of
			motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter motor kits listed above.)