


|     |                 | Description   |
|-----|-----------------|---|
|     | 33311B          | Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)                  |
|     | 27652           | Pin, Dowel  |
|     | 27642           | Plug, Oil drain, 1/4-18                                     |
|     | 27876B          | Seal, Oil   |
| 5   | 32783           | Intake Valve (Std.) (Incl. 9)                               |
| 5   | 32784           | Intake Valve (1/32" OS) (Incl. 9)                           |
| 6   | 27878A          | Exhaust Valve (Std.)  |
| 6   | 27880A          | Exhaust Valve (1/32" OS) (Incl. 9)                          |
| 7   | 27882           | Cap, Upper valve spring                                     |
|     | 27881           | Spring, Valve   |
|     | 32581           | Cap, Lower valve spring                                     |
|     | 31856A          | Crankshaft (Incl. 12 & 13)                                  |
|     | 29783           | Pin, Crankshaft gear Used in early production. This gear is |
| _   |                 | serviceable ONLY when itis pinned to the crankshaft.        |
| 13  | 27884           | Gear, Crankshaft Used in early production. This gear is     |
|     |                 | serviceable ONLY when itis pinned to the crankshaft.        |
| 14A | 33312B          | Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)                |
| 14A | 33313B          | Piston & Pin Ass'y. (.010" OS) (Incl. 16)                   |
| 14A | 33314B          | Piston & Pin Ass'y. (.020" OS) (Incl. 16)                   |
| 14  | 34531           | Piston, Pin & Ring Set (Std.) (2-5/8" Bore)                 |
| 14  | 34532           | Piston, Pin & Ring Set (.010" OS)                           |
| 14  | 34533           | Piston, Pin & Ring Set (.020" OS)                           |
|     | 34854           | Ring Set (Std.) (2-5/8" Bore)                               |
|     | 34855           | Ring Set (.010" OS)   |
|     | 34856           | Ring Set (.020" OS)   |
|     | 27888           | Ring, Piston pin retaining                                  |
|     | 31380C          | Rod Assy., Connecting (Incl. 18)                            |
|     | 30682           | Bolt, Connecting rod (Early production)                     |
|     | 650662C         | Screw, Connecting rod (Late production)                     |
|     | 26073           | Connecting rod bolt washer (Early pro duction)              |
|     |                 |   |
|     | 28264           | Connecting rod nut (Used on early pro duction)              |
|     | 33156           | Camshaft  |
|     | 34034<br>24202B | Lifter, Valve   |
|     | 31303B          | Cover, Cylinder (Incl. 24, 27 & 105)                        |
|     | 28427           | Seal, Oil   |
|     | 30684           | * Gasket, Cylinder cover                                    |
|     | 31546           | Bushing, Crankshaft   |
|     | 650488          | Screw, 1/4-20 x 1-1/4"                                      |
|     | 650493          | Screw, 1/4-20 x 1-3/4"                                      |
|     | 650489          | Screw, 1/4-20 x 5/8"  |
|     | 30939A          | Cover, Cylinder head  |
|     | 28938C          | * Gasket, Cylinder head                                     |
|     | 30938A          | Head, Cylinder (Incl. 3 of 36)                              |
| 34  | 33636           | Resistor Spark Plug   |
| 35  | 26073           | Washer, Flat (Use as required)                              |
| 35  | 650570          | Washer, Flat (Use as required)                              |
| 35  | 650691          | Washer, Flat (Use as required)                              |
|     | 650697A         | Screw, 5/16-18 x 2-1/2" (Use as requi red)                  |
|     | 650695A         | Screw, 5/16-18 x 2-1/4" (Use as requi red)                  |
|     | 650694A         | Screw, 5/16-18 x 2" (Use as required)                       |
|     | 650128          | Screw, 10-24 x 1/2" (Use as required)                       |
|     | 650597          | Screw, 10-24 x 5/8" (Use as required)                       |
|     | 27896A          | * Gasket, Breather cover                                    |
|     | 28423           | Body, Breather  |
|     | 28424           | Element, Breather   |
|     | 28425           | ·   |
|     |                 | Cover, Valve spring   |
| 45  | 27915A          | * Gasket, Intake  |


| Dof #      | Part Number           | a. Description  |
|------------|-----------------------|---|
|            | Part Number Q: 30195A | by Description Flange, Carburetor (Incl. 79 & 80)         |
|            |                       |   |
|            | 30196                 | Screw, 5/16-18 x 3/4"                                     |
|            | 29918                 | Lockwasher  |
|            | 650548                | Screw, 8-32 x 5/16"                                       |
| 51         | 30319                 | Rivet, Split (Used on early productio n)                  |
| 52         | 32326A                | Lever, Governor (New lever does not need 1 of Ref         |
|            |                       | #49,51,53,54,132,133)                                     |
| <b>E</b> 2 | 30322                 | Look Nut. 9.22 (Lloo on required)                         |
|            |                       | Lock Nut, 8-32 (Use as required)                          |
|            | 29916                 | Clamp, Governor lever (Use as require d)                  |
|            | 30205                 | Bracket, Adjusting  |
|            | 31710                 | Link, Throttle  |
|            | 29216                 | Locknut, 10-32  |
| 59         | 29752                 | Nut & Lockwasher, 1/4-28                                  |
| 60         | 650572                | Screw, 1/4-28 x 1-1/8"                                    |
| 61         | 29826                 | Screw, 10-32 x 3/4"                                       |
|            | 29642                 | Ring, Retaining   |
|            | 30699C                | Rod Assy., Governor (Incl. 64 & 65)                       |
|            | 30699B                | Rod Assy., Governor (This one piece gov. rod is no longer |
| 00         | 000002                | used. It is replaced by 30699C assy., Ref.#63A)           |
|            |                       | ,   |
|            | 30700                 | Yoke, Governor  |
|            | 650494                | Screw, 6-40 x 5/16"                                       |
| 66A        | 31297                 | Dipstick (Incl. 68)                                       |
| 68         | 29673                 | * Gasket, Dipstick  |
| 69         | 29747B                | Screw, 5/16-24 x 21/32"                                   |
| 70         | 32158E                | Blower Hsg. (For elec.starter)(Incl.1 89,190)             |
|            | 33876                 | Gasket, Stator  |
|            | 29536                 | Baffle, Blower housing                                    |
|            | 650561                | Screw, 1/4-20 x 5/8"                                      |
|            | 31688A                | * Gasket, Carburetor                                      |
|            | 30196                 | Screw, 5/16-18 x 3/4" (Use as require d)                  |
|            |                       |   |
|            | 28820                 | Screw, 10-32 x 1/2" (Use as required)                     |
|            | 650521                | Screw, 10-32 x 1-1/8" (Use as require d)                  |
|            | 650152                | Screw, 8-32 x 3/8"  |
|            | 27272A                | * Gasket, Air cleaner                                     |
|            | 31691                 | Bracket, Air cleaner                                      |
|            | 30727                 | Element, Air cleaner                                      |
| 85         | 31715                 | Body, Air cleaner   |
| 89         | 730127                | Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)  |
|            |                       | (Use as required)   |
| QR         | 28569                 | Compression Spring (Used with 29500 screw)(Use as         |
| 30         | 20000                 | required)   |
|            |                       |   |
| 98         | 32924                 | Compression Spring (Used with 650688 screw) (Use as       |
|            |                       | required)   |
| 98         | 31342                 | Compression Spring (Used with 650549 screw) (Use as       |
| 00         | 0.0.2                 | required)   |
|            |                       |   |
|            | 650688                | Screw, 10-32 x 1 (Use as required)                        |
|            | 650549                | Screw, 5-40 x 7/16" (Use as required)                     |
| 99         | 29500                 | Screw, 8-32 x 3/4" (Use as required)                      |
| 102        | 30884                 | Key, Flywheel   |
| 103        | 31843A                | Bracket, Governor gear                                    |
|            | 650836                | Screw, 10-24 x 1/2"                                       |
|            | 31845                 | Shaft, Mechanical governor                                |
|            | 30590A                | Washer, Flat  |
|            | 30591                 | Gear Assy., Governor (Incl. 106)                          |
|            |                       | ·   |
| 108        | 30588A                | Spool, Governor   |

|      |         | Description   |
|------|---------|---|
|      | 29193   | Ring, Retaining   |
| 113A | 650665  | Screw, 1/4-15 x 3/4"  |
| 113  | 650561  | Screw, 1/4-20 x 5/8"  |
| 114  | 35584   | Fuel Tank (Incl. 115 & 120)                                   |
| 115  | 410144B | Fuel Cap (White Plastic)(Standard)(As req.)                   |
|      | 33032   | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use    |
|      |         | as required)  |
|      |         | • •   |
| 115  | 34210   | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use   |
|      |         | as required)  |
| 110  | 20774   | Fuel Line (Preided 9.25") (Line on required)                  |
|      | 29774   | Fuel Line (Braided 8.25") (Use as required)                   |
|      | 30705   | Fuel Line (Braided 16") (Use as requi red)                    |
|      | 30962   | Fuel Line (Braided 32") (Use as requi red)                    |
|      | 26460   | Clamp, Fuel line (Use as required)                            |
|      | 32401   | Muffler   |
|      | 34174   | Deflector, Exhaust  |
|      | 650665  | Screw, 1/4-15 x 7/8"  |
| 125  | 27930A  | * Gasket, Exhaust   |
| 126  | 30196   | Screw, 5/16-18 x 3/4"   |
| 127  | 26073   | Washer, Flat  |
| 128  | 650694A | Screw, 5/16-18 x 2"   |
|      | 650548  | Screw, 8-32 x 5/16" (Early production )                       |
|      | 650139  | Screw, 8-32 x 1/2" (Early production)                         |
|      | 650542  | Screw, 5/16-18 x 3/4"   |
|      | 29538   | Base, Engine mounting   |
|      | 650128  | Screw, 10-24 x 1/2"   |
|      | 30622A  | Extension, Blower housing                                     |
|      | 30747   | •   |
|      |         | Clip, Shorting  |
|      | 650890  | Lockwasher  |
|      | 27275   | Clip, Wire (Use as required)                                  |
|      | 29443   | Clip, Fuel line (Use as required)                             |
|      | 31386   | Spring, Extension   |
|      | 31711B  | Control Bracket (Incl. 98, 99 & 226)                          |
|      | 610973  | Terminal Assy.  |
|      | 28942   | Screw, 10-32 x 3/8"   |
| 230  | 27793   | Clip, Conduit   |
| 262  | 29716   | Screw, 1/4-28 x 7/16"   |
| 264  | 32125   | Cup, Starter  |
| 265  | 590417  | Screen, Starter cup   |
| 266  | 650815  | Washer, Belleville  |
| 267  | 8116    | Nut, Hex  |
| 298A | 550223  | Decal, Name   |
|      | 33310   | Decal, 5 HP Mini-Bike (Use as require d)                      |
|      | 31517   | Decal, H.P. (5 H.P.) (Use as required )                       |
|      | 32173   | Decal, H.P. (6 H.P.) (Use as required)                        |
|      | 34346   | Decal, Instruction  |
|      | 30547A  | Contact Assy., Breaker  |
|      | 30548B  | Condenser   |
|      |         |   |
|      | 631021  | Inlet Needle, Seat & Clip Assy.                               |
| 303  | 631828  | Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,  |
|      |         | page 144 for breakdown)                                       |
| 304  | 610689A | Magneto NOTE: The complete magneto is not available as        |
|      |         | an assembly. The magneto number is shown for reference        |
|      |         | purposes only. Order component parts individually, as         |
|      |         | shown in parts list. (Refer to Division 5, Section B, page 24 |
|      |         | for breakdown)  |
|      |         | io. Disalidottij  |

| Ref # Part Number | Qty Description  |
|-------------------|--|
| 306 590420        | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 310 33235A        | * Gasket Set (Incl. items marked *)                                    |



| Ref # | Part Number | Qty | Description   |
|-------|-------------|-----|---|
| 35    | 26073       |     | Washer, Flat (Use as required)                              |
| 35    | 650570      |     | Washer, Flat (Use as required)                              |
| 35    | 650691      |     | Washer, Flat (Use as required)                              |
| 36    | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)                  |
| 36    | 650695A     |     | Screw, 5/16-18 x 2-1/4" (Use as requi red)                  |
| 36    | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)                       |
| 38    | 27896A      |     | * Gasket, Breather cover                                    |
| 81    | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)                    |
| 81    | 28820       |     | Screw, 10-32 x 1/2" (Use as required)                       |
| 81    | 650521      |     | Screw, 10-32 x 1-1/8" (Use as require d)                    |
| 82    | 27272A      |     | * Gasket, Air cleaner                                       |
| 86A   | 34697       |     | Air Cleaner Elbow Assy.(Use in 730561 only.)                |
| 89A   | 730128      |     | Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &      |
|       |             |     | 298B) (Use as req.)   |
| 111   | 33167       |     | Bracket, Lower fuel tank                                    |
|       | 33166A      |     | Bracket, Upper fuel tank                                    |
|       | 650665      |     | Screw, 1/4-15 x 3/4"  |
|       | 391026      |     | Muffler (Incl. 124, 124A & 124B) (This spark arrester       |
| IZIL  | 391020      |     | mufflercan be used on any model)                            |
|       |             |     | • ,   |
|       | 33171       |     | Muffler Screen (Use as required)                            |
|       | 33185       |     | Cover & Tube, Muffler (Use as require d)                    |
|       | 650578      |     | Screw, 8-18 x 3/8"  |
|       | 27930A      |     | * Gasket, Exhaust   |
|       | 31288       |     | Muf.Adapter Kit(Incl.125,136,137)(As req.)                  |
|       | 730130      |     | Muf.Adapter Kit(Incl.125 & 138)(As re quired)               |
|       | 6021A       |     | Screw, 5/16-18 x 1-1/2" (Use as requi red)                  |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)                  |
|       | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)                    |
| 233   | 34819       |     | Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in        |
|       |             |     | 730561 ass'y. only)   |
| 234   | 730561      |     | Air Cleaner Kit   |
| 201   | 700001      |     | (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29 |
|       |             |     | (Use only on engines with an externally ventedfully         |
|       |             |     | adjustable carburetor.)                                     |
|       |             |     | ,   |
| 273   | 650687      |     | Screw, 10-32 x 5/16" (Use as required )                     |
|       |             |     |   |



| Ref # | Part Number | Qty | Description  |
|-------|-------------|-----|--|
|       | 650128      |     | Screw, 10-24 x 1/2" (Use as required)  |
| 37    | 650597      |     | Screw, 10-24 x 5/8" (Use as required)  |
| 37A   | 27261       |     | Washer, Flat (Use as required)   |
| 41    | 28425       |     | Cover, Valve spring  |
| 43A   | 35350       |     | Tube, Breather   |
|       | 31710       |     | Link, Throttle   |
|       | 29747B      |     | Screw, 5/16-24 x 21/32"  |
|       | 28569       |     | Compression Spring (Used with 29500 screw)(Use as  |
|       |             |     | required)  |
| 98    | 32924       |     | Compression Spring (Used with 650688 screw) (Use as  |
|       |             |     | required)  |
| 98    | 31342       |     | Compression Spring (Used with 650549 screw) (Use as  |
|       |             |     | required)  |
| 99    | 650688      |     | Screw, 10-32 x 1 (Use as required)   |
| 99    | 650549      |     | Screw, 5-40 x 7/16" (Use as required)  |
|       | 29500       |     | Screw, 8-32 x 3/4" (Use as required)   |
| 182   | 32683A      |     | Gasket, Fuel pump cover (Use as requi red)   |
| 183   | 32955       |     | Cover, Fuel pump pad (Use as required )  |
| 184   | 9556        |     | Plug, Pipe 1/8-27 (Use as required)  |
| 185   | 30063       |     | Screw, 1/4-20 x 1/2" (Use as required )  |
| 225   | 730152      |     | Control Bracket(Incl.91 thru 97)(As r eq.)   |
| 226   | 610973      |     | Terminal Assy.   |
| 227   | 33177       |     | Terminal (Use as required)   |
| 229   | 28942       |     | Screw, 10-32 x 3/8"  |
| 230   | 27793       |     | Clip, Conduit  |
| 262   | 29716       |     | Screw, 1/4-28 x 7/16"  |
| 266   | 650815      |     | Washer, Belleville   |
| 267   | 8116        |     | Nut, Hex   |
| 305   | 33018       |     | Harness Assy., Adapter (Use as requir ed)  |
| 306   | 590420      |     | Rewind Starter (Refer to Division 5, Section C, page 25 for  |
|       |             |     | breakdown)   |
| 308   | 33328D      |     | Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter |
|       |             |     | mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,   |
| 309   | 30811A      |     | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)   |