



Ref #	Part Number Qt	/ Description
1	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652	Pin, Dowel
3	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
		, , , ,
	27878A	Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
11	31860	Crankshaft (Incl. 12 & 13)
12	29783	Pin, Crankshaft gear Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532	Piston, Pin & Ring Set (.010" OS)
14	34533	Piston, Pin & Ring Set (.020" OS)
14A	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854	Ring Set (Std.) (2-5/8" Bore)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	31380C	Rod Assy., Connecting (Incl. 18)
	650662C	Screw, Connecting rod (Late productio n)
	30682	Bolt, Connecting rod (Early productio n)
19	26073	Connecting rod bolt washer (Early pro duction)
20	28264	Connecting rod nut (Used on early pro duction)
21	33156	Camshaft
22	34034	Lifter, Valve
	31451A	Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
	28460	Seal, Oil
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-1/4 Screw, 1/4-20 x 1-3/4"
	650489	Screw, 1/4-20 x 1-3/4 Screw, 1/4-20 x 5/8"
		•
	30939A	Cover, Cylinder head
	28938C	* Gasket, Cylinder head
	31882	Head, Cylinder
	31889	Plug, Spark (Champion D-21 or equival ent)
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
35	650691	Washer, Flat (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27896A	* Gasket, Breather cover
	28423	·
		Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	27915A	* Gasket, Intake
46	30195A	Flange, Carburetor (Incl. 79 & 80)

Ref #	Part Number Qty	Description
	30196	Screw, 5/16-18 x 3/4"
	29918	Lockwasher
	650548	Screw, 8-32 x 5/16"
	30319	·
		Rivet, Split (Used on early production)
52	32326A	Lever, Governor (New lever does not need 1 of Ref
		#49,51,53,54,132,133)
53	30322	Lock Nut, 8-32 (Use as required)
	29916	Clamp, Governor lever (Use as require d)
	30205	Bracket, Adjusting
	31710	Link, Throttle
	29216	Locknut, 10-32
	29752	Nut & Lockwasher, 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Rod Assy., Governor (This one piece gov. rod is no longer
		used. It is replaced by 30699C assy., Ref.#63A)
24	00700	
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	31297	Dipstick (Incl. 68)
68	29673	* Gasket, Dipstick
69	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
73	29536	Baffle, Blower housing
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	650152	Screw, 8-32 x 3/8"
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner
	31715	Body, Air cleaner
89	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
		(Use as required)
98	28569	Compression Spring (Used with 29500 screw)(Use as
30	20000	required)
		. ,
98	32924	Compression Spring (Used with 650688 screw) (Use as
		required)
00	24242	Compression Spring (Lload with 650540 corow) (Lloads
90	31342	Compression Spring (Used with 650549 screw) (Use as
		required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
99	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	30884	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2" Shoft Machanical governor
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 106)
	30588A	Spool, Governor
	29193	Ring, Retaining
113	30063	Screw, 1/4-20 x 1/2"
115	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
		* * * * * * * * * * * * * * * * * * * *

	Part Number	Qty	Description
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
115	31888		Fuel Cap
	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as required)
119	30962		Fuel Line (Braided 32") (Use as required)
120	26460		Clamp, Fuel line (Use as required)
125	27930A		* Gasket, Exhaust
132	650548		Screw, 8-32 x 5/16" (Early production)
132	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	30747		Clip, Shorting
	650890		Lockwasher
	27275		Clip, Wire (Use as required)
	29443 27276		Clip, Fuel line (Use as required)
	31386		Cover, Spark Plug Spring, Extension
	31726B		Control Bracket (Incl. 98, 99, 226 & 284A)
	610973		Terminal Assy.
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	31793		Bearing, Ball
	31792		Washer, Thrust
246	31855		Retainer, Bearing
247	650778		Washer, Lock
248	650580		Nut, Lock
	650815		Washer, Belleville
	8116		Nut, Hex
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	34346 30547A		Decal, Instruction Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
	631950		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
000	001000		page 144 for breakdown)
304	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



35 35 36 36 36 38 81 81 81 82 84A 86A	Part Number 26073 650570 650691 650697A 650695A 650694A 27896A 30196 28820 650521 27272A 31700 34697 730128	Qty	Description Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as required) * Gasket, Air cleaner Element, Air cleaner Air Cleaner Elbow Assy. (Use in 730561 only.) Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 & 298B) (Use as req.)
114A 117D 117B 117A 121A	34823 33050 31887 33053 29683 29633 391026		Bracket, Lower fuel tank Fuel Tank (Incl. 115) Fitting, Fuel line Valve, Fuel strainer & shut-off Valve, Fuel strainer & shut-off Muffler Muffler (Incl. 124, 124A & 124B) (This spark arrester mufflercan be used on any model)
124B 124 125 129 130 131 134 135 136 137 138 199 200 201A 204 205	33171 33185 650578 27930A 32862 30244 30209 31288 730130 6021A 650697A 30196 29212 650570 31979 650451 650456 34819		Muffler Screen (Use as required) Cover & Tube, Muffler (Use as require d) Screw, 8-18 x 3/8" * Gasket, Exhaust Nut, Conduit (1/4" thick) Nipple, Pipe (2.5") Elbow, Exhaust (45 degree) Muf.Adapter Kit(Incl.125,136,137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 1/4-28 x 7/16" Washer, Flat Strap, Fuel tank Screw, 1/4-20 x 1" Nut, 1/4-20 Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only)
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29 (Use only on engines with an externally ventedfully adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)



Ref #	Part Number C	ty Description
37	650128	Screw, 10-24 x 1/2" (Use as required)
37	650597	Screw, 10-24 x 5/8" (Use as required)
37A	27261	Washer, Flat (Use as required)
41	28425	Cover, Valve spring
43A	35350	Tube, Breather
56	31710	Link, Throttle
69	29747B	Screw, 5/16-24 x 21/32"
98	28569	Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	32683A	Gasket, Fuel pump cover (Use as requi red)
	32955	Cover, Fuel pump pad (Use as required)
184	9556	Plug, Pipe 1/8-27 (Use as required)
185	30063	Screw, 1/4-20 x 1/2" (Use as required)
225	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973	Terminal Assy.
227	33177	Terminal (Use as required)
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	28301	Pulley, Rope starter
	590343	Rope Assy., Starter
	650815	Washer, Belleville
	8116	Nut, Hex
	33018	Harness Assy., Adapter (Use as requir ed)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
		starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)