
H60-75428M Engine Parts List



|    |                  | ty Description   |
|----|------------------|--|
|    | 33311B           | Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore)   |
| 2  | 27652            | Pin, Dowel   |
| 3  | 27642            | Pipe plug, 1/4-18  |
| 4  | 27876B           | Seal, Oil  |
| 5  | 29536            | Blower Housing Baffle (Without electric starter knock out)   |
|    |                  | (Use as required)  |
| 5  | 35256A           | Blower Housing Baffle (With electric starter knockout) (As   |
|    |                  | req.)(point ign.)  |
|    | 650561           | Screw, 1/4-20 x 5/8"   |
|    | 29538            | Base, Engine mounting  |
|    | 650542           | Screw, 5/16-18 x 3/4"  |
|    | 30799            | Crankshaft   |
|    | 29783            | Pin, Crankshaft gear (Used on early p rod.)  |
| 11 | 27884            | Gear, Crankshaft (Used on early produ ction) This gear is<br>serviceable ONLY when it is pinned to the crankshaft. |
| 13 | 34531            | Piston, Pin & Ring Set (Std.) (2-5/8" Bore)  |
|    | 34532            | Piston, Pin & Ring Set (.010" OS)  |
| 13 | 34533            | Piston, Pin & Ring Set (.020" OS)  |
|    | 33312B           | Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)   |
|    | 33313B           | Piston & Pin Ass'y. (.010" OS) (Incl. 14)  |
|    | 33314B           | Piston & Pin Ass'y. (.020" OS) (Incl. 14)  |
|    | 27888            | Ring, Piston pin retaining   |
|    | 34854            | Ring Set (Std.) (2-5/8" Bore)  |
|    | 34855            | Ring Set (.010" OS)  |
|    | 34856            | Ring Set (.020" OS)  |
|    | 31380C           | Rod Assy., Connecting (Incl. 17)   |
|    | 650662C          | Bolt, Connecting rod (Incl. 2 pieces)  |
|    | 34034            | Lifter, Valve  |
|    | 33156            | Camshaft   |
|    | 30622A           | Extension, Blower housing  |
|    | 650128           | Screw, 10-24 x 1/2"  |
|    | 650561           | Screw, 1/4-20 x 5/8" (Use as required )  |
|    | 30063            | Screw, $1/4-20 \times 1/2$ " (Use as required )  |
|    | 30684            | Gasket Cylinder Cover  |
|    | 31303B           | Cover, Cylinder (Incl. 26 & 34)  |
|    | 31546            | Bushing, Crankshaft  |
|    | 28427            | •  |
|    | 650488           | Seal, Oil<br>Screw 1/4-20 x 1-1/4"   |
|    |                  | Screw, 1/4-20 x 1-1/4"<br>Scrow, 1/4-20 x 1-3/4"   |
|    | 650493<br>30699C | Screw, 1/4-20 x 1-3/4"<br>Rod Assy., Governor (Incl. 30 & 31)  |
|    | 30700            |  |
|    | 650494           | Yoke, Governor<br>Screw, 6-40 x 5/16"  |
|    |                  |  |
|    | 29642<br>31845   | Ring, Retaining  |
|    |                  | Shaft, Mechanical governor   |
|    | 30588A           | Spool, Governor  |
|    | 35479            | Washer, Flat   |
|    | 29193            | Ring, Retaining  |
|    | 30591            | Gear Assy., Governor   |
|    | 31843A           | Bracket, Governor gear   |
|    | 650836           | Screw, 10-24 x 1/2"  |
|    | 32783            | Intake Valve (Std.)  |
|    | 32784            | Intake Valve (1/32" OS)  |
|    | 27878A           | Exhaust Valve (Std.)   |
|    | 27880A           | Exhaust Valve (1/32" OS)   |
|    | 27882            | Cap, Upper valve spring  |
| 44 | 27881            | Spring, valve  |
|    |                  | -  |

|     |         | Description   |
|-----|---------|---|
| 45  | 32581   | Cap, Lower valve spring   |
| 46  | 33876   | Gasket, Stator  |
| 47  | 650489  | Screw, 1/4-20 x 5/8"  |
| 48  | 34240   | Ground Wire   |
| 49  | 30884   | Key, Flywheel   |
|     | 30968   | Nipple, Oil drain 1/4" x 2-1/2"                                 |
|     | 30969   | Cap, Oil drain  |
|     | 28938C  | Gasket, Cylinder head   |
|     | 30938A  | Head, Cylinder  |
|     | 33636   | Resistor Spark Plug (RJ-8C)                                     |
|     | 610118  | Cover, Spark plug (Use as required)                             |
|     | 30939A  |   |
|     |         | Cover Assy., Cylinder head                                      |
|     | 650691  | Washer, Flat (Use as required)                                  |
|     | 650690  | Washer, Belleville (Use as required)                            |
|     | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required)                       |
|     | 650694A | Screw, 5/16-18 x 2" (Use as required)                           |
|     | 650695A | Screw, 5/16-18 x 2-1/4" (Use as required)                       |
|     | 30322   | Locknut, 8-32   |
|     | 29916   | Clamp, Governor lever (Use as require d)                        |
|     | 32326A  | Lever, Governor   |
| 59  | 29918   | Washer, Lock, No. 8 E.T.  |
| 60  | 30205   | Bracket, Governor adjusting                                     |
| 61  | 650548  | Screw, 8-32 x 5/16"   |
| 62  | 29216   | Locknut, 10-32  |
| 63  | 29826   | Screw, 10-32 x 3/4"   |
|     | 31386   | Spring, Extension   |
|     | 30824   | Link, Throttle  |
|     | 33108A  | Control Assy., Remote Speed (Incl. 64 & 72)                     |
|     | 27793   | Clip, Conduit   |
|     | 28942   | Screw, 10-32 x 3/8"   |
|     | 610973  | Terminal Assy. (Use as required)                                |
|     | 27896A  | Gasket, Valve chamber cover                                     |
|     | 28423   | Breather Assy., Valve   |
|     | 28424   | Element, Breather   |
|     | 28425   | Cover, Valve spring box   |
|     | 650128  | Screw, 10-24 x 1/2"   |
|     |         |   |
|     | 35350   | Tube Breather   |
|     | 29752   | Nut & Lockwasher, 1/4-28  |
|     | 27915A  | * Gasket, Intake pipe to cylinder                               |
|     | 30195A  | Flange, Carburetor (Incl. 81 & 86)                              |
|     | 30196   | Screw, 5/16-18 x 3/4"   |
|     | 31688A  | * Gasket, Carburetor  |
|     | 650572  | Screw, 1/4-28 x 1-1/8"  |
|     | 27272A  | * Air Cleaner Gasket (Use as required)                          |
|     | 30767   | Spacer, Cleaner (Use as required)                               |
| 94A | 34819   | Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in      |
|     |         | 730561 assembly only)   |
| 404 | 2/159   | Product Fuel tonk   |
|     | 34158   | Bracket, Fuel tank  |
|     | 650665  | Screw, 1/4-14 x 7/8"  |
|     | 34159   | Plate, Fuel tank mounting                                       |
| 104 | 34156A  | Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built        |
|     |         | with different size fuel inlet openings. Tanks with the 1-3/16" |
|     |         | I.D. opening use fuel cap 33032 or 34210. Tanks with the        |
|     |         | 1-1/2" I.D. opening use fuel cap 35355.                         |
|     | 404.440 |   |
| 105 | 410144B | Fuel Cap (White Plastic)(Std.)(As req uired)                    |

|       | Part Number Qt |  |
|-------|----------------|--|
| 105   | 33032          | Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as                          |
|       |                | required)  |
| 105   | 34210          | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as                         |
| 100   | 01210          | required)  |
|       |                |  |
|       | 35355          | Fuel Cap (Red plastic) (Use as requir ed)  |
| 106   | 29774          | Fuel Line (Braided, 8 1/4") (Use as r equired)   |
| 106   | 30962          | Fuel Line (Braided, 32") (Use as requ ired)  |
| 107   | 26460          | Clamp, Fuel line (Use as required)   |
| 108   | 32158E         | Blower Housing (For electric starter)  |
| 109   | 29747B         | Screw, 5/16-24 x 21/32"  |
| 110   | 27930A         | * Gasket, Exhaust flange   |
| 111   | 32401          | Muffler  |
| 111E  | 34390          | Deflector, Exhaust (Optional)  |
| 111C  | 391026         | Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)   |
| 111D  | 33714          | Opt.Spark Arrest Muf. (Incl.112,143,14 4,144A)   |
| 112   | 30196          | Screw, 5/16-18 x 3/4"  |
|       | 26073          | Washer, Flat   |
|       | 650694A        | Screw, 5/16 - 18 x 2"  |
|       | 32125          | Cup, Starter   |
|       | 590417         | Screen, Starter cup  |
|       | 650815         | Washer, Belleville   |
|       | 8116           | Nut, Hex   |
|       | 29716          | Screw, 1/4-28 x 7/16"  |
|       | 33185          | Cover & tube, Muffler (Use as require d)   |
|       | 650578         | Screw, 8-18 x 3/8" (Use as required)   |
|       | 33171          | Screen, Muffler (Use as required)  |
|       | 33323          | Screen, Muffler (Use as required)  |
|       | 33700          | Cover & Tube, Muffler (Use as require d)   |
|       | 31297          | Dipstick (Incl. 146A)  |
|       | 29673          | * Gasket, Oil fill   |
|       | 570629A        | Primer Assy.   |
|       | 32180C         | Line, Primer   |
|       | 34132          | Plate, Choke indicator   |
|       | 34217          | Cover, Carburetor  |
|       | 31291          | Plug, Cover  |
|       | 650764         | Nut, "U" Clip  |
|       | 650760         | Screw, 8-32 x 3/8"   |
|       | 34126          | Bracket, Grommet mounting  |
|       | 650257         | Screw, 8-32 x 5/16"  |
|       | 650765         | Screw, 10-32 x 1/2"  |
|       | 28820          | Screw, 10-32 x 1/2"  |
|       | 32398          | Bracket, Choke   |
|       | 650760         | Screw, 8-32 x 3/8"   |
|       | 28545          | Grommet, Plastic   |
|       | 34127          | Guard, Starter   |
|       | 32576          | Seal, Snow Guard   |
|       | 33013          | Cover, Starter bubble  |
|       | 650736         | Screw, 10-16 x 3/8"  |
|       | 32961          | Valve, Fuel shut off   |
|       | 730164         | Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &                            |
| 201   |                | All Cleaner Ass y. (Neu Poly)( $(100.07, 120, 121, 122, 123, 124, 0)$<br>230)(As req.) |
| 201   | 730164         | Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)<br>(Use as required)        |
|       | 730130         | Muffler Adapter Kit (Incl.110,112)(As req.)  |
| ·//1Δ |                |  |

| 201B 730561<br>230B 34144 | Air Cleaner Kit<br>(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C<br>(Used only on engine with an externally vented fully  |
|---------------------------|--|
| 230B 34144                | adjustable carburetor)   |
|                           | Decal, Primer  |
| 230F 34414                | Decal, Warning   |
| 230 34346                 | Decal, Instruction   |
| 230 34416                 | Decal, Instruction   |
| 230 550223                | Decal, Name  |
| 231 30547A                | Breaker Assy (Used on Std. Point igni tion)  |
| 231A 30548B               | Condenser  |
| 232A 631021               | Inlet, Needle Seat & Clip Assy.  |
| 240 611077                | Alternator (Optional)  |
| 241 650868                | Screw, 8-18 x 1-1/8" (3 required)(Opt .)   |
| 242 611078                | Connector, A.C. Lighting (Optional)  |
| 242 611079                | Connector, D.C. Charging (Optional)  |
| 243 590610                | Tube, Centering (Optional)   |
| 244 590613                | Alternator Shaft (Optional)  |
| 250 631927                | Carburetor (Incl. 85) (Refer to Division 5, Section A, Page  |
|                           | 140 for breakdown)   |
| 251 610964A               | Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)                                       |
| 252 590473                | Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)   |
| 254 33328D                | Starter Motor Kit (110-120 volt) This 110-120 volt starter<br>motor kit may have been added to this engine. It can be<br>added only if cylinder hasdrilled and tapped starter mounting<br>bosses and a ring gear flywheel (see#255). Refer to service<br>number stamped on end cap of motor or on decal for<br>identificat |
| 255 30811A                | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)  |
| 255 611042                | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)  |
| 255 611085                | Flywheel (Minimum ring gear flywheel required on engines<br>using 110-120 volt starter motor kits listed above) (Used on<br>solid state external ignition)   |
| 256 33235A                | Gasket Set (Incl. items marked*)   |