



	<b>.</b>	Description
	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	31856A	Crankshaft (Incl. 12 & 13)
	29783	Pin, Crankshaft gear Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
14	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532	Piston, Pin & Ring Set (.010" OS)
14	34533	Piston, Pin & Ring Set (.020" OS)
14A	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
14A	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854	Ring Set (Std.) (2-5/8" Bore)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	31380C	Rod Assy., Connecting (Incl. 18)
	650662C	Screw, Connecting rod (Late production)
	30682	
		Bolt, Connecting rod (Early production)
	26073	Connecting rod bolt washer (Early pro duction)
	28264	Connecting rod nut (Used on early pro duction)
	33156	Camshaft
	34034 24202B	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 27 & 105)
	28427	Seal, Oil
	30684	* Gasket, Cylinder cover
	31546	Bushing, Crankshaft
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	650489	Screw, 1/4-20 x 5/8"
	30939A	Cover, Cylinder head
32	28938C	* Gasket, Cylinder head
33	30938A	Head, Cylinder (Incl. 3 of 36)
34	33636	Resistor Spark Plug
35	26073	Washer, Flat (Use as required)
35	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 1/2 (Use as required) Screw, 10-24 x 5/8" (Use as required)
	27896A	• • •
		* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
45	27915A	* Gasket, Intake

Ref #	Part Number	Otv	Description
	30195A	Qty	Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
			11 10,0 1,00,0 1,100,
53	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	31710		Link, Throttle
	29216		
			Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
00	000002		used. It is replaced by 30699C assy., Ref.#63A)
			used. It is replaced by 30099C assy., Rei.#03A)
64	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	31297		Dipstick (Incl. 68)
	29673		* Gasket, Dipstick
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
81A	650152		Screw, 8-32 x 3/8"
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as required)
	27272A		* Gasket, Air cleaner
	31691		Bracket, Air cleaner
	30727		Element, Air cleaner
85	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
	00500		,
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
QR	32924		Compression Spring (Used with 650688 screw) (Use as
90	32324		
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
	29193		Ring, Retaining
109	20100		i sirig, i totali ili ig

	Part Number	Qty	Description
	30063		Screw, 1/4-20 x 1/2"
113A	650665		Screw, 1/4-15 x 3/4"
114	34156A		Fuel Tank (Incl. 115 & 120)
115	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
			as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	0.210		as required)
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
	30705		Fuel Line (Braided 16") (Use as requi red)
	30962		Fuel Line (Braided 32") (Use as requi red)
	26460		Clamp, Fuel line (Use as required)
	27930A		* Gasket, Exhaust
	650548		•
			Screw, 8-32 x 5/16" (Early production)
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
149A	30747		Clip, Shorting
150	650890		Lockwasher
186	27275		Clip, Wire (Use as required)
186	29443		Clip, Fuel line (Use as required)
224	31386		Spring, Extension
	31711B		Control Bracket (Incl. 98, 99 & 226)
	610973		Terminal Assy.
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	32125		·
	590417		Cup, Starter
			Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	34346		Decal, Instruction
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required )
298A	32173		Decal, H.P. (6 H.P.) (Use as required )
298B	31752		Decal, Air cleaner
299	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
	631828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 144 for breakdown)
304	610694A		Magneto (w/ring gear for 120 volt sta rter) NOTE: The
			complete magneto is not available as an assembly. The
			magneto number is shown for reference purposes only.
			Order component parts individually, as shown in parts list.
			(Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
310	33235A		* Gasket Set (Incl. items marked *)
310			



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 & 298B) (Use as req.)
1121	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
IZIL	331020		mufflercan be used on any model)
124Δ	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	32862		Nut, Conduit (1/4" thick)
	30209		Elbow, Exhaust (45 degree)
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29 (Use only on engines with an externally ventedfully adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required )



	Part Number	Qty	Description
	27261		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
43A	35350		Tube, Breather
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
00	22024		Compression Chring / load with CEOCOO corous / / load co
96	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
22	050540		
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required )
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	650736		Screw, 10-16 x 3/8"
189	650760		Screw, 8-32 x 3/8"
190	33013		Cover, Starter bubble
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
200	200000		,
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
			starter motor kit may have been added to this engine. This
			can be added only if cylinder has drilled and tapped starter
			mounting bosses and a ring gear flywheel has been added
			(see #309). Refer to service number stamped on end cap of
			motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using
300			110-120 volt starter motor kits listed above.)
			110 120 York didition frieddi fallo ffolod dboyo.)