



Ref #	Part Number	Otv	Description
	33311B	Qıy	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		·
			Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
8	27881		Spring, Valve
	32581		Cap, Lower valve spring
	31856A		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
12	20700		serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		
			Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	30682		Bolt, Connecting rod (Early productio n)
	650662C		Screw, Connecting rod (Late productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
20	28264		Connecting rod nut (Used on early pro duction)
21	33156		Camshaft
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
	31546		Bushing, Crankshaft
	650488		
			Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
35	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
41	28425		Cover, Valve spring
45	27915A		* Gasket, Intake

Dof #	Part Number C	tı. Doc	cariation
	34712		scription nge, Carburetor (Incl. 60)
	30196		rge, Carburetor (incl. 60) rew, 5/16-18 x 3/4"
	29918		ew, 5/10-10 X 5/4 kwasher
	650548		ew, 8-32 x 5/16"
			•
	30319		et, Split (Used on early productio n)
	33454		ver Assy., Governor
	30322		ck Nut, 8-32 (Use as required)
	29916		mp, Governor lever (Use as require d)
	34662		k, Throttle
	29216		cknut, 10-32
	650517		rew, 1/4-20 x 13/16"
	29826		rew, 10-32 x 3/4"
	29642	-	g, Retaining
	30699C		d Assy., Governor (Incl. 64 & 65)
63	30699B		d Assy., Governor (This one piece gov. rod is no longer
		use	ed. It is replaced by 30699C assy., Ref.#63A)
64	30700	Yok	ke, Governor
65	650494		rew, 6-40 x 5/16"
	31297		stick (Incl. 68)
	29673		asket, Dipstick
	29747B		rew, 5/16-24 x 21/32"
	32158E		wer Hsg. (For elec.starter)(Incl.1 89,190)
	33876		sket, Stator
	29536		fle, Blower housing
	650561		rew, 1/4-20 x 5/8"
	31688A		asket, Carburetor
	650152		rew, 8-32 x 3/8"
	30196		rew, 5/16-18 x 3/4" (Use as require d)
	28820		rew, 10-32 x 1/2" (Use as required)
	650521		rew, 10-32 x 1-1/8" (Use as require d)
	27272A		asket, Air cleaner
	31691		acket, Air cleaner
	30727		ment, Air cleaner
	31715		dy, Air cleaner
	730127		Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
00	700127		se as required)
		`	,
98	28569		mpression Spring (Used with 29500 screw)(Use as
		requ	uired)
98	32924	Con	mpression Spring (Used with 650688 screw) (Use as
		requ	uired)
QR	31342	Con	mpression Spring (Used with 650549 screw) (Use as
30	31342		uired)
		•	
	650549		rew, 5-40 x 7/16" (Use as required)
	29500		rew, 8-32 x 3/4" (Use as required)
	650688		rew, 10-32 x 1 (Use as required)
	30884		y, Flywheel
	31843A		cket, Governor gear
	650836		rew, 10-24 x 1/2"
	31845		aft, Mechanical governor
	30590A		sher, Flat
	30591		ar Assy., Governor (Incl. 106)
	30588A		ool, Governor
	29193		g, Retaining
	650665		rew, 1/4-15 x 3/4"
113	30063	Scre	rew, 1/4-20 x 1/2"

	Part Number	Qty	Description
	34156A		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
			as required)
445	0.404.0		Fire Con (Ded Diestie) (Court Desistant High Drefile) (Hee
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required)
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
	30705		Fuel Line (Braided 16") (Use as required)
	30962		Fuel Line (Braided 32") (Use as requi red)
	26460		Clamp, Fuel line (Use as required)
	27930A		* Gasket, Exhaust
	650548		Screw, 8-32 x 5/16" (Early production)
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	30747		Clip, Shorting
	650890		Lockwasher
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
267	8116		Nut, Hex
298	34346		Decal, Instruction
298A	550223		Decal, Name
298A	33310		Decal, 5 HP Mini-Bike (Use as require d)
298A	31517		Decal, H.P. (5 H.P.) (Use as required)
298A	32173		Decal, H.P. (6 H.P.) (Use as required)
	30547A		Contact Assy., Breaker
300	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
	632178		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
	3323		page 176 for breakdown)
			,
304	610694A		Magneto (w/ring gear for 120 volt sta rter) NOTE: The
			complete magneto is not available as an assembly. The
			magneto number is shown for reference purposes only.
			Order component parts individually, as shown in parts list.
			(Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
300	JJUTAU		
			breakdown)
310	33235A		* Gasket Set (Incl. items marked *)
			,



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
111C	34167		Bracket, Lower fuel tank mtg.
	34168		Bracket, Upper fuel tank
	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
1244	33171		Muffler Caroon / los os required
	33185		Muffler Screen (Use as required)
	650578		Cover & Tube, Muffler (Use as require d) Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
200	0-1010		730561 ass'y. only)
			3,
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
2.0			,



		_	
	Part Number	Qty	Description Description
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27261		Washer, Flat (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	34662		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	650821		Screw, 10-32 x 1/2"
140	34663		Spring, Speed control
182	32683A		Gasket, Fuel pump cover (Use as required)
183	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
189	650760		Screw, 8-32 x 3/8"
190	33013		Cover, Starter bubble
225C	34664		Control Bracket (Incl. 98, 99, 140 & 226)
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)