


		Description
	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	31856A	Crankshaft (Incl. 12 & 13)
	29783	Pin, Crankshaft gear Used in early production. This gear is
_		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
14A	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532	Piston, Pin & Ring Set (.010" OS)
14	34533	Piston, Pin & Ring Set (.020" OS)
15	34854	Ring Set (Std.) (2-5/8" Bore)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	31380C	Rod Assy., Connecting (Incl. 18)
	30682	Bolt, Connecting rod (Early productio n)
	650662C	Screw, Connecting rod (Late production)
	26073	Connecting rod bolt washer (Early pro duction)
	28264	Connecting rod nut (Used on early pro duction)
	33985	Camshaft (Extended)
	34034	Lifter, Valve
	31720A	Cylinder Cover (Incl. 24, 24A, 27 & 1 05)
	28427	Seal, Oil
	28926	Seal, Oil
	30684	* Gasket, Cylinder cover
	31546	Bushing, Crankshaft
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	650489	Screw, 1/4-20 x 5/8"
	30939A	Cover, Cylinder head
	28938C	* Gasket, Cylinder head
	30938A	Head, Cylinder (Incl. 3 of 36)
34	33636	Resistor Spark Plug
35	26073	Washer, Flat (Use as required)
35	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
		•
	28424	Element, Breather
41	28425	Cover, Valve spring


	D (N)	<u> </u>	D : 6
		Qty	Description
	32447		Tube, Breather
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
50	00000		•
	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	31710		Link, Throttle
	29216		Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
60	650572		Screw, 1/4-28 x 1-1/8"
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
0.4	00700		,
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	31297		Dipstick (Incl. 68)
	29673		* Gasket, Dipstick
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876		Gasket, Stator
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
81A	650152		Screw, 8-32 x 3/8"
	27272A		* Gasket, Air cleaner
	31708		Bracket, Air cleaner
	31715		Body, Air cleaner
	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
00	100.21		(Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
30	02024		required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
00	650549		Screw 5-40 x 7/16" (Lies as required)
			Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)

Ref # Pa	art Number C	Qty	Description
108 305	588A		Spool, Governor
109 29			Ring, Retaining
111D 34			Bracket, Lower fuel tank
			·
112 34			Plate, Upper fuel tank mtg.
113 650	0561		Screw, 1/4-20 x 5/8"
113A 650	0665		Screw, 1/4-15 x 3/4"
114 34 ²	186A		Fuel Tank (Incl. 115 & 120)
115 410			Fuel Cap (White Plastic)(Standard)(As req.)
115 330	032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
			as required)
115 342	210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
113 342	210		
			as required)
119 297	774		Fuel Line (Braided 8.25") (Use as req uired)
119 307			Fuel Line (Braided 16") (Use as requi red)
119 309			Fuel Line (Braided 32") (Use as requi red)
120 264			Clamp, Fuel line (Use as required)
121 324	401		Muffler
125 279	930A		* Gasket, Exhaust
126 301			Screw, 5/16-18 x 3/4"
127 260			Washer, Flat
128 650			Screw, 5/16-18 x 2"
132 650			Screw, 8-32 x 5/16" (Early production)
132 650	0139		Screw, 8-32 x 1/2" (Early production)
144 650	0542		Screw, 5/16-18 x 3/4"
146 295	538		Base, Engine mounting
147 650			Screw, 10-24 x 1/2"
148 306			Extension, Blower housing
			· · · · · · · · · · · · · · · · · · ·
149A 307			Clip, Shorting
150 650			Lockwasher
186 272	275		Clip, Wire (Use as required)
186 294	443		Clip, Fuel line (Use as required)
224 313	386		Spring, Extension
225B 317	711B		Control Bracket (Incl. 98, 99 & 226)
226 610			Terminal Assy.
229 289			Screw, 10-32 x 3/8"
			•
230 277			Clip, Conduit
232 342			Ground Wire
262 297	716		Screw, 1/4-28 x 7/16"
264 32°	125		Cup, Starter
265 590			Screen, Starter cup
266 650			Washer, Belleville
267 81°			Nut, Hex
298A 550			Decal, Name
298A 333			Decal, 5 HP Mini-Bike (Use as require d)
298A 315	517		Decal, H.P. (5 H.P.) (Use as required)
298A 32°	173		Decal, H.P. (6 H.P.) (Use as required)
298 343			Decal, Instruction
299 305			Contact Assy., Breaker
300 305			Condenser
301 63			Inlet Needle, Seat & Clip Assy.
303 631	1828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 144 for breakdown)
			. •

Ref # Part Number	Qty Description
304 610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073	•	Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
43	32447		Tube, Breather
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
84A	31700		Element, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
	00.020		mufflercan be used on any model)
4044	00474		,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
272	650687		Screw, 10-32 x 5/16" (Use as required)
213	00001		Joseph To-02 x J/10 (Use as required)



Ref #	Part Number	Qtv	Description
	27261	٠.,	Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
44	32446		Grommet, Breather tube
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	32683A		Gasket, Fuel pump cover (Use as requi red)
	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
	33018		Harness Assy., Adapter (Use as required)
	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)