

Ref #	Part Number 33311B	Qty	Description Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore)
2	27652		Pin, Dowel
3	27642		Pipe plug, 1/4-18
4	27876B		Seal, Oil
	29536		Blower Housing Baffle (Without electric starter knock out)
J	25550		(Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
			req.)(point ign.)
	650561		Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
9	30799		Crankshaft
10	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This gear is
			serviceable ONLY when it is pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
13A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
13A	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
13A	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	31380C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		• • • • • • • • • • • • • • • • • • • •
	33156		Lifter, Valve Camshaft
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31303B		Cover, Cylinder (Incl. 26 & 34)
	31546		Bushing, Crankshaft
	28427		Seal, Oil
27	650488		Screw, 1/4-20 x 1-1/4"
28	650493		Screw, 1/4-20 x 1-3/4"
29	30699C		Rod Assy., Governor (Incl. 30 & 31)
30	30700		Yoke, Governor
31	650494		Screw, 6-40 x 5/16"
33	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
			·
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
44	27881		Spring, valve

Ref #	Part Number	Qty	Description
	32581		Cap, Lower valve spring
	33876		Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	34240		Ground Wire
	30884		Key, Flywheel
	34171		Nipple, Oil drain, 1/4" x 5-1/2"
	30969		Cap, Oil drain
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
53	34251		Resistor Spark Plug (RJ-17LM)
54	610118		Cover, Spark plug (Use as required)
55	30939A		Cover Assy., Cylinder head
56B	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	30322		Locknut, 8-32
	29916		•
			Clamp, Governor lever (Use as require d)
	32326A		Lever, Governor
	29918		Washer, Lock, No. 8 E.T.
	30205		Bracket, Governor adjusting
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
64	31386		Spring, Extension
65	30824		Link, Throttle
67	33108A		Control Assy., Remote Speed (Incl. 64 & 72)
70	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	29752		Nut & Lockwasher, 1/4-28
	27915A		* Gasket, Intake pipe to cylinder
	30195A		Flange, Carburetor (Incl. 81 & 86)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650572		Screw, 1/4-28 x 1-1/8"
87	27272A		* Air Cleaner Gasket (Use as required)
87	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
			730561 assembly only)
404	0.4450		• •,
	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
104	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
405	440444D		
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)

Ref # Part Number 105 33032	Qty Description Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as required)
105 34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
105 35355	Fuel Cap (Red plastic) (Use as requir ed)
106 29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
106 30962	Fuel Line (Braided, 32") (Use as required)
107 26460	Clamp, Fuel line (Use as required)
108 32158E	Blower Housing (For electric starter)
109 29747B	Screw, 5/16-24 x 21/32"
110 27930A	* Gasket, Exhaust flange
111 32401	Muffler
111D 33714	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111C 391026	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
111E 34390	Deflector, Exhaust (Optional)
112 30196	Screw, 5/16-18 x 3/4"
113 26073	Washer, Flat
114 650694A	Screw, 5/16 - 18 x 2"
115 32125	Cup, Starter
116 590417	Screen, Starter cup
117 650815	Washer, Belleville
118 8116	Nut, Hex
119 29716	Screw, 1/4-28 x 7/16"
137 35438	Knob, Speed control
143B 33185	Cover & tube, Muffler (Use as require d)
143A 33171	Screen, Muffler (Use as required)
143 650578	Screw, 8-18 x 3/8" (Use as required)
144A 33323	Screen, Muffler (Use as required)
144 33700	Cover & Tube, Muffler (Use as require d)
145 31297	Dipstick (Incl. 146A)
146A 29673	* Gasket, Oil fill
148A 570629A	Primer Assy.
149 32180C	Line, Primer
151 34581 453 34394	Cover, Carburetor
152 31291	Plug, Cover
153 650764 154 650760	Nut, "U" Clip
154 650760 155 34126	Screw, 8-32 x 3/8"
156 650257	Bracket, Grommet mounting Screw, 8-32 x 5/16"
157 650765	Screw, 10-32 x 3/10 Screw, 10-32 x 1/2"
158 28820	Screw, 10-32 x 1/2"
159 32398	Bracket, Choke
160 650760	Screw, 8-32 x 3/8"
161 28545	Grommet, Plastic
162 34127	Guard, Starter
163 32576	Seal, Snow Guard
164 33013	Cover, Starter bubble
165 650760	Screw, 8-32 x 3/8"
182 32961	Valve, Fuel shut off
201A 730130	Muffler Adapter Kit (Incl.110,112)(As req.)
201B 730561	Air Cleaner Kit
	(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
	(Used only on engine with an externally vented fully adjustable carburetor)
	· · · · · · · · · · · · · · · · · · ·
201 730164	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &

Ref #	Part Number Qt	Description
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
230 230B 230F 231A 231 232A 240 241 242 242 243 244	34346 34416 34144 34414 30548B 30547A 631021 611077 650868 611078 611079 590610 590613 631927	Decal, Instruction Decal, Instruction Decal, Primer Decal, Warning Condenser Breaker Assy (Used on Std. Point igni tion) Inlet, Needle Seat & Clip Assy. Alternator (Optional) Screw, 8-18 x 1-1/8" (3 required)(Opt.) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 140 for breakdown)
251	610964A	Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
252	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)