



Ref #	Part Number (	Qtv	Description
	33311B	٠-,	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	30799		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
12	29700		serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
18A	30682		Bolt, Connecting rod (Early productio n)
18	650662C		Screw, Connecting rod (Late productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31303B		·
			Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
	31546		Bushing, Crankshaft
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
30	650489		Screw, 1/4-20 x 5/8"
31	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		
			Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
45	27915A		* Gasket, Intake

## Ref # Part Number		D. All J.	D ::
48 30196 49 29918 50 660549 51 30319 52 32236A 52236A 5236A 5			
49 29918			
50 650548   Screw, 8-32 x 5/16"			•
51 30319			
Ever. Governor (New lewer does not need 1 of Ref #4951.53,64.132,133)			·
#49,51,53,54,132,133)  53 30322			Rivet, Split (Used on early productio n)
53 30322	52	32326A	Lever, Governor (New lever does not need 1 of Ref
54 29916 55 30205 56 30824 58 29216 59 29752 60 60572 50 605072 61 29826 62 29642 63 30699B 63 30699B 63 30699B 63 30699B 63 30699C 64 30700 65 650494 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 33876 61 33876 62 29642 63 30690C 65 650494 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 30166 61 30166 62 27727A 63 30696 64 30700 65 650494 65 6506194 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 298747B 60 29874B 60 298747B 60 29874B 60 29874B 60 29874B 60 29874B 60 2988B			#49,51,53,54,132,133)
54 29916 55 30205 56 30824 58 29216 59 29752 60 60572 50 605072 61 29826 62 29642 63 30699B 63 30699B 63 30699B 63 30699B 63 30699C 64 30700 65 650494 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 33876 61 33876 62 29642 63 30690C 65 650494 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 30166 61 30166 62 27727A 63 30696 64 30700 65 650494 65 6506194 66 3011A 67 33833A 68 33590 69 29747B 69 29747B 60 298747B 60 29874B 60 298747B 60 29874B 60 29874B 60 29874B 60 29874B 60 2988B	<b>5</b> 2	20222	Look Nut. 9.22 (Lloo on required)
55 30205 56 30824 58 29216 59 29752 60 650572 50 505072 61 29826 62 29642 63 30699B 63A 30699C 63A 30699C 64 30700 65 650494 66A 34011A 67 33893A 68 33590 69 29747B 69 29747B 70 32158E 71 33787 60 32158E 71 33787 60 32158E 71 33876 61 32836 72 4850861 73 38836 74 650561 75 31688A 75 31688A 76 32830 77 31688A 78 31696 79 31747 79 31688A 79 31747 79 31688A 79 31747 79 31688A 79 31745 79 31688A 70 3174 70 3174 70 3174 70 3174 71 3174 71 3174 72 3175 73 3175 74 650561 75 317688A 76 31880 77 3175 77 317688A 78 3176 79 317688A 79 3176 80 3176 81 31876 81 30196 81 28820 81 600521 81 600521 81 600521 81 600521 81 600521 81 600521 82 27777A 83 31691 84 B30727 85 31745 89 730127 89 31342 80 3084 81 30727 81 Element, Air cleaner 84 30727 85 31745 89 730127 89 31342 80 3084 80 50769 80 31845 80 50769 80 50769 80 507699 80 50769 80 507699 80			. ,
56 30824			· · · · · · · · · · · · · · · · · · ·
58 29216 59 29752 Nut & Lockwasher, 1/4-28 60 650572 61 29826 650572 61 29826 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 70Ke, Governor 65 650494 66A 34011A 70Ke, Governor 70Ke, Governor 70King 80 29747B 81 Screw, 540 x 516° 81 Screw, 540 x 516° 81 Screw, 540 x 516° 82 Screw, 540 x 516° 83 3590 89 29747B 80 Screw, 546 x 24 x 21/32° 81 Screw, 546 x 5180° 81 Screw, 546 x 5180° 82 Screw, 142 x 21/32° 81 Screw, 546 x 5180° 82 Screw, 142 x 21/32° 81 Screw, 546 x 5180° 83 3893 84 Carew, 546 x 5180° 85 Screw, 144 x 20 x 58° 85 Screw, 144 x 20 x 58° 85 Screw, 144 x 20 x 58° 86 Screw, 142 x 21/32° 81 Screw, 546 x 118° 81 30196 81 2820 81 Screw, 546 x 118° 81 2820 81 Screw, 142 x 21/32° 82 Screw, 142 x 21/32° 83 31691 81 Screw, 142 x 11/8° (Use as require d) 82 Screw, 142 x 21/32° 83 31691 83 30727 84 Screw, 142 x 21/32° 85 Screw, 142 x 21/32° 86 Screw, 142 x 21/32° 87 Screw, 142 x 21/32° 88 31715 89 730127 80 Screw, 142 x 21/32° 80 Screw, 147 (Use as required) 90 29500 90 Screw, 147 (Use as required) 91 29500 91 Screw, 142 x 12/2° 92 29500 92 29500 93 Screw, 142 x 12/2° 94 102 30884 103 318434 104 650836 95 Screw, 144 x 12/2° 105 31845 106 30590A 108 Screw, 144 x 12/2° 107 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 31845 108 30590A			
S9 29752   Nut & Lockwasher, 1/4-28     60 650572   Screw. 1/4-28 x 1-1/8"     61 29826   Screw. 1/4-28 x 1-1/8"     62 29642   Ring. Retaining     63 30699B   Rod Assy., Covernor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)     63 30699C   Rod Assy., Governor (Incl. 64 & 65)     64 30700   Yoke, Governor (Incl. 64 & 65)     65 650494   Screw. 6-40 x 5/16"     66 34011A   Dipstick (Incl. 68)     67 33893A   Oil Fill Tube     68 33590   "O" Ring     69 29747B   Screw. 5/16-24 x 21/32"     70 32158E   Blower Heg. (For elec. starter) (Incl. 1 89, 190)     71 33876   Gasket, Stator     73 29536   Baffle, Blower housing     74 650561   Screw. 1/4-20 x 5/8"     75 31688A   "Gasket, Carburetor     75 31688A   "Gasket, Carburetor     76 31 28820   Screw. 1/1-22 x 1/2" (Use as require d)     81 28820   Screw. 1/1-22 x 1/2" (Use as require d)     81 28820   Screw. 1/1-23 x 1/2" (Use as require d)     81 650521   Screw. 1/1-23 x 1/2" (Use as require d)     82 27727A   "Gasket, Air cleaner     84 30727   Element, Air cleaner     84 30727   Element, Air cleaner     85 31715   Body. Air Cleaner     89 730127   Air Cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)     98 32924   Compression Spring (Used with 650688 screw) (Use as required)     99 2500   Screw. 8-32 x 3/4" (Use as required)     90 505649   Screw. 1/23 x 1/3			
60 650572 61 28926 62 29642 62 29642 63 30699B 63 30699B 64 30700 65 650494 66A 34011A 66A 34011A 66B 33590 68 33590 69 29747B 70 32158E 70 32158E 71 33876 73 38936 74 650561 75 31688A 76 35688 76 356521 76 356521 76 356521 76 365521 76 37772A 77 3165 78 31668 78 31715 78 31715 78 31715 78 31715 78 31715 78 31715 78 31715 78 32950 79			•
61 298642 Ring, Retaining 62 29642 Ring, Retaining 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" 65 63 43011A Dipstick (Incl. 68) 67 33893A OI Fill Tube 68 33590 'O' Ring 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec. starter) (Incl. 1 89,190) 71 33876 Gasket, Stator 72 39536 Baffle, Blower housing 73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 58" 75 31688A 'Gasket, Carburetor 78 318820 Screw, 1/4-20 x 58" 79 316880 Screw, 1/4-20 x 58" 70 31691 Screw, 1/4-20 x 58" 71 3860152 Screw, 10-32 x 1-1/8" (Use as require d) 71 3876 Gasket, Air cleaner 71 3880 Screw, 1/4-20 x 1-1/8" (Use as require d) 72 2772A Bracket, Air cleaner 73 28536 Screw, 1/4-20 x 1-1/8" (Use as require d) 74 650521 Screw, 10-32 x 1-1/8" (Use as require d) 75 31688 Screw, 1/4-20 x 1-1/8" (Use as require d) 76 31715 Screw, 10-32 x 1-1/8" (Use as require d) 77 6188 Screw, 1/4-20 x 1-1/8" (Use as require d) 78 31715 Screw, 10-32 x 1/2" (Use as require d) 79 28569 Compression Spring (Used with 650549 screw) (Use as required) 79 3294 Compression Spring (Used with 650549 screw) (Use as required) 79 29500 Screw, 8-32 x 3/4" (Use as required) 79 29500 Screw, 8-32 x 1/48 (Use as required) 70 Screw, 10-32 x 1 (Use as required) 70 Screw, 10-32 x 1 (Use as required) 71 Screw, 10-32 x 1 (Use as required) 72 3084 Screw, 10-32 x 1 (Use as required) 73 31843 Bracket, Governor gear 74 Screw, 10-32 x 1 (Use as required) 75 Screw, 10-32 x 1 (Use as required) 76 Screw, 10-32 x 1 (Use as required) 77 Screw, 10-32 x 1 (Use as required) 78 3050549 Screw, 5-40 x 7/16" (Use as required) 89 30500 Screw, 10-32 x 1 (Use as required) 80 Screw, 10-32 x 1 (Use as required) 81 Screw, 10-32 x 1 (Use as required) 82 Screw, 10-32 x 1 (Use as required) 83 Screw, 10-32 x 1 (Use as required) 84 Screw, 10-32 x 1 x 1 (Use as required) 85 Screw, 10-32 x 1 x 1 (Use as required) 86 Screw,			·
62 29642 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16* 66A 34011A Dipstick (Incl. 68) 67 33893A Oil Fill Tube 68 33590 "O' Ring 69 29747B Screw, 5/16-24 x 21/32* 70 29158E Blower Hsg. (For elec.starter)(Incl.1 89,190) 67 329536 Baffle, Blower housing 74 650561 Screw, 1-420 x 5/8* 75 31688A "Gasket, Stator 75 31688A "Gasket, Carburetor 76 319536 Screw, 10-32 x 1/2* (Use as required) 76 31650521 Screw, 10-32 x 1/2* (Use as required) 77 31650521 Screw, 10-32 x 1/2* (Use as required) 78 2650521 Screw, 10-32 x 1/2* (Use as required) 79 2772A "Gasket, Air cleaner 84B 30727 Element, Air cleaner 85 31715 Body, Air cleaner 86 31715 Body, Air cleaner 87 31924 Compression Spring (Used with 650549 screw) (Use as required) 88 28669 Compression Spring (Used with 650549 screw) (Use as required) 89 32924 Compression Spring (Used with 650549 screw) (Use as required) 90 265068 Screw, 3-32 x 3/4* (Use as required) 91 29500 Screw, 3-32 x 3/4* (Use as required) 92 26504 Screw, 10-32 x 1/2* (Use as required) 93 31942 Compression Spring (Used with 650549 screw) (Use as required) 94 26504 Screw, 10-32 x 1/2* (Use as required) 95 2650549 Screw, 3-32 x 3/4* (Use as required) 96 2650689 Screw, 3-32 x 3/4* (Use as required) 97 29500 Screw, 3-32 x 3/4* (Use as required) 98 31943 Screw, 3-32 x 1/48 as required) 99 26500 Screw, 3-32 x 3/4* (Use as required) 99 265069 Screw, 5-40 x 3/7/16* (Use as required) 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear			·
63         30699B         Rod Assy, Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)           63A         30699C         Rod Assy, Governor (Incl. 64 & 65)           64         30700         Yoke, Governor           65         650494         Screw, 6-40 x 5/16"           66A         34011A         Dipstick (Incl. 68)           67         33893A         Oil Fill Tube           69         29747B         Screw, 5/16-24 x 21/32"           70         73         2558E           71         33876         Gasket, For elec.starter)(Incl.1 89,190)           73         2556         Baffle, Blower Housing           74         650561         Screw, 5/16-24 x 21/32"           75         31688A         "Gasket, Carburetor           73         32656         Baffle, Blower housing           80         Screw, 14-20 x 5/8"           75         31688A         "Gasket, Carburetor           81         30196         Screw, 14-32 x 1/2" (Use as required)           81         28820         Screw, 10-32 x 1/2" (Use as required)           81         360521         Screw, 5/16-18 x 3/4" (Use as required)           82         27272A         "Gasket, Air cleaner			·
used. It is replaced by 30699C assy., Ref.#63A)  63A 30699C 64 30700 70 Yoke, Governor (Incl. 64 & 65) 74 30700 85 650494 85 650494 96 34011A 10 pistick (Incl. 68) 10 iFill Tube 10 iFi			
63A 30699C 64 30700 70	63	30699B	Rod Assy., Governor (This one piece gov. rod is no longer
64 30700 65 650494 66A 34011A Dipstick (Incl. 68) 67 33893A Oil Fill Tube 68 33590 G9 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) Gasket, Stator Gasket, Stator Gasket, Carburetor Screw, 1/4-20 x 5/8" 73 29536 Baffle, Blower housing Fr. 31688A Screw, 1/4-20 x 5/8" 74 650561 Screw, 1/4-20 x 5/8" 75 31688A Screw, 5/16-18 x 3/4" (Use as require d) Screw, 1/4-20 x 3/8" 81 30196 Screw, 1/4-20 x 3/8" Screw, 1/3-2 x 1-1/8" (Use as require d) Compression Spring (Used with 9500 Screw) (Use as required) Screw, 1/3-2 x 1/4" (U			used. It is replaced by 30699C assy., Ref.#63A)
64 30700 65 650494 66A 34011A Dipstick (Incl. 68) 67 33893A Oil Fill Tube 68 33590 G9 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) Gasket, Stator Gasket, Stator Gasket, Carburetor Screw, 1/4-20 x 5/8" 73 29536 Baffle, Blower housing Fr. 31688A Screw, 1/4-20 x 5/8" 74 650561 Screw, 1/4-20 x 5/8" 75 31688A Screw, 5/16-18 x 3/4" (Use as require d) Screw, 1/4-20 x 3/8" 81 30196 Screw, 1/4-20 x 3/8" Screw, 1/3-2 x 1-1/8" (Use as require d) Compression Spring (Used with 9500 Screw) (Use as required) Screw, 1/3-2 x 1/4" (U	631	306000	Pad Apply Covernor (Incl. 64.9.65)
656 650494 66A 34011A 67 33893A Oil Fill Tube 68 33890 68 33890 69 29747B TO 32158E Blower Hsg. (For elec.starter) (Incl.1 89,190) 69 29747B TO 32158E Blower Hsg. (For elec.starter) (Incl.1 89,190) 69 29747B TO 32158E Blower Hsg. (For elec.starter) (Incl.1 89,190) 69 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/6-18 x 3/4" (Use as require d) 81 30196 Screw, 10-32 x 1/2" (Use as require d) 81 28820 Screw, 10-32 x 1/2" (Use as require d) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A Screw, 6-32 x 3/8" 82 27272A Screw, 6-32 x 3/8" Screw, 10-32 x 1-1/8" (Use as require d) 84B 30727 Element, Air cleaner 84B 30727 Element, Air cleaner 85 31715 Body, Air cleaner 89 730127 Air Cleaner Air Cleaner 98 28569 Compression Spring (Used with 29500 screw) (Use as required) 98 28569 Compression Spring (Used with 650688 screw) (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 99 650689 Screw, 10-32 x 1 (Use as required) 102 30884 104 650836 Screw, 10-32 x 1 (Use as required) 105 31843 Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 10-32 x 1 (Use as required) 106 30590A Washer, Flat			
66A 34011A 67 33893A Oil Fill Tube 68 33590 69 29747B Screw, 5/16-24 x 21/32" 70 32158E 70 32158E Find Screw, 5/16-24 x 21/32" 81 Blower Hsg. (For elec.starter)(Incl.1 89,190) 82 3876 83 3876 93 28536 Baffle, Blower housing 74 650561 75 31688A 81 30196 Screw, 1/4-20 x 5/8" 81 30196 Screw, 1/4-20 x 5/8" 81 28820 Screw, 10-32 x 1/2" (Use as require d) 81 28820 Screw, 10-32 x 1/18" (Use as require d) 81 650521 Screw, 10-32 x 1/18" (Use as require d) 82 27272A 83 31691 Screw, 1-32 x 3/8" 84B 30727 Belment, Air cleaner 84B 30727 Belment, Air cleaner 85 31715 Body, Air cleaner 89 730127 Air Cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  98 32924 Compression Spring (Used with 650688 screw) (Use as required)  99 29500 Screw, 10-32 x 1 (Use as required)  99 650688 Screw, 10-32 x 1 (Use as required) Screw, 3-32 x 3/4" (Use as required)  99 650689 Screw, 6-30 x 1 (Use as required) Screw, 6-30 x 1 (Use as required)  99 650689 Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required)  80 31843A Bracket, Governor gear Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 10-32 x 1 (Use as required) Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 10-32 x 1 (Use as required)			•
67 33893A 68 33590 70 Ring 69 29747B 70 32158E 71 33876 73 29536 83fffe 73 29536 84 Blower Hsg. (For elec.starter)(Incl.1 89,190) 85 3168A 86 33590 76 Gasket, Stator 77 329536 85 Blower housing 86 Screw, 1/4-20 x 5/8" 86 3168A 87 30196 88 Screw, 1/4-20 x 5/8" 89 30196 80 Screw, 5/16-18 x 3/4" (Use as required) 81 28820 80 Screw, 10-32 x 1/2" (Use as required) 81 650521 82 27272A 83 31691 84B 30727 85 31715 89 730127 89 730127 80 28569 80 Compression Spring (Used with 29500 screw) (Use as required) 89 28569 80 Compression Spring (Used with 650688 screw) (Use as required) 99 29500 99 29500 99 29500 99 650688 99 650689 99 650689 Screw, 10-32 x 3/4" (Use as required) 80 507649 81342 81342 81343A 81644 810 31845 810 30590A 81845 81845 81845 81845 81845 81845 81845 81845 81845 81845 81845 81845 8185 818			•
68 33590 "O" Ring 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) 71 33876 Gasket, Stator 73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 76 31688A Screw, 1/6-18 x 3/4" (Use as require d) 81 28820 Screw, 1/6-32 x 1/2" (Use as require d) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 81 650521 Screw, 8-32 x 3/8" 82 27272A Screw, 8-32 x 3/8" 83 31691 Bracket, Air cleaner 84 30727 Element, Air cleaner 85 31715 Body, Air cleaner 89 730127 Air Cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  98 28569 Compression Spring (Used with 29500 screw) (Use as required)  98 32924 Compression Spring (Used with 650688 screw) (Use as required)  99 29500 Screw, 8-32 x 3/4" (Use as required)  99 650688 Screw, 10-32 x 1 (Use as required)  90 650649 Screw, 8-32 x 3/4" (Use as required)  102 30884 Key, Flywheel 103 31843A Bracket, Governor gear  Screw, 10-32 x 1/2"  Screw, 10-32 x 1 (Use as required)  Screw, 10-32 x 1 (Use as required)  Screw, 5-40 x 7/16" (Use as required)  Screw, 10-32 x 1 (Use as required)			
69 29747B 70 32158E 81 Blower Hsg. (For elec.starter) (Incl.1 89,190) 83876 93844, Stator 73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A 30196 Screw, 1/4-20 x 5/8" 81 30196 Screw, 5/16-18 x 3/4" (Use as required) 81 28820 Screw, 10-32 x 1-1/8" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as required) 82 27272A Screw, 18-32 x 3/8" 83 31691 Screw, 18-32 x 3/8" 84B 30727 Blement, Air cleaner 85 31715 Body, Air cleaner 85 31715 Body, Air cleaner 87 30127 Compression Spring (Used with 29500 screw) (Use as required)  98 28569 Compression Spring (Used with 650688 screw) (Use as required)  98 32924 Compression Spring (Used with 650649 screw) (Use as required)  99 29500 Screw, 8-32 x 3/4" (Use as required)  Screw, 10-32 x 1 (Use as required)  Screw, 5-40 x 7/16" (Use as required)			
70 32158E 71 33876 73 29536 8affle, Blower Hsg. (For elec.starter)(Incl.1 89,190) Gasket, Stator 8affle, Blower housing Screw, 1/4-20 x 5/8" 75 31688A 81 30196 Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as require d) Screw, 10-32 x 1/2" (Use as require d) Screw, 10-32 x 1/2" (Use as require d) Screw, 33 x 3/8" 82 27272A 83 31691 84B 30727 85 31715 89 730127 Blook, Air cleaner 89 730127 Compression Spring (Used with 29500 screw)(Use as required)  98 28569 Compression Spring (Used with 650549 screw) (Use as required)  98 31342 Compression Spring (Used with 650549 screw) (Use as required)  99 29500 Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Shaft, Mechanical governor Washer, Flat			9
71 33876 73 29536 74 650561 75 31688A 81 30196 81 28820 81 650521 81 650521 81 650521 82 27272A 83 31691 84 30727 85 31715 89 730127 89 32859 80 Compression Spring (Used with 650688 screw) (Use as required)  98 32924  Compression Spring (Used with 650549 screw) (Use as required)  98 31342  Compression Spring (Used with 650549 screw) (Use as required)  Screw, 8-32 x 3/8"  Compression Spring (Used with 650549 screw) (Use as required)  Screw, 10-32 x 1-1/8" (Use as required)  Screw, 10-32 x 1-1/8" (Use as required)  Screw, 10-32 x 1-1/8" (Use as required)  Compression Spring (Used with 650688 screw) (Use as required)  Screw, 10-32 x 1 (Use as required)			·
73       29536       Baffle, Blower housing         74       650561       Screw, 1/4-20 x 5/8"         75       31688A       * Gasket, Carburetor         81       30196       Screw, 516-18 x 3/4" (Use as require d)         81       28820       Screw, 10-32 x 1-1/8" (Use as require d)         81       650521       Screw, 10-32 x 1-1/8" (Use as require d)         81A       650152       Screw, 8-32 x 3/8"         82       27272A       * Gasket, Air cleaner         83       31691       Bracket, Air cleaner         84B       30727       Body, Air cleaner         89       730127       Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)         98       28569       Compression Spring (Used with 29500 screw)(Use as required)         98       32924       Compression Spring (Used with 650688 screw) (Use as required)         98       31342       Compression Spring (Used with 650549 screw) (Use as required)         99       29500       Screw, 8-32 x 3/4" (Use as required)         99       650688       Screw, 10-32 x 1 (Use as required)         99       650689       Screw, 5-40 x 7/16" (Use as required)         102       30884       Key, Flywheel         103       31843A       Bracket, Governor			
Screw, 1/4-20 x 5/8"     75 31688A			•
* Gasket, Carburetor * Gasket, Carburetor * Screw, 5/16-18 x 3/4" (Use as require d) * Screw, 5/16-18 x 3/4" (Use as require d) * Screw, 10-32 x 1/2" (Use as require d) * Screw, 10-32 x 1-1/8" (Use as require d) * Screw, 10-32 x 1-1/8" (Use as require d) * Screw, 8-32 x 3/8" * Gasket, Air cleaner * Gasket, Air cleaner * Bath 30727 * Element, Air cleaner * Body, Ai			
81       30196       Screw, 5/16-18 x 3/4" (Use as required d)         81       28820       Screw, 10-32 x 1/2" (Use as required)         81       650521       Screw, 10-32 x 1/2" (Use as required)         81A       650152       Screw, 8-32 x 3/8"         82       27272A       * Gasket, Air cleaner         83       31691       Bracket, Air cleaner         84B       30727       Element, Air cleaner         85       31715       Body, Air cleaner         89       730127       Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)         Use as required)       Use as required)         98       28569       Compression Spring (Used with 29500 screw)(Use as required)         98       31342       Compression Spring (Used with 650688 screw) (Use as required)         99       29500       Screw, 8-32 x 3/4" (Use as required)         99       650688       Screw, 10-32 x 1 (Use as required)         99       650549       Screw, 10-32 x 1 (Use as required)         102       30884       Key, Flywheel         103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106			•
81       28820       Screw, 10-32 x 1/2" (Use as required)         81       650521       Screw, 10-32 x 1/8" (Use as require d)         81A       650152       Screw, 8-32 x 3/8"         82       27272A       * Gasket, Air cleaner         83       31691       Bracket, Air cleaner         84B       30727       Element, Air cleaner         85       31715       Body, Air cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B)         89       730127       Air Cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B)         98       28569       Compression Spring (Used with 29500 screw) (Use as required)         98       32924       Compression Spring (Used with 650688 screw) (Use as required)         98       31342       Compression Spring (Used with 650549 screw) (Use as required)         99       29500       Screw, 8-32 x 3/4" (Use as required)         99       650688       Screw, 10-32 x 1 (Use as required)         99       650689       Screw, 10-32 x 1 (Use as required)         102       30884       Key, Flywheel         103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106       30590A			·
81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 81A 650152 Screw, 8-32 x 3/8" 82 27272A * Gasket, Air cleaner 83 31691 Bracket, Air cleaner 84B 30727 Element, Air cleaner 85 31715 Body, Air cleaner 89 730127 Air Cleaner Asy. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  98 28569 Compression Spring (Used with 29500 screw)(Use as required)  98 32924 Compression Spring (Used with 650688 screw) (Use as required)  98 31342 Compression Spring (Used with 650549 screw) (Use as required)  99 29500 Screw, 8-32 x 3/4" (Use as required)  99 650688 Screw, 10-32 x 1 (Use as required)  99 650549 Screw, 10-32 x 1 (Use as required)  102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"  105 31845 Shaft, Mechanical governor Washer, Flat	81	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81A 650152 82 27272A 82 27272A 83 31691 83 31691 84B 30727 85 31715 89 730127 89 730127 80 Compression Spring (Used with 29500 screw) (Use as required) 80 32924 81 Compression Spring (Used with 650688 screw) (Use as required) 82 31342 83 31342 84 Compression Spring (Used with 650549 screw) (Use as required) 85 31342 86 Compression Spring (Used with 650549 screw) (Use as required) 86 31342 87 Compression Spring (Used with 650688 screw) (Use as required) 88 31342 89 29500 80 Screw, 8-32 x 3/4" (Use as required) 80 650688 80 Screw, 10-32 x 1 (Use as required) 81 Screw, 5-40 x 7/16" (Use as required) 82 Screw, 5-40 x 7/16" (Use as required) 83 Screw, 10-32 x 1 (Use as required) 84 Screw, 5-40 x 7/16" (Use as required) 85 Screw, 10-32 x 1 (Use as required) 86 Screw, 5-40 x 7/16" (Use as required) 87 Screw, 10-32 x 1 (Use as required) 88 Screw, 10-32 x 1 (Use as required) 89 Screw, 5-40 x 7/16" (Use as required) 80 Screw, 10-32 x 1 (Use as required) 80 Screw, 10-32 x 1 (Use as required) 81 Screw, 10-32 x 1 (Use as required) 82 Screw, 10-32 x 1 (Use as required) 83 Screw, 10-32 x 1 (Use as required) 84 Screw, 10-32 x 1 (Use as required) 85 Screw, 10-32 x 1 (Use as required) 86 Screw, 10-32 x 1 (Use as required) 87 Screw, 10-32 x 1 (Use as required) 88 Screw, 10-32 x 1 (Use as required) 89 Screw, 10-32 x 1 (Use as required) 89 Screw, 10-32 x 1 (Use as required) 80 Screw, 10-32 x 1 (Use	81	28820	Screw, 10-32 x 1/2" (Use as required)
82       27272A       * Gasket, Air cleaner         83       31691       Bracket, Air cleaner         84B       30727       Element, Air cleaner         85       31715       Body, Air cleaner Assy. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)         98       28569       Compression Spring (Used with 29500 screw)(Use as required)         98       32924       Compression Spring (Used with 650688 screw) (Use as required)         98       31342       Compression Spring (Used with 650549 screw) (Use as required)         99       29500       Screw, 8-32 x 3/4" (Use as required)         99       650688       Screw, 10-32 x 1 (Use as required)         99       650549       Screw, 5-40 x 7/16" (Use as required)         102       30884       Key, Flywheel         103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106       30590A       Washer, Flat	81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
83 31691 84B 30727 85 31715 89 730127  81 28569  82 28569  83 32924  84 28569  85 31342  86 29500  87 29500  88 29500  89 29500  99 29500  90 29500  90 29500  90 29500  91 29500  92 2500  93 250688  94 250688  95 250688  96 250649  97 250688  98 250649  99 250649  90 250649  90 250649  91 250649  92 250649  93 250649  94 250649  95 250649  96 250649  97 250649  98 250649  99 250649  99 250649  90 250649	81A	650152	Screw, 8-32 x 3/8"
Element, Air cleaner Body, Air cleaner Body, Air cleaner Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  8 28569  Compression Spring (Used with 29500 screw)(Use as required)  8 32924  Compression Spring (Used with 650688 screw) (Use as required)  8 31342  Compression Spring (Used with 650549 screw) (Use as required)  9 29500  Screw, 8-32 x 3/4" (Use as required)  9 650688  Screw, 10-32 x 1 (Use as required)  9 650549  Screw, 5-40 x 7/16" (Use as required)  102 30884  Key, Flywheel  103 31843A  Bracket, Governor gear  Screw, 10-24 x 1/2"  105 31845  Shaft, Mechanical governor  Washer, Flat	82	27272A	* Gasket, Air cleaner
85 31715 89 730127	83	31691	Bracket, Air cleaner
Air Čleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  98 28569	84B	30727	Element, Air cleaner
Air Čleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)  98 28569	85	31715	·
(Use as required)  Compression Spring (Used with 29500 screw)(Use as required)  Sequired  Compression Spring (Used with 650688 screw) (Use as required)  Sequired  Compression Spring (Used with 650549 screw) (Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 10-32 x 1 (Use as required)  Screw, 5-40 x 7/16" (Use as required)  Key, Flywheel  Screw, 5-40 x 7/16" (Use as required)  Key, Flywheel  Screw, 10-32 x 1 (Use as required)  Screw, 5-40 x 7/16" (Use as required)  Screw, 10-30540 Key, Flywheel  Screw, 10-24 x 1/2"  Shaft, Mechanical governor  Washer, Flat			
Compression Spring (Used with 29500 screw)(Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 8-32 x 1 (Use as required)  Screw, 10-32 x 1 (Use as required)  Screw, 5-40 x 7/16" (Use as required)  Key, Flywheel  31843A  Bracket, Governor gear  Screw, 10-24 x 1/2"  Shaft, Mechanical governor  Washer, Flat			
required)  Compression Spring (Used with 650688 screw) (Use as required)  98 31342  Compression Spring (Used with 650549 screw) (Use as required)  99 29500  Screw, 8-32 x 3/4" (Use as required)  99 650688  Screw, 10-32 x 1 (Use as required)  99 650549  Screw, 5-40 x 7/16" (Use as required)  102 30884  Key, Flywheel  103 31843A  Bracket, Governor gear  104 650836  Screw, 10-24 x 1/2"  105 31845  Shaft, Mechanical governor  Washer, Flat	00	00500	. ,
98       32924       Compression Spring (Used with 650688 screw) (Use as required)         98       31342       Compression Spring (Used with 650549 screw) (Use as required)         99       29500       Screw, 8-32 x 3/4" (Use as required)         99       650688       Screw, 10-32 x 1 (Use as required)         99       650549       Screw, 5-40 x 7/16" (Use as required)         102       30884       Key, Flywheel         103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106       30590A       Washer, Flat	98	28569	
required)  98 31342  Compression Spring (Used with 650549 screw) (Use as required)  99 29500  90 650688  90 650549  90 650549  102 30884  103 31843A  104 650836  105 31845  106 30590A  Compression Spring (Used with 650549 screw) (Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 10-32 x 1 (Use as required)  Key, Flywheel  Screw, 5-40 x 7/16" (Use as required)  Key, Flywheel  Screw, 10-24 x 1/2"  Shaft, Mechanical governor  Washer, Flat			required)
required)  98 31342  Compression Spring (Used with 650549 screw) (Use as required)  99 29500  90 650688  90 650549  90 650549  102 30884  103 31843A  104 650836  105 31845  106 30590A  Compression Spring (Used with 650549 screw) (Use as required)  Screw, 8-32 x 3/4" (Use as required)  Screw, 10-32 x 1 (Use as required)  Key, Flywheel  Screw, 5-40 x 7/16" (Use as required)  Key, Flywheel  Screw, 10-24 x 1/2"  Shaft, Mechanical governor  Washer, Flat	98	32924	Compression Spring (Used with 650688 screw) (Use as
98 31342 Compression Spring (Used with 650549 screw) (Use as required)  99 29500 Screw, 8-32 x 3/4" (Use as required)  99 650688 Screw, 10-32 x 1 (Use as required)  99 650549 Screw, 5-40 x 7/16" (Use as required)  102 30884 Key, Flywheel  103 31843A Bracket, Governor gear  104 650836 Screw, 10-24 x 1/2"  105 31845 Shaft, Mechanical governor  106 30590A Washer, Flat	00	02021	, , , , , , , , , , , , , , , , , , , ,
required)  99 29500 Screw, 8-32 x 3/4" (Use as required)  99 650688 Screw, 10-32 x 1 (Use as required)  99 650549 Screw, 5-40 x 7/16" (Use as required)  102 30884 Key, Flywheel  103 31843A Bracket, Governor gear  104 650836 Screw, 10-24 x 1/2"  105 31845 Shaft, Mechanical governor  106 30590A Washer, Flat			
99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2" 105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat	98	31342	
99 650688 Screw, 10-32 x 1 (Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2" 105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat			required)
99 650688 Screw, 10-32 x 1 (Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2" 105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat	90	20500	Screw 8-32 v 3//" (Lice as required)
99 650549 Screw, 5-40 x 7/16" (Use as required) 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2" 105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat			
102       30884       Key, Flywheel         103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106       30590A       Washer, Flat			
103       31843A       Bracket, Governor gear         104       650836       Screw, 10-24 x 1/2"         105       31845       Shaft, Mechanical governor         106       30590A       Washer, Flat			· · ·
104 650836 Screw, 10-24 x 1/2" 105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat			
105 31845 Shaft, Mechanical governor 106 30590A Washer, Flat			
106 30590A Washer, Flat			
·			
107 30591 Gear Assy., Governor (Incl. 106)			
	107	30591	Gear Assy., Governor (Incl. 106)

Ref #	Part Number	Qty	Description
108	30588A		Spool, Governor
109	29193		Ring, Retaining
113A	650665		Screw, 1/4-15 x 3/4"
113	650561		Screw, 1/4-20 x 5/8"
	35584		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
110	30002		
			as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required)
			. ,
	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as requi red)
120	26460		Clamp, Fuel line (Use as required)
125	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650548		Screw, 8-32 x 5/16" (Early production )
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
			•
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
226	610973		Terminal Assy.
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
	34235		Ground Wire
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
			•
	34346		Decal, Instruction
	31752		Decal, Air cleaner
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required )
	32173		Decal, H.P. (6 H.P.) (Use as required )
299	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
303	631824		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 206for breakdown)
304	610689A		Magneto NOTE: The complete magneto is not available as
			an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as
			shown in parts list. (Refer to Division 5, Section B, page 24
			for breakdown)
000	500400		,
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
310	33235A		* Gasket Set (Incl. items marked *)
510	33 <u>2</u> 30/ (		Sastat Sot (mon torno marioa )



Ref #	Part Number	Qty	Description
35	26073	-	Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
111	33167		Bracket, Lower fuel tank
	33166A		Bracket, Upper fuel tank
	650665		Screw, 1/4-15 x 3/4"
	391006		Muffler (Incl. 124, 124A & 124B)
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
1212	331020		mufflercan be used on any model)
4044	00474		• ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf. Adapter Kit(Incl. 125, 136, 137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required )
213	00001		Joiew, 10 02 x 0/10 (Obe as required )



D-( !!	Deat Marshau	Ο.	Describer
	Part Number	Qty	Description No. 1014 (11 and 12 and 1
	27261		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	30824		Link, Throttle
	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required )
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required )
224A	30826		Spring, Extension
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
225A	33110A		Control Bracket (Incl. 224A & 226)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)