
H60-75450L Engine Parts List #1




	Part Number		escription
1	33311B	C	ylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2	27652	Pi	in, Dowel
3	27642	PI	lug, Oil drain, 1/4-18
	9556		ipe Plug, 1/8-27
	27876B		eal, Oil
	32783		itake Valve (Std.) (Incl. 9)
	32784		
			ntake Valve (1/32" OS) (Incl. 9)
	27878A		xhaust Valve (Std.)
	27880A		xhaust Valve (1/32" OS) (Incl. 9)
	27882		ap, Upper valve spring
	27881	S	pring, Valve
9	32581	C	ap, Lower valve spring
11	31827	С	rankshaft (Incl. 12 & 13)
	29783		in, Crankshaft gear Used in early production. This gear is
			erviceable ONLY when itis pinned to the crankshaft.
13	27884	G	ear, Crankshaft Used in early production. This gear is
		SE	erviceable ONLY when itis pinned to the crankshaft.
	34531		iston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532	Pi	iston, Pin & Ring Set (.010" OS)
14	34533	Pi	iston, Pin & Ring Set (.020" OS)
14A	33312B		iston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		iston & Pin Ass'y. (.010 OS) (Incl. 16)
	33314B		iston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		ling Set (Std.) (2-5/8" Bore)
	34855		ing Set (.010" OS)
	34856		ling Set (.020" OS)
	27888		ling, Piston pin retaining
	31380C		od Assy., Connecting (Incl. 18)
	30682		olt, Connecting rod (Early productio n)
18	650662C	S	crew, Connecting rod (Late productio n)
19	26073	C	connecting rod bolt washer (Early pro duction)
20	28264	C	connecting rod nut (Used on early pro duction)
21	33156	C	amshaft
	34034	Lit	ifter, Valve
	31451A		ylinder Cover (Incl.24, 105, 246, 24 7 & 248)
	28460		eal, Oil
	30684		Gasket, Cylinder cover
	650488		crew, 1/4-20 x 1-1/4"
	650493		crew, 1/4-20 x 1-3/4"
	650516		crew, 1/4-20 x 1-1/8"
	30939A		over, Cylinder head
32	28938C	* (Gasket, Cylinder head
	30938A		lead, Cylinder (Incl. 3 of 36)
	33636		esistor Spark Plug
	26073		/asher, Flat (Use as required)
	650570		Vasher, Flat (Use as required)
	650691		Vasher, Flat (Use as required)
	650697A		crew, 5/16-18 x 2-1/2" (Use as required)
	650695A		crew, 5/16-18 x 2-1/4" (Use as required)
36	650694A		crew, 5/16-18 x 2" (Use as required)
	650128		crew, 10-24 x 1/2" (Use as required)
		S	crew, 10-24 x 5/8" (Use as required)
	650597	0	
37	650597 27896A		Gasket, Breather cover
37 38	27896A	* (Gasket, Breather cover
37 38 39	27896A 28423	* (Be	Gasket, Breather cover ody, Breather
37 38 39 40	27896A 28423 28424	* (Bo El	Gasket, Breather cover ody, Breather lement, Breather
37 38 39 40 41	27896A 28423	* (Bi El Ci	Gasket, Breather cover ody, Breather


		ty Description
46	34712	Flange, Carburetor (Incl. 60)
48	30196	Screw, 5/16-18 x 3/4"
	29918	Lockwasher
	650548	Screw, 8-32 x 5/16"
	30319	
		Rivet, Split (Used on early productio n)
	33454	Lever Assy., Governor
	30322	Lock Nut, 8-32 (Use as required)
54	29916	Clamp, Governor lever (Use as require d)
56	34662	Link, Throttle
	29216	Locknut, 10-32
	650517	Screw, 1/4-20 x 13/16"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Rod Assy., Governor (This one piece gov. rod is no longer
		used. It is replaced by 30699C assy., Ref.#63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	31297	Dipstick (Incl. 68)
	29673	• • • •
		* Gasket, Dipstick
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876	Gasket, Stator
73	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
		•
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
81A	650152	Screw, 8-32 x 3/8"
82	27272A	* Gasket, Air cleaner
83	31691	Bracket, Air cleaner
	30727	Element, Air cleaner
	31715	
		Body, Air cleaner
89	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
98	28569	Compression Spring (Used with 29500 screw)(Use as
		required)
98	32924	Compression Spring (Used with 650688 screw) (Use as
		required)
98	31342	Compression Spring (Used with 650549 screw) (Use as
		required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	30884	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
105	31845	Shaft, Mechanical governor
106	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 106)
	30588A	Spool, Governor
		•
	29193	Ring, Retaining
	341.58	Bracket, Lower fuel tank
111D	34159	Plate, Upper fuel tank mtg.

	Part Number Q 650665	ty Description Screw, 1/4-15 x 3/4"
	650561	Screw, 1/4-20 x 5/8"
	34186A	Fuel Tank (Incl. 115 & 120)
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
	00002	as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
	29774	Fuel Line (Braided 8.25") (Use as req uired)
	30705	Fuel Line (Braided 16") (Use as required)
	30962	Fuel Line (Braided 32") (Use as required)
	26460	Clamp, Fuel line (Use as required)
	32401	Muffler
	27930A	* Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production)
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
146	29538	Base, Engine mounting
147	650128	Screw, 10-24 x 1/2"
148	30622A	Extension, Blower housing
	27275	Clip, Wire (Use as required)
186	29443	Clip, Fuel line (Use as required)
229	28942	Screw, 10-32 x 3/8"
230	27793	Clip, Conduit
244	31793	Bearing, Ball
245	31792	Washer, Thrust
246	31855	Retainer, Bearing
247	650778	Washer, Lock
248	650580	Nut, Lock
262	29716	Screw, 1/4-28 x 7/16"
	32125	Cup, Starter
	35009	Screen, Starter cup
	650815	Washer, Belleville
	8116	Nut, Hex
	550223	Decal, Name
	33310	Decal, 5 HP Mini-Bike (Use as require d)
	31517	Decal, H.P. (5 H.P.) (Use as required)
	32173	Decal, H.P. (6 H.P.) (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	610767A	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	632178	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
505	052170	page 176 for breakdown)
304	610984	Magneto (w/ring gear) (12 Volt) (3 Am p) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 36 for breakdown)
306	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
000		breakdown)

H60-75450L Engine Parts List #2



		Qty	Description
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
	001020		mufflercan be used on any model)
10.14	20171		• ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
070	650687		Scrow 10.22 x $\frac{5}{16}$ (Lice as required.)
213	100000		Screw, 10-32 x 5/16" (Use as required)



	Part Number	Qty	Description
37A	27261		Washer, Flat (Use as required)
37	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	34662		Link, Throttle
	30985		Control, Throttle
	29747B		,
	28569		Screw, 5/16-24 x 21/32"
90	20009		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
139	650821		Screw, 10-32 x 1/2"
	34663		Spring, Speed control
	30063		Screw, 1/4-20 x 1/2"
	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, $1/4-20 \times 1/2$ " (Use as required)
	34067		Wire Harness (4-1/4")
	34068		
			Wire Harness (6-1/4")
	34664		Control Bracket (Incl. 98, 99, 140 & 226)
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap o motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)