


Ref #	Part Number	Otv	Description
-	33311B	٠.,	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	30968		Nipple, Oil drain
	27642		Plug, Oil drain, 1/4-18
	32214		Elbow, Oil drain
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	30799		Crankshaft (Incl. 12 & 13)
	29783		
IZ	29/63		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531		
			Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
17	31380C		Rod Assy., Connecting (Incl. 18)
18	650662C		Screw, Connecting rod (Late productio n)
	30682		Bolt, Connecting rod (Early productio n)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034 34303B		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
	31546		Bushing, Crankshaft
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
30	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
10			


Ref #	Part Number	Qty	Description
41	28425	· ·	Cover, Valve spring
	32447		
			Tube, Breather
45	27915A		* Gasket, Intake
46	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
			·
	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
	32326A		· • • • • • • • • • • • • • • • • • • •
52	32320A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
			1 1 1 1 4 0 00 (1)
53	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	31710		Link, Throttle
58	29216		Locknut, 10-32
59	29752		Nut & Lockwasher, 1/4-28
			Screw, 1/4-28 x 1-1/8"
	650572		•
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
			·
	31297		Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
	32158E		
			Blower Hsg. (For elec.starter)(Incl.1 89,190)
/1	33876		Gasket, Stator
73	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
			·
	31688A		* Gasket, Carburetor
81A	650152		Screw, 8-32 x 3/8"
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		
			Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
	31708		Bracket, Air cleaner
			·
	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
00	-		required)
			required)
QR	28569		Compression Spring (Used with 29500 screw)(Use as
90	20009		
			required)
00	00004		O
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
			• •
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
102	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
105	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
100			

		Description
	30591	Gear Assy., Governor (Incl. 106)
	30588A	Spool, Governor
	29193	Ring, Retaining
	34158	Bracket, Lower fuel tank
112	34159	Plate, Upper fuel tank mtg.
113A	650665	Screw, 1/4-15 x 3/4"
113	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 120)
115	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
	0.40.40	•
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required)
110	29774	Fuel Line (Braided 8.25") (Use as req uired)
	30705	Fuel Line (Braided 16") (Use as required)
	30962	
		Fuel Line (Braided 32") (Use as required)
	26460	Clamp, Fuel line (Use as required)
	32401	Muffler
	27930A	* Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production)
132	650139	Screw, 8-32 x 1/2" (Early production)
144	650542	Screw, 5/16-18 x 3/4"
146	29538	Base, Engine mounting
147	650128	Screw, 10-24 x 1/2"
148	30622A	Extension, Blower housing
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	610118	Cover, Spark plug
	31386	Spring, Extension
	31726B	Control Bracket (Incl. 98, 99, 226 & 284A)
	610973	Terminal Assy.
	34235	Ground Wire
	29716	Screw, 1/4-28 x 7/16"
	32125	·
		Cup, Starter
	590417	Screen, Starter cup
	650815	Washer, Belleville
	8116	Nut, Hex
	550223	Decal, Name
	33310	Decal, 5 HP Mini-Bike (Use as require d)
	31517	Decal, H.P. (5 H.P.) (Use as required)
	32173	Decal, H.P. (6 H.P.) (Use as required)
	34346	Decal, Instruction
	34149	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
301	631021	Inlet Needle, Seat & Clip Assy.
303	631828	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
		page 144 for breakdown)
304	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 24
		for breakdown)
		ioi bioardowiij

Ref # Part Number	Qty Description
306 590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
43	32447		Tube, Breather
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
84A	31700		Element, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113Δ	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
1212	001020		mufflercan be used on any model)
4044	00474		, ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only)
			730301 ass y. Only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
	32410		Knob, Speed control
_3 " (1 -1



Ref #	Part Number 0	Oty Description
37A	27261	Washer, Flat (Use as required)
37	650128	Screw, 10-24 x 1/2" (Use as required)
37	650597	Screw, 10-24 x 5/8" (Use as required)
41	28425	Cover, Valve spring
44	32446	Grommet, Breather tube
56	31710	Link, Throttle
69	29747B	Screw, 5/16-24 x 21/32"
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
		• ,
98	28569	Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
	32683A	Gasket, Fuel pump cover (Use as requi red)
	32955	Cover, Fuel pump pad (Use as required)
	9556	Plug, Pipe 1/8-27 (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973	Terminal Assy.
227	33177	Terminal (Use as required)
262	29716	Screw, 1/4-28 x 7/16"
266	650815	Washer, Belleville
267	8116	Nut, Hex
298E	33107	Decal, Control
305	33018	Harness Assy., Adapter (Use as requir ed)
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)